

The 'rgr' package and functions

Over 100 'rg' functions have been written in the last sixteen years at the Geological Survey of Canada (GSC) for the S-Plus proprietary statistical software to support exploration and applied geochemical survey and research activities. Most of these function scripts have been written from 'scratch', however, others are based on scripts shared within the S user community on S-News. The 'rgr' functions are a subset of the 'rg' functions that run under the R system. R is the open source version of the S language, it is extensively used in academia and other institutions, see <http://www.r-project.org/>. R may be downloaded from any of the CRAN sites listed there. Version 'rgr_1.0.5' comprises 67 of the 'rg' functions; most of these are exploratory data analysis (EDA) and data inspection tools, many of which rely on graphics as a way to communicate the nature of the data sets under investigation/interpretation. All future development is being carried in the R environment. While the functions in 'rgr_1.0.5' are essentially univariate, with exception of the computation of log-ratio transformations and the calculation of correlation matrices and weighted sums, future releases will contain multivariate tools for the graphical display of data.

The 'rgr' functions have been prepared so that they may be used by GSC staff, and be distributed externally to other government departments (OGDs), agencies and individuals wishing to use the Applied Geochemistry Section's graphical and other procedures. In some instances the GSC has undertaken specific geochemical compilations for OGDs of National Geochemical Reconnaissance and other geochemical survey data sets held by the GSC. Many of these are publically available as GSC Open Files. The 'rgr' functions may be used to process applied geochemical data to generate summary statistics, both numeric and graphical, in support of the estimation of the boundaries of ambient and natural geochemical background variations. Implicitly this includes the setting of threshold or action levels that may trigger further field activities to determine if the causes of outliers, i.e. observations with above threshold or action levels, are due to natural or anthropogenic causes. The 'rgr' functions described in this document fall, dominantly, under the title of univariate exploratory data analysis tools. If observation site coordinates are available, four functions are available to display simple spatial plots, 'maps', for data inspection (note: these do not replace the use of a Graphical Information System, GIS, for spatial data display and analysis). A further spatial function displays a concentration-area plot that assists in determining if multi-fractal patterns are present in the data that can be used to identify boundaries between data populations related to different spatial - fractal - processes; e.g., background and anomalous.

The following notes are for those as yet unfamiliar with the use of R.

Although the help files use TRUE and FALSE in the examples, etc., the capital letters T and F, respectively, may be used when running the functions..

Quotes, “ ”, are used to enclose character strings that will be printed or displayed. To obtain a Greek μ , use \265, thus to display ($\mu\text{g/kg}$) use “... (\265g/kg) ...”, if a tab is required use \t, and \n forces a new line. The available codes for special characters such as the Greek μ may be displayed with function display.ascii.o.

Where justification of text is an option, adj = 0 results in left justification, adj =1 in right

justification, and $\text{adj} = 0.5$ in centring. Defaults are always provided.

NA is an explicit way that the S language, and R, has of conveying the fact that there is no information. A blank numeric field, i.e. `','` (note the space between the commas) in a table entered into R by the `'read.table'` command is converted to a NA, for an actual value of zero a zero has to be explicitly entered. In some geochemical data files blanks have been converted to zeros by other software packages, in others they are set to a coded value, e.g. -9999. Tools are available in functions `'ltdl.fix.df'` and `'ltdl.fix'` to set these zeros or coded values to NAs if that is appropriate.

Many computational tasks cannot accept NAs, therefore software, function `'remove.na'`, is used internally within the `'rgr'` functions to remove NAs from data when required.

It is common practice to set geochemical results less than the detection or quantification limit ($<dl$) to the negative value of the detection limit. Tools, functions `'ltdl.fix.df'` and `'ltdl.fix'` for data frames and vectors, respectively, are provided to convert these negative values to half the positive value of the detection limit. This is essential if logarithmic scaling is to be used in plots, or calculations are to be undertaken in logarithms.

If logarithmic scaling is required for plots or computations ensure that the parameter `log = T` and, if required, `logx = T`. In some functions where two variables are plotted against each other, `log = "x"`, `log = "y"` and `log = "xy"`, control scaling of the axes.

A common construct for storing data in S and R is the dataframe, this includes not only the data but also the variable names (columns) and the observation identifiers (rows). The latter commonly known as the sample numbers or IDs. In this there is a difference between natural scientists and statisticians, to a natural scientist a sample is an individual 'something' that is collected, described and measured, whereas to a statistician the sample is the whole collection of individual 'somethings' and has some size N . The data for any one variable or measurement is a column vector. The data in a dataframe may be made easily accessible by attaching the dataframe with `'attach(dfname)'`. The attached dataframe may be removed by `'detach(dfname)'`. The function `'df.test(dfname)'` may be run to see if a dataframe is attached or present in the R work space and identify the names of the variables it contains.

The construct `'deparse(substitute(x))'` is used to generate a default variable name label, the column variable name, if no more informative text is provided by the user, e.g., Cu (a column variable name) rather than a user defined text string like "Cu (mg/kg) in surface soil". The contents of the variable name label are variously defined as `xlab`, `xname`, or `name`, or a similar parameter name for a y or z variable, where required.

A construct useful in the execution time selection of a subset of the values for a variable is conditioning. While Cu leads to the processing of the entire vector of data for the column variable Cu, `Cu[Cu<200]` would result in the processing of only those data where the Cu value was <200 . Similarly, `Cu[Cu>10 & Cu<200]` would result in the processing of only those data with values between, exclusively, 10 and 200. The condition may be based on the values of any variable available in the data frame, thus `Cu[Zn>200]` would

result in only those Cu values where the Zn value exceeded 200 being processed. Similarly for a 'factor' (text string variable), Cu[PM == "Till"] (note the double = signs) results in only those Cu values where PM (the soil parent material) was recorded as Till being processed. For generating more permanent subsets from a dataframe or matrix the R function 'subset' or the rgr package function 'gx.subset' may be used.

In some cases it is required to split the data for a variable, a column vector, into subsets based on the value of some classificatory variable, factor, which appears as a column variable. For example, split(Cu, GSG) would split the data for the variable Cu into subsets on the basis of the values of GSG (Great Soil Group). The values of the criterion may be either character strings or integer numbers, there will be as many subsets as there are unique values of the criterion (factor). This technique may be used with functions 'bwplot' and 'tbplot'. The value of the criterion also may be computed, for example, Distance%%10 generates a truncated (integer) value of the Distance from a fixed point divided by 10. Thus all Distances between 0 and 9.99... have a value of 0, those from 10 to 19.99... have a value of 1, and so on. Thus if Distance is the distance from a point source of contaminants, e.g., a smelter stack, a Tukey boxplot display can be generated where the individual plots graphically summarize the data in 10 km units from the source.

Where options exist for the colour infill of polygons the default is grey, 'colr = 8'. The following are the available default R colours: 1 = black; 2 = red; 3 = green; 4 = dark blue; 5 = light blue; 6 = purple; 7 = yellow; and 8 = grey. Setting colr = 0 results in no infill. To display the actual colours use function 'display.lty()' that also displays line styles.

Some users may find it convenient to use a 'first' function. Such a function can be used to load the rgr package for use along with another required R Library, akima, set certain defaults to the user's preferences, and set the R Working Directory to one appropriate for the data under investigation. In earlier versions of R the MASS library had also to be explicitly made available, currently it comes bundled with the standard R installation. Both MASS and akima are 'lazy loaded' by loading 'rgr', they just have to be in the library folder in the user's PC. The following is an example:

```

"first" <-
function (wd = NULL)
{
  if(is.null(wd)) wd = "D:\\R\\Project 3\\WD"
  setwd(wd)
  library(rgr)
  par(pty = "s", pch = 3)
  cat("Default plot shape set to 'square' and plot symbol to 'plus'\n")
  cat("Working directory set to:", wd, "\n")
  options(warn = -1)
  cat("R options set to warn = -1 to suppress unwanted graphics related messages from\n
  rgr multi-panel functions and functions calling eqscplot in Library MASS\n")
}

```

The above function assumes that a folder D:\R\Project 3\WD has been set up outside the Program Files for R where data and output files are to be stored, where Project 3, or some other appropriate name, is a subdirectory where data and files are to be kept. In general it is good practice to store the data and project specific files in a different place than the software. If a 'data' drive, e.g., D:\, is not available a subdirectory in My Documents can be used. The above 'first' function reflects the preference of the author for 'square' xy-plots and the use of a '+' sign as the plotting symbol. Another plotting symbol can be chosen from the available plotting marks, see 'display.marks', and if the user consistently wants rectangular plots that make maximum use of the display space, change `pty = "s"` to `pty = "m"`.

To complete the set-up for a project a R icon should be placed on the desk top and edited so that R uses the defined Working Directory for storing the R files: .Rdata and .Rhistory. To place an extra R icon on the desktop for a particular project, go to the C:\Program Files\R\bin subdirectory and make a shortcut to R.exe and then drag it to the desktop, where it can be renamed appropriately, e.g., Project 3. In this manner different R sessions for different projects or data investigations may be set up, with the result that only relevant files are accessible and the R workspace is less cluttered. This is done by right clicking on the R icon placed on the desktop and selecting Properties and editing the Start in field to D:\R\Project3\WD and clicking on Apply.

If the user has set up a folder D:\R\Project3\WD for data and files for Project 3, then clicking on the 'Project 3' R icon will start the session in the correct WD subdirectory. If a different Working Directory is required entering `'first("D:\\R\\Project 4\\WD")` at the `>` in the R session will result in the rgr package being made available, the Working Directory being set to D:\R\Project 4\WD, and any other defaults the user wishes to set being implemented. Note two things: 1) the subdirectory D:\R\Project 4\WD must have been created, and 2) the use of `\\` to cause the correct backslash for the file name in the execution of the 'first' function.

The last instruction in the 'first' function is `'options(warn = -1)'`. The use of multi-panel displays in some rgr functions and the use of function 'eqscplot' from the MASS Library in others causes warning messages to be displayed concerning certain graphics parameters. These are not relevant to the user and the `'options(warn = -1)'` statement leads to their suppression.

In practice it is important to appropriately handle any -ve values due to the presence of <dl data and any zeros or coded values indicating missing data prior to undertaking any plotting or computations. The easiest way to achieve this is by use of the 'ltdl.fix.df' function. Thus, if the data are in a dataframe 'dfname' the command 'dfname.fixed <- ltdl.fix.df(dfname)' is executed. The newly created object 'dfname.fixed' is attached, 'attach(dfname.fixed)' so that its column vectors are directly accessible. Any resulting NAs are handled appropriately in each 'rgr' function using the 'remove.na' function.

The following list describes the functions available to the user, functions that are only called internally are marked with an asterisk (*), together with the test data sets used in the examples.

Full details are available through the on-line help files in the rgr Library.

| | |
|-------------------|---|
| alr | Undertake an Arithmetic Log-Ratio transformation |
| anova1 | Duplicate Sample Analysis of Variance (ANOVA) |
| anova2 | Duplicate Sample Analysis of Variance (ANOVA), alternate input |
| bwplot | Plot Vertical Box-and-Whisker Plots |
| bwplot.by.var | Plot Vertical Box-and-Whisker Plots for Variables |
| bxplot | Plot a Horizontal Boxplot or Box-and-Whisker Plot |
| caplot | Prepare a Concentration-Area (C-A) Plot |
| cat2list * | Divides Data into Subsets by Factor |
| clr | Undertake a Centred Log-Ratio Transformation |
| cnpplt | Displays a Cumulative Normal Percentage Probability (CPP) Plot |
| cutter * | Function to Identify into which Interval a Value Falls |
| df.test | Check for the Existence of a Dataframe |
| display.ascii.o | Display the Windows Latin 1 Font Octal Table |
| display.lty | Display Available Line Styles and Colour Codes |
| display.marks | Display the Available Plotting Symbols |
| display.rainbow | Display the Colours of the Rainbow(36) Palette |
| fences | Generate and Display Fence Values |
| fences.summary | Generate and Save Fence Values for Data Subsets |
| fix.test | Test Data for Function ltdl.fix.df |
| framework.stats * | Compile Framework/Subset Summary Statistics |
| framework.summary | Generate and Save Framework/Subset Summary Statistics |
| gx.cnpplts | Plot up to nine CPP in a single Display |
| gx.cnpplts.setup | Define Symbolology and Colours for use in gx.cnpplts |
| gx.ecdf | Plot an Empirical Cumulative Distribution Function (ECDF) |
| gx.fractile | Estimate the Fractile for a specified Quantile of a Distribution |
| gx.hist | Plot a Histogram |
| gx.hypergeom | Estimate the Probability of Anomaly Location is Informative |
| gx.ks.test | Plot ECDFs of two Distributions with a Kolmogorov-Smirnov Test |
| gx.pearson | Compute Pearson Correlation Coefficients and estimate Probabilities |
| gx.quantile | Estimate the Quantile for a specified Fractile of a Distribution |
| gx.rma | Estimate the Reduced Major Axis Coefficients and Test for (0,1) |
| gx.runs | Carry out a Wald-Wolfowitz, Runs, Test |
| gx.sort | Sort a Dataframe or Matrix on a single variable and Display |
| gx.sort.df | Sort a Dataframe on multiple variables and Display |
| gx.spearman | Compute Spearman Correlation Coefficients and estimate Probabilities |
| gx.stats | Compute Summary Statistics and optionally Display |
| gx.subset | Extract a Subset of Rows from a Data Frame |
| gx.summary * | Compile Summary Statistics for other displays |
| gx.summary1 | Display a Concise Single Line Summary Statistics Report |
| gx.summary2 | Display a ten-line Summary Statistics Report |
| gx.summary.mat | Display gx.summary1 style Reports for Selected Columns of a Dataframe |
| gx.summary.groups | Display gx.summary1 style Reports for Factors in a Dataframe |
| gx.triples.aov | Undertake a Staggered 3-Level Design ANOVA for Sampling and Analytical Variability and Estimate Variance Components |

| | |
|----------------|--|
| gx.triple.fgx | Undertake ANOVAs to estimate the Regional Representivity of Triples |
| ilr | Undertake an Isometric Log-Ratio Transformation |
| inset | An EDA Graphical and Statistical Summary |
| inset.exporter | Saves an EDA Graphical and Statistical Summary |
| kola.c | Kola Project C-horizon Soil Data |
| kola.o | Kola Project O-horizon Soil Data |
| ltdl.fix | Replace Negative Values Representing Less Than Detects for a Vector |
| ltdl.fix.df | Replace Negative Values Representing Less Than Detects for a Dataframe |
| map.eda7 | Display a Symbol Map of Numeric Data Based on the Tukey Boxplot |
| map.eda8 | Display a Symbol Map of Numeric Data Based on their Percentiles |
| map.tags | Display a Map of Posted Values |
| map.z | Display a Map of Numeric Data using Proportional Symbols |
| ms.data1 | Measurement Variability Test Data |
| ms.data2 | Measurement Variability Test Data |
| ms.data3 | Measurement Variability Test Data |
| remove.na | Remove and Count NAs |
| shape | An EDA Graphical Summary |
| sind | Howarth and Sinding-Larsen Test Data for Weighted Sums |
| syms * | Function to Compute the Diameters of Proportional Symbols |
| syms.pfunc | Function to Demonstrate the Effect of Different Values of p |
| tbplot | Plot Vertical Tukey Boxplots |
| tbplot.by.var | Plot Vertical Tukey Boxplots for Variables |
| thplot1 | Display a Thompson-Howarth Plot of Duplicate Measurements |
| thplot2 | Display a Thompson-Howarth Plot of Duplicate Measurements, alternate input |
| triples.test1 | Test Data for Function gx.triples.aov |
| triples.test2 | Test Data for Function gx.triples.fgx |
| var2fact * | Rearranges Data for Variables as Factors |
| which.na | Function to Identify Row Numbers of a Vector with NAs |
| wtd.sums | Computation of Weighted Sums |
| xyplot.eda7 | Display a 'XY' Plot of Numeric Data Based on the Tukey Boxplot |
| xyplot.eda8 | Display a 'XY' plot of Numeric Data Based on their Percentiles |
| xyplot.tags | Display a 'XY' Plot of Posted Values |
| xyplot.z | Display a 'XY' Plot of Numeric Data using Proportional Symbols |

The 'rgr' Library was first built in 2007 at the Geological Survey of Canada, Ottawa, by Yiwen Chen working in collaboration with the author. Development has continued since then in R.

Robert G. Garrett
Emeritus Scientist
Geological Survey of Canada
Earth Sciences Sector, Natural Resources Canada
Ottawa, Ontario K1A 0E8

December 7, 2010

E_mail: garrett@NRCan.gc.ca
Web_site: http://cgc.nrcan.gc.ca/dir/index_e.php?id=4961