

Package ‘GWlasso’

January 20, 2025

Title Geographically Weighted Lasso

Version 1.0.1

Description Performs geographically weighted Lasso regressions. Find optimal bandwidth, fit a geographically weighted lasso or ridge regression, and make predictions.

These methods are specially well suited for ecological inferences. Bandwidth selection algorithm is from A. Comber and P. Harris (2018) <[doi:10.1007/s10109-018-0280-7](https://doi.org/10.1007/s10109-018-0280-7)>.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.3.1

Imports dplyr, ggplot2, ggsome, glmnet, GWmodel, lifecycle, magrittr,
methods, progress, rlang, sf, tidyverse

NeedsCompilation no

Author Matthieu Mulot [aut, cre, cph]
(<<https://orcid.org/0000-0002-8039-5078>>),
Sophie Erb [aut] (<<https://orcid.org/0000-0002-0700-283X>>)

Maintainer Matthieu Mulot <matthieu.mulot@gmail.com>

Suggests knitr, maps, rmarkdown

VignetteBuilder knitr

Depends R (>= 3.5.0)

LazyData true

URL <https://github.com/nibortolum/GWlasso>,
<https://nibortolum.github.io/GWlasso/>

BugReports <https://github.com/nibortolum/GWlasso/issues>

Repository CRAN

Date/Publication 2024-11-22 09:30:07 UTC

Contents

Amesbury	2
compute_distance_matrix	3
gwl_bw_estimation	3
gwl_fit	5
plot.gwlfit	6
plot_gwl_map	7
predict.gwlfit	8
print.gwlest	9
print.gwlfit	10

Index	12
-------	----

Amesbury

Amesbury Testate Amoebae dataset

Description

Dataset from Amesbury (2016) in Development of a new pan-European testate amoeba transfer function for reconstructing peatland palaeohydrology

Usage

Amesbury

Format

Amesbury:

This dataset contains the data from Amesbury (2016). In essence, it's a Testate amoebae community table (45 broad TA taxa and 1103 samples)

spe.df A species x sites dataframe with sites as rows and species in column

WTD A vector od Water table depth associated with each samples

coords a dataframe containing the coordinates of each sample

Source

[doi:10.1016/j.quascirev.2016.09.024](https://doi.org/10.1016/j.quascirev.2016.09.024)

References

Matthew J. Amesbury, Graeme T. Swindles, Anatoly Bobrov, Dan J. Charman, Joseph Holden, Mariusz Lamentowicz, Gunnar Mallon, Yuri Mazei, Edward A.D. Mitchell, Richard J. Payne, Thomas P. Roland, T. Edward Turner, Barry G. Warner, *Development of a new pan-European testate amoeba transfer function for reconstructing peatland palaeohydrology*. *Quaternary Science Reviews*, vol. 152, 2016, pages 132-151. [doi:10.1016/j.quascirev.2016.09.024](https://doi.org/10.1016/j.quascirev.2016.09.024).

compute_distance_matrix
Compute distance matrix

Description

`compute_distance_matrix()` is a small helper function to help you compute a distance matrix. For the geographically method to work, it is important that distances between points are not zero. This function allows to add a small random noise to avoid zero distances.

Usage

```
compute_distance_matrix(data, method = "euclidean", add.noise = FALSE)
```

Arguments

<code>data</code>	A datafram or matrix containing at least two numerical columns.
<code>method</code>	method to compute the distance matrix. Ultimately passed to <code>stats::dist()</code> . Can be <code>euclidean</code> , <code>maximum</code> , <code>manhattan</code> , <code>canberra</code> , <code>binary</code> or <code>minkowski</code> .
<code>add.noise</code>	TRUE/FALSE set to TRUE to add a small noise to the distance matrix. Noise U is generated as $U \sim (1 \times 10^{-6}, 5 \times 10^{-6})$. Noise is added only for pairs for which distance is zero.

Value

a distance matrix, usable in [gwl_bw_estimation\(\)](#)

Examples

```
coords <- data.frame("Lat" = rnorm(200), "Long" = rnorm(200))
distance_matrix <- compute_distance_matrix(coords)
```

gwl_bw_estimation	<i>Bandwidth estimation for Geographically Weighted Lasso</i>
-----------------------------------	---

Description

This function performs a bruteforce selection of the optimal bandwidth for the selected kernel to perform a geographically weighted lasso. The user should be aware that this function could be really long to run depending of the settings. We recommend starting with `nbw = 5` and `nfolds = 5` at first to ensure that the function is running properly and producing the desired output.

Usage

```
gwl_bw_estimation(
  x.var,
  y.var,
  dist.mat,
  adaptive = TRUE,
  adptbwd.thresh = 0.1,
  kernel = "bisquare",
  alpha = 1,
  progress = TRUE,
  nbw = 100,
  nfolds = 5
)
```

Arguments

x.var	input matrix, of dimension nobs x nvars; each row is an observation vector. x should have 2 or more columns.
y.var	response variable for the lasso
dist.mat	a distance matrix. can be generated by compute_distance_matrix()
adaptive	TRUE or FALSE Whether to perform an adaptive bandwidth search or not. A fixed bandwidth means that than samples are selected if they fit a determined fixed radius around a location. in a aptative bandwidth , the radius around a location varies to gather a fixed number of samples around the investigated location
adptbwd.thresh	the lowest fraction of samples to take into account for local regression. Must be $0 < \text{adptbwd.thresh} < 1$
kernel	the geographical kernel shape to compute the weight. passed to GWmodel::gw.weight() Can be gaussian, exponential, bisquare, tricube, boxcar
alpha	the elasticnet mixing parameter. set 1 for lasso, 0 for ridge. see glmnet::glmnet()
progress	if TRUE, print a progress bar
nbw	the number of bandwidth to test
nfolds	the number f folds for the glmnet cross validation

Value

a gwlest object. It is a list with rmspe (the RMSPE of the model with the associated bandwidth), NA (the number of NA in the dataset), bw (the optimal bandwidth), bwd.vec (the vector of tested bandwidth)

References

- A. Comber and P. Harris. *Geographically weighted elastic net logistic regression* (2018). *Journal of Geographical Systems*, vol. 20, no. 4, pages 317–341. doi:[10.1007/s1010901802807](https://doi.org/10.1007/s1010901802807).

Examples

```
predictors <- matrix(data = rnorm(2500), 50,50)
y_value <- sample(1:1000, 50)
coords <- data.frame("Lat" = rnorm(50), "Long" = rnorm(50))
distance_matrix <- compute_distance_matrix(coords)

myst.est <- gwl_bw_estimation(x.var = predictors,
                               y.var = y_value,
                               dist.mat = distance_matrix,
                               adaptive = TRUE,
                               adptbw.thresh = 0.5,
                               kernel = "bisquare",
                               alpha = 1,
                               progress = TRUE,
                               n=10,
                               nfolds = 5)

myst.est
```

gwl_fit

Fit a geographically weighted lasso with the selected bandwidth

Description

Fit a geographically weighted lasso with the selected bandwidth

Usage

```
gwl_fit(
  bw,
  x.var,
  y.var,
  kernel,
  dist.mat,
  alpha,
  adaptive,
  progress = TRUE,
  nfolds = 5
)
```

Arguments

bw	Bandwidth
----	-----------

x.var	input matrix, of dimension nobs x nvars; each row is an observation vector. x should have 2 or more columns.
y.var	response variable for the lasso
kernel	the geographical kernel shape to compute the weight. passed to GWmodel::gw.weight() Can be gaussian, exponential, bisquare, tricube, boxcar
dist.mat	a distance matrix. can be generated by compute_distance_matrix()
alpha	the elasticnet mixing parameter. set 1 for lasso, 0 for ridge. see glmnet::glmnet()
adaptive	TRUE or FALSE Whether to perform an adaptive bandwidth search or not. A fixed bandwidth means that samples are selected if they fit a determined fixed radius around a location. In a adaptive bandwidth, the radius around a location varies to gather a fixed number of samples around the investigated location
progress	TRUE/FALSE whether to display a progress bar or not
nfolds	the number f folds for the glmnet cross validation

Value

a gwlfit object containing a fitted Geographically weighted Lasso.

Examples

```

predictors <- matrix(data = rnorm(2500), 50,50)
y_value <- sample(1:1000, 50)
coords <- data.frame("Lat" = rnorm(50), "Long" = rnorm(50))
distance_matrix <- compute_distance_matrix(coords)

my.gwl.fit <- gwl_fit(bw = 20,
                       x.var = predictors,
                       y.var = y_value,
                       kernel = "bisquare",
                       dist.mat = distance_matrix,
                       alpha = 1,
                       adaptive = TRUE,
                       progress = TRUE,
                       nfolds = 5)

my.gwl.fit

```

plot.gwlfit	<i>Plot method for gwlfit object</i>
--------------------	--------------------------------------

Description

Plot method for gwlfit object

Usage

```
## S3 method for class 'gwlfit'
plot(x, ...)
```

Arguments

x	a gwlfit object returned by gwl_fit()
...	ellipsis for S3 method compatibility

Value

a ggplot

Examples

```
predictors <- matrix(data = rnorm(2500), 50,50)
y_value <- sample(1:1000, 50)
coords <- data.frame("Lat" = rnorm(50), "Long" = rnorm(50))
distance_matrix <- compute_distance_matrix(coords)

my.gwl.fit <- gwl_fit(bw = 20,
                      x.var = predictors,
                      y.var = y_value,
                      kernel = "bisquare",
                      dist.mat = distance_matrix,
                      alpha = 1,
                      adaptive = TRUE,
                      progress = TRUE,
                      nfolds = 5)

plot(my.gwl.fit)
```

plot_gwl_map

Plot a map of beta coefficient for gwlfit object

Description

this function plots a map of the beta coefficients for a selected column (aka species). For this function to work, the coordinates supplied to [gwl_fit\(\)](#) must be named "Lat" and "Long". The function is not bulletproof yet but is added here to reproduce the maps from the original publication.

[Experimental]**Usage**

```
plot_gwl_map(x, column, crs = 4326)
```

Arguments

- x a gwlfit object returned by [gwl_fit\(\)](#).
- column the name of a variable to be plotted on the map. Must be quoted. for instance "NEB.MIN"
- crs the crs projection for the map (default is mercator WGS84). See [sf::st_crs\(\)](#)

Value

a ggplot object

Examples

```
data(Amesbury)

distance_matrix <- compute_distance_matrix(Amesbury$coords[1:30,], add.noise = TRUE)

my.gwl.fit <- gwl_fit(bw= 20,
                       x.var = Amesbury$spe.df[1:30,],
                       y.var = Amesbury$WTD[1:30],
                       dist.mat = distance_matrix,
                       adaptive = TRUE,
                       kernel = "bisquare",
                       alpha = 1,
                       progress = TRUE)

if(requireNamespace("maps")){
  plot_gwl_map(my.gwl.fit, column = "NEB.MIN")
}
```

predict.gwlfit *Predict method for gwlfit objects*

Description

Predict method for gwlfit objects

Usage

```
## S3 method for class 'gwlfit'
predict(object, newdata, newcoords, type = "response", verbose = FALSE, ...)
```

Arguments

- object Object of class inheriting from "gwlfit"
- newdata a data.frame or matrix with the same columns as the training dataset
- newcoords a dataframe or matrix of coordinates of the new data

type	the type of response. see <code>glmnet::predict.glmnet()</code>
verbose	TRUE to print info about the execution of the function (useful for very large predictions)
...	ellipsis for S3 compatibility. Not used in this function.

Value

a vector of predicted values

Examples

```

predictors <- matrix(data = rnorm(2500), 50,50)
y_value <- sample(1:1000, 50)
coords <- data.frame("Lat" = rnorm(50), "Long" = rnorm(50))
distance_matrix <- compute_distance_matrix(coords)

my.gwl.fit <- gwl_fit(bw = 20,
                       x.var = predictors,
                       y.var = y_value,
                       kernel = "bisquare",
                       dist.mat = distance_matrix,
                       alpha = 1,
                       adaptive = TRUE,
                       progress = TRUE,
                       nfolds = 5)

my.gwl.fit

new_predictors <- matrix(data = rnorm(500), 10,50)
new_coords <- data.frame("Lat" = rnorm(10), "Long" = rnorm(10))

predicted_values <- predict(my.gwl.fit,
                            newdata = new_predictors,
                            newcoords = new_coords)

```

Description

Printing gwlest objects

Usage

```
## S3 method for class 'gwlest'
print(x, ...)
```

Arguments

- x an object of class `gwlest`
- ... ellipsis for S3 method compatibility

Value

this function print key elements of a `gwlest` object

Examples

```

predictors <- matrix(data = rnorm(2500), 50,50)
y_value <- sample(1:1000, 50)
coords <- data.frame("Lat" = rnorm(50), "Long" = rnorm(50))
distance_matrix <- compute_distance_matrix(coords)

myst.est <- gwl_bw_estimation(x.var = predictors,
                               y.var = y_value,
                               dist.mat = distance_matrix,
                               adaptive = TRUE,
                               adptbw.thresh = 0.5,
                               kernel = "bisquare",
                               alpha = 1,
                               progress = TRUE,
                               n=10,
                               nfolds = 5)

myst.est

```

Description

Printing `gwlfit` objects

Usage

```
## S3 method for class 'gwlfit'
print(x, ...)
```

Arguments

- x a `gwlfit` object
- ... ellipsis for S3 method compatibility

Value

this function print key elements of a *gwlfit* object

Examples

```
predictors <- matrix(data = rnorm(2500), 50,50)
y_value <- sample(1:1000, 50)
coords <- data.frame("Lat" = rnorm(50), "Long" = rnorm(50))
distance_matrix <- compute_distance_matrix(coords)

my.gwl.fit <- gwl_fit(bw = 20,
                      x.var = predictors,
                      y.var = y_value,
                      kernel = "bisquare",
                      dist.mat = distance_matrix,
                      alpha = 1,
                      adaptive = TRUE,
                      progress = TRUE,
                      nfolds = 5)

my.gwl.fit
```

Index

* datasets

Amesbury, [2](#)

Amesbury, [2](#)

compute_distance_matrix, [3](#)

compute_distance_matrix(), [4, 6](#)

glmnet::glmnet(), [4, 6](#)

glmnet::predict.glmnet(), [9](#)

gwl_bw_estimation, [3](#)

gwl_bw_estimation(), [3](#)

gwl_fit, [5](#)

gwl_fit(), [7, 8](#)

GWmodel::gw.weight(), [4, 6](#)

plot.gwlfit, [6](#)

plot_gwl_map, [7](#)

predict.gwlfit, [8](#)

print.gwlest, [9](#)

print.gwlfit, [10](#)

sf::st_crs(), [8](#)

stats::dist(), [3](#)