

Package ‘MSG’

January 20, 2025

Type Package

Title Data and Functions for the Book Modern Statistical Graphics

Version 0.8

Description A companion to the Chinese book ``Modern Statistical Graphics".

License GPL

Depends R (>= 3.5.0)

Imports RColorBrewer (>= 1.1.2)

Suggests animation (>= 2.6), igraph (>= 1.2.4.1), KernSmooth (>= 2.23.15), maps (>= 3.3.0), mvtnorm (>= 1.0.11), rgl (>= 0.100.30), RgoogleMaps (>= 1.4.4), plotrix (>= 3.7.6), ggplot2 (>= 3.2.1), grid (>= 3.6.0), sna (>= 2.4)

URL <https://github.com/yihui/MSG>

BugReports <https://github.com/yihui/MSG/issues>

Encoding UTF-8

RoxygenNote 7.1.1

NeedsCompilation no

Author Yihui Xie [aut, cre] (<<https://orcid.org/0000-0003-0645-5666>>),
Peng Zhao [aut],
Lijia Yu [ctb],
Xiangyun Huang [ctb]

Maintainer Yihui Xie <xie@yihui.name>

Repository CRAN

Date/Publication 2021-07-21 19:50:05 UTC

Contents

MSG-package	2
andrews_curve	2
assists	4
BinormCircle	4

canabalt	5
char_gen	6
ChinaLifeEdu	7
cut_plot	7
Export.USCN	8
gov.cn.pct	9
heart_curve	10
msg	11
murcia	12
music	12
PlantCounts	13
quake6	13
t.diff	14
tukeyCount	15
tvearn	16
vec2col	16

Index**18**

MSG-package*Modern Statistical Graphics***Description**

Datasets and functions for the Chinese book “Modern Statistical Graphics”.

Author(s)

Yihui Xie <<https://yihui.org>>

andrews_curve

*Draw Andrew’s Curve***Description**

This function evaluates the transformation of the original data matrix for t from $-\pi$ to π , and uses `matplotlib` to draw the curves.

Usage

```
andrews_curve(  
  x,  
  n = 101,  
  type = "l",  
  lty = 1,  
  lwd = 1,  
  pch = NA,  
  xlab = "t",  
  ylab = "f(t)",  
  ...  
)
```

Arguments

x a data frame or matrix
n number of x-axis values at which f(t) is evaluated
type, lty, lwd, pch, xlab, ylab, ...
passed to `matplotlib`

Value

a matrix of coefficients for each observation at different t values

Author(s)

Yihui Xie <<https://yihui.org>>

References

https://en.wikipedia.org/wiki/Andrews_plot

See Also

`matplotlib`

Examples

```
andrews_curve(iris[, -5], col = as.integer(iris[, 5]))
```

assists	<i>Assists between players in CLE and LAL</i>
---------	---

Description

The players in the rows assisted the ones in the columns.

References

<http://www.basketballgeek.com/data/>

Examples

```
data(assists)

if (require("sna")) {
  set.seed(2011)
  gplot(assists, displaylabels = TRUE, label.cex = 0.7)
}
```

<i>BinormCircle</i>	<i>Random numbers containing a “circle”</i>
---------------------	---

Description

The data was generated from two independent random variables (standard Normal distribution) and further points on a circle were added to the data. The order of the data was randomized.

Format

A data frame with 20000 observations on the following 2 variables.

V1 the first random variable with the x-axis coordinate of the circle

V2 the second random variable with the y-axis coordinate of the circle

Details

See the example section for the code to generate the data.

Source

<https://yihui.org/en/2008/09/to-see-a-circle-in-a-pile-of-sand/>

Examples

```

data(BinormCircle)

## original plot: cannot see anything
plot(BinormCircle)

## transparent colors (alpha = 0.1)
plot(BinormCircle, col = rgb(0, 0, 0, 0.1))

## set axes limits
plot(BinormCircle, xlim = c(-1, 1), ylim = c(-1, 1))

## small symbols
plot(BinormCircle, pch = ".")  

  

## subset
plot(BinormCircle[sample(nrow(BinormCircle), 1000), ])  

  

## 2D density estimation
library(KernSmooth)
fit = bkde2D(as.matrix(BinormCircle), dpik(as.matrix(BinormCircle)))
# perspective plot by persp()
persp(fit$x1, fit$x2, fit$fhat)

if (interactive() && require("rgl")) {
  # perspective plot by OpenGL
  rgl.surface(fit$x1, fit$x2, fit$fhat)
  # animation
  M = par3d("userMatrix")
  play3d(par3dinterp(userMatrix = list(M, rotate3d(M, pi/2, 1, 0, 0), rotate3d(M,
    pi/2, 0, 1, 0), rotate3d(M, pi, 0, 0, 1))), duration = 20)
}

## data generation
x1 = rnorm(10000)
y1 = rnorm(10000)
x2 = rep(0.5 * cos(seq(0, 2 * pi, length = 500)), 20)
y2 = rep(0.5 * sin(seq(0, 2 * pi, length = 500)), 20)
x = cbind(c(x1, x2), c(y1, y2))
BinormCircle = as.data.frame(round(x[sample(20000), ], 3))

```

Description

The scores of the game Canabalt from Twitter

References

[‘http://www.neilkodner.com/2011/02/visualizations-of-canabalt-scores-scraped-from-twitter/’](http://www.neilkodner.com/2011/02/visualizations-of-canabalt-scores-scraped-from-twitter/)
 (the URL is not longer accessible)

Examples

```
library(ggplot2)
data(canabalt)
print(qplot(device, score, data = canabalt))
print(qplot(reorder(death, score, median), score, data = canabalt, geom = "boxplot") +
  coord_flip())
```

char_gen

Generate a matrix of similar characters

Description

This function prints a matrix of characters which are very similar to each other.

Usage

```
char_gen(x = c("V", "W"), n = 300, nrow = 10)
```

Arguments

- x a character vector of length 2 (usually two similar characters)
- n the total number of characters in the matrix
- nrow the number of rows

Value

a character matrix on the screen

Author(s)

Yihui Xie <<https://yihui.org>>

Examples

```
char_gen()
char_gen(c("O", "Q"))
```

ChinaLifeEdu*Life Expectancy and the Number of People with Higher Education in China (2005)*

Description

This data contains the life expectancy and number of people with higher education in the 31 provinces and districts in China (2005).

Format

A data frame with 31 observations on the following 2 variables.

Life.Expectancy Life expectancy

High.Edu.NO Number of people with higher education

Source

China Statistical Yearbook 2005. National Bureau of Statistics.

Examples

```
data(ChinaLifeEdu)
x = ChinaLifeEdu
plot(x, type = "n", xlim = range(x[, 1]), ylim = range(x[, 2]))
u = par("usr")
rect(u[1], u[3], u[2], u[4], col = "antiquewhite", border = "red")
library(KernSmooth)
est = bkde2D(x, apply(x, 2, dpik))
contour(est$x1, est$x2, est$hat, nlevels = 15, col = "darkgreen", add = TRUE,
       vfont = c("sans serif", "plain"))
```

cut_plot

Cut the points in a scatter plot into groups according to x-axis

Description

This function can categorize the variable on the x-axis into groups and plot the mean values of y. The purpose is to show the arbitrariness of the discretization of data.

Usage

```
cut_plot(x, y, breaks, ..., pch.cut = 20)
```

Arguments

x	the x variable
y	the y variable
breaks	the breaks to cut the x variable
...	other arguments to be passed to <code>plot.default</code>
pch.cut	the point symbol to denote the mean values of y

Author(s)

Yihui Xie <<https://yihui.org>>

Examples

```
x = rnorm(100)
y = rnorm(100)
cut_plot(x, y, seq(min(x), max(x), length = 5))
```

Export.USCN

Export of US and China from 1999 to 2004 in US dollars

Description

Export of US and China from 1999 to 2004 in US dollars

Format

A data frame with 13 observations on the following 3 variables.

Export amount of export

Year year from 1999 to 2004

Country country: US or China

Source

https://www.wto.org/english/res_e/statis_e/statis_e.htm

Examples

```
data(Export.USCN)
par(mar = c(4, 4.5, 1, 4.5))
plot(1:13, Export.USCN$Export, xlab = "Year / Country", ylab = "US Dollars ($10^16)",
      axes = FALSE, type = "h", lwd = 10, col = c(rep(2, 6), NA, rep(4, 6)), lend = 1,
      panel.first = grid())
xlabel = paste(Export.USCN$Year, "\n", Export.USCN$Country)
xlabel[7] = ""
xlabel
abline(v = 7, lty = 2)
```

```

axis(1, at = 1:13, labels = xlabel, tick = FALSE, cex.axis = 0.75)
axis(2)
(ylabel = pretty(Export.USCN$Export * 8.27))
axis(4, at = ylabel/8.27, labels = ylabel)
mtext("Chinese RMB", side = 4, line = 2)
box()

```

gov.cn.pct

Percentage data in some government websites

Description

This data was collected from Google by searching for percentages in some goverment websites.

Format

A data frame with 10000 observations on the following 4 variables.

percentage a numeric vector: the percentages

count a numeric vector: the number of webpages corresponding to a certain percentage

round0 a logical vector: rounded to integers?

round1 a logical vector: rounded to the 1st decimal place?

Details

We can specify the domain when searching in Google. For this data, we used ‘site:gov.cn’, e.g. to search for ‘87.53% site:gov.cn’.

Source

Google (date: 2009/12/17)

Examples

```

data(gov.cn.pct)
pct.lowess = function(cond) {
  with(gov.cn.pct, {
    plot(count ~ percentage, pch = ifelse(cond, 4, 20), col = rgb(0:1,
      0, 0, c(0.04, 0.5))[cond + 1], log = "y")
    lines(lowess(gov.cn.pct[cond, 1:2], f = 1/3), col = 2, lwd = 2)
    lines(lowess(gov.cn.pct[!cond, 1:2], f = 1/3), col = 1, lwd = 2)
  })
}
par(mar = c(3.5, 3.5, 1, 0.2), mfrow = c(2, 2))
with(gov.cn.pct, {
  plot(percentage, count, type = "l", panel.first = grid())
  plot(percentage, count, type = "l", xlim = c(10, 11), panel.first = grid())
  pct.lowess(round0)
  pct.lowess(round1)
})

```

```

})
if (interactive()) {
  devAskNewPage(ask = TRUE)

  with(gov.cn.pct, {
    plot(count ~ percentage, type = "l")
    grid()

    devAskNewPage(ask = FALSE)

    for (i in 0:99) {
      plot(count ~ percentage, type = "l", xlim = i + c(0, 1),
           panel.first = grid())
    }

    devAskNewPage(ask = TRUE)

    plot(count ~ percentage, pch = 20, col = rgb(0:1, 0, 0, c(0.07,
      1))[round0 + 1], log = "y")
    lines(lowess(gov.cn.pct[round0, 1:2], f = 1/3), col = "red",
      lwd = 2)
    lines(lowess(gov.cn.pct[!round0, 1:2], f = 1/3), col = "black",
      lwd = 2)

    plot(count ~ percentage, pch = 20, col = rgb(0:1, 0, 0, c(0.07,
      1))[round1 + 1], log = "y")
    lines(lowess(gov.cn.pct[round1, 1:2], f = 1/3), col = "red",
      lwd = 2)
    lines(lowess(gov.cn.pct[!round1, 1:2], f = 1/3), col = "black",
      lwd = 2)
  })
}

```

heart_curve*Draw a heart curve***Description**

Calculate the coordinates of a heart shape and draw it with a polygon.

Usage

```
heart_curve(n = 101, ...)
```

Arguments

- | | |
|------------|---|
| n | the number of points to use when calculating the coordinates of the heart shape |
| ... | other arguments to be passed to polygon , e.g. the color of the polygon (usually red) |

Author(s)

Yihui Xie <<https://yihui.org>>

Examples

```
heart_curve()  
heart_curve(col = "red")  
heart_curve(col = "pink", border = "red")
```

msg

Plot a graph with a pre-installed R script

Description

Plot a graph with a pre-installed R script

Usage

```
msg(fig = "3.6", show_code = TRUE, print_plot = TRUE, filter = 0)
```

Arguments

fig	Character. The figure number or the R script name, which is given in the book.
show_code	Logical. TRUE means the codes are shown in the console.
print_plot	Logical. TRUE means the graph is printed.
filter	Integer. The line numbers indicating which lines in the code are displayed (when positive) or hidden (when negative).

Value

A graph and the source code

Examples

```
# msg('3.6') msg('ChinaPop')
```

murcia

*Composition of Soil from Murcia Province, Spain***Description**

The proportions of sand, silt and clay in soil samples are given for 8 contiguous sites. The sites extended over the crest and flank of a low rise in a valley underlain by marl near Albudeite in the province of Murcia, Spain. The sites were small areas of ground surface of uniform shape internally and delimited by relative discontinuities externally. Soil samples were obtained for each site at 11 random points within a 10m by 10m area centred on the mid-point of the site. All samples were taken from the same depth. The data give the sand, silt and clay content of each sample, expressed as a percentage of the total sand, silt and clay content.

References

<http://www.statsci.org/data/general/murcia.html>

Examples

```
data(murcia)
boxplot(sand ~ site, data = murcia)
```

music

*Attributes of some music clips***Description**

Attributes of some music clips

References

Cook D, Swayne DF (2007). Interactive and Dynamic Graphics for Data Analysis With R and GGobi. Springer. ISBN 978-0-387-71761-6.

Examples

```
data(music)
```

PlantCounts	<i>Number of plants corresponding to altitude</i>
-------------	---

Description

For each altitude, the number of plants is recorded.

Format

A data frame with 600 observations on the following 2 variables.

altitude altitude of the area

counts number of plants

Source

<https://cosx.org/2008/11/lowess-to-explore-bivariate-correlation-by-yihui>

Examples

```
## different span for LOWESS
data(PlantCounts)
par(las = 1, mar = c(4, 4, 0.1, 0.1), mgp = c(2.2, 0.9, 0))
with(PlantCounts, {
  plot(alitude, counts, pch = 20, col = rgb(0, 0, 0, 0.5), panel.first = grid())
  for (i in seq(0.01, 1, length = 70)) {
    lines(lowess(alitude, counts, f = i), col = rgb(0, i, 0), lwd = 1.5)
  }
})
```

quake6	<i>Earth quakes from 1973 to 2010</i>
--------	---------------------------------------

Description

The time, location and magnitude of all the earth quakes with magnitude being greater than 6 since 1973.

References

<https://d.cosx.org/d/101510>

Examples

```
data(quake6)
library(ggplot2)
qplot(year, month, data = quake6) + stat_sum(aes(size = ..n..)) + scale_size(range = c(1,
  10))
```

t.diff

The differences of P-values in t test assuming equal or unequal variances

Description

Given that the variances of two groups are unequal, we compute the difference of P-values assuming equal or unequal variances respectively by simulation.

Format

A data frame with 1000 rows and 99 columns.

Details

See the Examples section for the generation of this data.

Source

By simulation.

References

Welch B (1947). “The generalization of Student’s problem when several different population variances are involved.” *Biometrika*, 34(1/2), 28–35.

Examples

```

data(t.diff)
boxplot(t.diff, axes = FALSE, xlab = expression(n[1]))
axis(1)
axis(2)
box()

## reproducing the data
if (interactive()) {
  set.seed(123)
  t.diff = NULL
  for (n1 in 2:100) {
    t.diff = rbind(t.diff, replicate(1000, {
      x1 = rnorm(n1, mean = 0, sd = runif(1, 0.5, 1))
      x2 = rnorm(30, mean = 1, sd = runif(1, 2, 5))
      t.test(x1, x2, var.equal = TRUE)$p.value - t.test(x1, x2,
        var.equal = FALSE)$p.value
    }))
  }
  t.diff = as.data.frame(t(t.diff))
  colnames(t.diff) = 2:100
}

```

tukeyCount*Results of a Simulation to Tukey's Fast Test*

Description

For the test of means of two samples, we calculated the P-values and recorded the counts of Tukey's rule of thumb.

Format

A data frame with 10000 observations on the following 3 variables.

pvalue.t P-values of t test
pvalue.w P-values of Wilcoxon test
count Tukey's counts

Details

See the reference for details.

Source

Simulation; see the Examples section below.

References

D. Daryl Basler and Robert B. Smaulay. Tukey's Compact versus Classic Tests. *The Journal of Experimental Education*, Vol. 36, No. 3 (Spring, 1968), pp. 86-88

Examples

```
data(tukeyCount)

## does Tukey's rule of thumb agree with t test and Wilcoxon test?
with(tukeyCount, {
  ucount = unique(count)
  stripchart(pvalue.t ~ count, method = "jitter", jitter = 0.2, pch = 19,
             cex = 0.7, vertical = TRUE, at = ucount - 0.2, col = rgb(1, 0, 0, 0.2),
             xlim = c(min(count) - 1, max(count) + 1), xaxt = "n", xlab = "Tukey Count",
             ylab = "P-values")
  stripchart(pvalue.w ~ count, method = "jitter", jitter = 0.2, pch = 21,
             cex = 0.7, vertical = TRUE, at = ucount + 0.2, add = TRUE, col = rgb(0,
             0, 1, 0.2), xaxt = "n")
  axis(1, unique(count))
  lines(sort(ucount), tapply(pvalue.t, count, median), type = "o", pch = 19,
        cex = 1.3, col = "red")
  lines(sort(ucount), tapply(pvalue.w, count, median), type = "o", pch = 21,
        cex = 1.3, col = "blue", lty = 2)
  legend("topright", c("t test", "Wilcoxon test"), col = c("red", "blue"),
         bty = "n")})
```

```

      pch = c(19, 21), lty = 1:2, bty = "n", cex = 0.8)
})

if (interactive()) {

  ## this is how the data was generated
  set.seed(402)
  n = 30
  tukeyCount = data.frame(t(replicate(10000, {
    x1 = rweibull(n, runif(1, 0.5, 4))
    x2 = rweibull(n, runif(1, 1, 5))
    c(t.test(x1, x2)$p.value, wilcox.test(x1, x2)$p.value, with(rle(rep(0:1,
      each = n)[order(c(x1, x2))]), ifelse(head(values, 1) == tail(values,
      1), 0, sum(lengths[c(1, length(lengths))])))))
  })))
  colnames(tukeyCount) = c("pvalue.t", "pvalue.w", "count")
}

}

```

tvearn*Top TV earners***Description**

The pay per episode for actors as well as other information.

References

<https://flowingdata.com/2011/02/15/visualize-this-tvs-top-earners/>

Examples

```

data(tvearn)
plot(pay ~ rating, data = tvearn)
library(ggplot2)
qplot(pay, data = tvearn, geom = "histogram", facets = gender ~ ., binwidth = 20000)
qplot(rating, pay, data = tvearn, geom = c("jitter", "smooth"), color = type)

```

vec2col*Generate colors from a vector***Description**

This function generates a color vector from an input vector, which can be of the class numeric or factor.

Usage

```
vec2col(vec, n, name)

## Default S3 method:
vec2col(vec, n, name)

## S3 method for class 'factor'
vec2col(vec, n, name)
```

Arguments

vec	the numeric or factor vector
n	the number of colors to be generated from the palette
name	the name of the palette

Value

a vector of colors corresponding to the input vector

Author(s)

Yihui Xie <<https://yihui.org>>

Examples

```
## convert factor to colors
with(iris, plot(Petal.Length, Petal.Width, col = vec2col(Species), pch = 19))

# another palette
with(iris, plot(Petal.Length, Petal.Width, col = vec2col(Species, name = "Dark2"),
                pch = 19))

## turn numeric values to colors
with(iris, plot(Petal.Length, Petal.Width, col = vec2col(Petal.Width), pch = 19))
```

Index

* **package**
MSG-package, 2

andrews_curve, 2
assists, 4

BinormCircle, 4

canabalt, 5
char_gen, 6
ChinaLifeEdu, 7
cut_plot, 7

Export.USCN, 8

gov.cn.pct, 9

heart_curve, 10

matplotlib, 3
MSG (MSG-package), 2
msg, 11
MSG-package, 2
murcia, 12
music, 12

PlantCounts, 13
plot.default, 8
polygon, 10

quake6, 13

t.diff, 14
tukeyCount, 15
tvearn, 16

vec2col, 16