## Package 'OddsPlotty'

January 20, 2025

Type Package

Title Odds Plot to Visualise a Logistic Regression Model

Version 1.0.2

Maintainer Gary Hutson <hutsons-hacks@outlook.com>

**Description** Uses the outputs of a logistic regression model, from caret <https: //CRAN.R-project.org/package=caret>, to build an odds plot. This allows for the rapid visualisation of odds plot ratios and works best with the outputs of CARET's GLM model class, by returning the final trained model.

License GPL (>= 3)

#### URL https://github.com/StatsGary/OddsPlotty

#### LazyData FALSE

Imports caret, mlbench, magrittr, ggplot2, tibble, ggthemes, e1071, tidymodels, rmarkdown

Suggests knitr, covr, testthat, markdown

VignetteBuilder knitr

RoxygenNote 7.1.13

**Encoding** UTF-8

NeedsCompilation no

Author Gary Hutson [aut, cre] (<https://orcid.org/0000-0003-3534-6143>)

**Repository** CRAN

Date/Publication 2021-11-13 14:40:02 UTC

### Contents

odds plot	 	 				 											2

4

Index

odds\_plot

#### Description

This has been created to generate odds plots on the back of results from a generalised linear model.

#### Usage

```
odds_plot(
    x,
    x_label = "Variables",
    y_label = "Odds Ratio",
    title = NULL,
    subtitle = NULL,
    point_col = "blue",
    error_bar_colour = "black",
    point_size = 5,
    error_bar_width = 0.3,
    h_line_color = "black"
)
```

#### Arguments

x	The trained caret GLM logistic regression model								
x_label	The label name for the x_label								
y_label	The label name for the y_label								
title	Title for the Odds Plot								
subtitle	Subtitle for the Odds Plot								
point_col	Defaults to blues, but R colour codes can be passed								
error_bar_colour									
	the colour of the error bar								
point_size	the point size of the plot								
error_bar_width									
	the width of the displayed error bar								
h_line_color	the colour of the horizontal line								

#### Value

A list of the odds returned from logistic regression and a plot showing the odds

#### odds\_plot

#### Examples

```
#We will use the cancer dataset to build a GLM model to predict cancer status
#this will detail whether the patient has a benign or malignant
library(mlbench)
library(caret)
library(tibble)
library(ggplot2)
library(OddsPlotty)
library(e1071)
library(ggthemes)
#Bring in the data
data("BreastCancer", package = "mlbench")
breast <- BreastCancer[complete.cases(BreastCancer), ]</pre>
breast <- breast[, -1]</pre>
head(breast, 10)
breast$Class <- factor(breast$Class)</pre>
for(i in 1:9) {
breast[, i] <- as.numeric(as.character(breast[, i]))</pre>
}
#Train GLM model
glm_model <- train(Class ~ ., data = breast, method = "glm", family = "binomial")
#Visualise the data with OddsPlotty
plotty <- OddsPlotty::odds_plot(glm_model$finalModel,title = "Odds Plot")</pre>
plotty$odds_plot
#Extract underlying odds ratios
plotty$odds_data
```

# Index

 $\texttt{odds\_plot}, \texttt{2}$