

# Package ‘RcppInt64’

January 20, 2025

**Type** Package

**Title** 'Rcpp'-Based Helper Functions to Pass 'Int64' and 'nanotime'  
Values Between 'R' and 'C++'

**Version** 0.0.5

**Date** 2024-04-30

**Description** 'Int64' values can be created and accessed via the 'bit64' package and its 'integer64' class which package the 'int64' representation cleverly into a 'double'. The 'nanotime' packages builds on this to support nanosecond-resolution timestamps. This packages helps conversions between 'R' and 'C++' via several helper functions provided via a single header file. A complete example client package is included as an illustration.

**URL** <https://github.com/eddelbuettel/rcppint64>

**BugReports** <https://github.com/eddelbuettel/rcppint64/issues>

**License** GPL (>= 2)

**Imports** Rcpp (>= 1.0.8)

**LinkingTo** Rcpp

**Suggests** tinytest, bit64, nanotime

**RoxygenNote** 6.0.1

**Encoding** UTF-8

**NeedsCompilation** yes

**Author** Dirk Eddelbuettel [aut, cre] (<<https://orcid.org/0000-0001-6419-907X>>)

**Maintainer** Dirk Eddelbuettel <edd@debian.org>

**Repository** CRAN

**Date/Publication** 2024-04-30 12:22:36 UTC

## Contents

RcppInt64-package . . . . .	2
Int64toInt64 . . . . .	2
NanotimeToNanotime . . . . .	3

**RcppInt64-package***'Rcpp'-Based Helper Functions to Pass 'Int64' and 'nanotime' Values Between 'R' and 'C++'***Description**

'Int64' values can be created and accessed via the 'bit64' package and its 'integer64' class which package the 'int64' representation cleverly into a 'double'. The 'nanotime' packages builds on this to support nanosecond-resolution timestamps. This packages helps conversions between 'R' and 'C++' via several helper functions provided via a single header file. A complete example client package is included as an illustration.

**Package Content**

Index of help topics:

**Int64toInt64***Integer64 to Integer64 round-trip demo***NanotimeToNanotime***nanotime to nanotime round-trip demo***RcppInt64-package***'Rcpp'-Based Helper Functions to Pass 'Int64' and 'nanotime' Values Between 'R' and 'C++'***Maintainer**

Dirk Eddelbuettel <edd@debian.org>

**Author(s)**

Dirk Eddelbuettel [aut, cre] (<<https://orcid.org/0000-0001-6419-907X>>)

**Int64toInt64***Integer64 to Integer64 round-trip demo***Description**

This function takes an integer64-valued input vector, converts it to the equivalent `int64_t` vector in C++, displays each element after first adding one, and returns the modified vector.

**Usage**

```
Int64toInt64(vec)
```

**Arguments**

<code>vec</code>	An <code>integer64</code> -classed vector from R
------------------	--

**Value**

A modified integer64 vector where each element increased by one

**Examples**

```
# generate all powers of 10 fro 0 .. 18
if (requireNamespace("bit64", quietly=TRUE)) {
  v <- bit64::as.integer64(10^seq(0,18))
  # pass them to function which will add one to each, print  and return
  Int64toInt64(v)
}
```

NanotimeToNanotime      *nanotime to nanotime round-trip demo*

**Description**

This function takes an nanotime-valued input vector, converts it to the equivalent int64\_t vector in C++, displays each element after first adding one, and returns the modified vector.

**Usage**

```
NanotimeToNanotime(vec)
```

**Arguments**

vec	A nanotime-classed vector from R
-----	----------------------------------

**Value**

A modified nanotime vector where each element increased by one

**Examples**

```
# generate all powers of 10 fro 0 .. 18
if (requireNamespace("nanotime", quietly=TRUE)) {
  v <- nanotime::as.nanotime(10^seq(0,18))
  # pass them to function which will add one to each, print  and return
  NanotimeToNanotime(v)
}
```

# Index

\* **package**

RcppInt64-package, [2](#)

Int64ToInt64, [2](#)

NanotimeToNanotime, [3](#)

RcppInt64 (RcppInt64-package), [2](#)

RcppInt64-package, [2](#)