

# Package ‘betaSandwich’

April 14, 2024

**Title** Robust Confidence Intervals for Standardized Regression Coefficients

**Version** 1.0.7

**Description** Generates robust confidence intervals for standardized regression coefficients using heteroskedasticity-consistent standard errors for models fitted by lm() as described in Dudgeon (2017) <[doi:10.1007/s11336-017-9563-z](https://doi.org/10.1007/s11336-017-9563-z)>.

The package can also be used to generate confidence intervals for R-squared, adjusted R-squared, and differences of standardized regression coefficients.

A description of the package and code examples are presented in Pesigan, Sun, and Cheung (2023) <[doi:10.1080/00273171.2023.2201277](https://doi.org/10.1080/00273171.2023.2201277)>.

**URL** <https://github.com/jeksterslab/betaSandwich>,  
<https://jeksterslab.github.io/betaSandwich/>

**BugReports** <https://github.com/jeksterslab/betaSandwich/issues>

**License** MIT + file LICENSE

**Encoding** UTF-8

**LazyData** true

**Depends** R (>= 3.5.0)

**Suggests** knitr, rmarkdown, testthat, betaDelta

**RoxygenNote** 7.3.1

**NeedsCompilation** no

**Author** Ivan Jacob Agaloos Pesigan [aut, cre, cph]  
(<<https://orcid.org/0000-0003-4818-8420>>)

**Maintainer** Ivan Jacob Agaloos Pesigan <r.jeksterslab@gmail.com>

**Repository** CRAN

**Date/Publication** 2024-04-14 18:00:02 UTC

## R topics documented:

BetaADF	2
BetaHC	4

BetaN . . . . .	5
coef.betasandwich . . . . .	7
coef.diffbetasandwich . . . . .	7
coef.rsqbetasandwich . . . . .	8
confint.betasandwich . . . . .	9
confint.diffbetasandwich . . . . .	10
confint.rsqbetasandwich . . . . .	11
DiffBetaSandwich . . . . .	12
nas1982 . . . . .	13
print.betasandwich . . . . .	13
print.diffbetasandwich . . . . .	14
print.rsqbetasandwich . . . . .	15
RSqBetaSandwich . . . . .	16
summary.betasandwich . . . . .	17
summary.diffbetasandwich . . . . .	18
summary.rsqbetasandwich . . . . .	19
vcov.betasandwich . . . . .	20
vcov.diffbetasandwich . . . . .	20
vcov.rsqbetasandwich . . . . .	21

**Index****23****BetaADF**

*Estimate Standardized Regression Coefficients and the Corresponding Sampling Covariance Matrix Using the Asymptotic Distribution-Free Approach*

**Description**

Estimate Standardized Regression Coefficients and the Corresponding Sampling Covariance Matrix Using the Asymptotic Distribution-Free Approach

**Usage**

```
BetaADF(object, alpha = c(0.05, 0.01, 0.001))
```

**Arguments**

- object      Object of class `lm`.
- alpha        Numeric vector. Significance level  $\alpha$ .

**Details**

Note that while the calculation in `BetaADF()` is different from `betaDelta::BetaDelta()` with `type = "adf"`, the results are numerically equivalent. `BetaADF()` is appropriate when sample sizes are moderate to large ( $n > 250$ ). `BetaHC()` is recommended in most situations.

**Value**

Returns an object of class `betasandwich` which is a list with the following elements:

- call** Function call.
- args** Function arguments.
- lm\_process** Processed `lm` object.
- gamma\_n** Asymptotic covariance matrix of the sample covariance matrix assuming multivariate normality.
- gamma\_hc** Asymptotic covariance matrix HC correction.
- gamma** Asymptotic covariance matrix of the sample covariance matrix.
- acov** Asymptotic covariance matrix of the standardized slopes.
- vcov** Sampling covariance matrix of the standardized slopes.
- est** Vector of standardized slopes.

**Author(s)**

Ivan Jacob Agaloos Pesigan

**References**

- Browne, M. W. (1984). Asymptotically distribution-free methods for the analysis of covariance structures. *British Journal of Mathematical and Statistical Psychology*, 37(1), 62–83. [doi:10.1111/j.20448317.1984.tb00789.x](https://doi.org/10.1111/j.20448317.1984.tb00789.x)
- Dudgeon, P. (2017). Some improvements in confidence intervals for standardized regression coefficients. *Psychometrika*, 82(4), 928–951. [doi:10.1007/s113360179563z](https://doi.org/10.1007/s113360179563z)
- Pesigan, I. J. A., Sun, R. W., & Cheung, S. F. (2023). betaDelta and betaSandwich: Confidence intervals for standardized regression coefficients in R. *Multivariate Behavioral Research*. [doi:10.1080/00273171.2023.2201277](https://doi.org/10.1080/00273171.2023.2201277)

**See Also**

Other Beta Sandwich Functions: [BetaHC\(\)](#), [BetaN\(\)](#), [DiffBetaSandwich\(\)](#), [RSqBetaSandwich\(\)](#)

**Examples**

```
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = nas1982)
std <- BetaADF(object)
# Methods -----
print(std)
summary(std)
coef(std)
vcov(std)
confint(std, level = 0.95)
```

---

BetaHC	<i>Estimate Standardized Regression Coefficients and the Corresponding Robust Sampling Covariance Matrix Using the Heteroskedasticity Consistent Approach</i>
--------	---------------------------------------------------------------------------------------------------------------------------------------------------------------

---

## Description

Estimate Standardized Regression Coefficients and the Corresponding Robust Sampling Covariance Matrix Using the Heteroskedasticity Consistent Approach

## Usage

```
BetaHC(
  object,
  type = "hc3",
  alpha = c(0.05, 0.01, 0.001),
  g1 = 1,
  g2 = 1.5,
  k = 0.7
)
```

## Arguments

<b>object</b>	Object of class <code>lm</code> .
<b>type</b>	Character string. Correction type. Possible values are "hc0", "hc1", "hc2", "hc3", "hc4", "hc4m", and "hc5".
<b>alpha</b>	Numeric vector. Significance level $\alpha$ .
<b>g1</b>	Numeric. $g_1$ value for type = "hc4m".
<b>g2</b>	Numeric. $g_2$ value for type = "hc4m".
<b>k</b>	Numeric. Constant $k$ for type = "hc5" $0 \leq k \leq 1$ .

## Value

Returns an object of class `betasandwich` which is a list with the following elements:

**call** Function call.

**args** Function arguments.

**lm\_process** Processed `lm` object.

**gamma\_n** Asymptotic covariance matrix of the sample covariance matrix assuming multivariate normality.

**gamma\_hc** Asymptotic covariance matrix HC correction.

**gamma** Asymptotic covariance matrix of the sample covariance matrix.

**acov** Asymptotic covariance matrix of the standardized slopes.

**vcov** Sampling covariance matrix of the standardized slopes.

**est** Vector of standardized slopes.

**Author(s)**

Ivan Jacob Agaloos Pesigan

**References**

Dudgeon, P. (2017). Some improvements in confidence intervals for standardized regression coefficients. *Psychometrika*, 82(4), 928–951. doi:10.1007/s113360179563z

Pesigan, I. J. A., Sun, R. W., & Cheung, S. F. (2023). betaDelta and betaSandwich: Confidence intervals for standardized regression coefficients in R. *Multivariate Behavioral Research*. doi:10.1080/00273171.2023.2201277

**See Also**

Other Beta Sandwich Functions: [BetaADF\(\)](#), [BetaN\(\)](#), [DiffBetaSandwich\(\)](#), [RSqBetaSandwich\(\)](#)

**Examples**

```
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = nas1982)
std <- BetaHC(object)
# Methods -----
print(std)
summary(std)
coef(std)
vcov(std)
confint(std, level = 0.95)
```

---

**BetaN**

*Estimate Standardized Regression Coefficients and the Corresponding Sampling Covariance Matrix Assuming Multivariate Normality*

---

**Description**

Estimate Standardized Regression Coefficients and the Corresponding Sampling Covariance Matrix Assuming Multivariate Normality

**Usage**

```
BetaN(object, alpha = c(0.05, 0.01, 0.001))
```

**Arguments**

object	Object of class <code>lm</code> .
alpha	Numeric vector. Significance level $\alpha$ .

## Details

Note that while the calculation in [BetaN\(\)](#) is different from [betaDelta::BetaDelta\(\)](#) with type = "mvn", the results are numerically equivalent. [BetaN\(\)](#) assumes multivariate normality. [BetaHC\(\)](#) is recommended in most situations.

## Value

Returns an object of class `betasandwich` which is a list with the following elements:

- call** Function call.
- args** Function arguments.
- lm\_process** Processed `lm` object.
- gamma\_n** Asymptotic covariance matrix of the sample covariance matrix assuming multivariate normality.
- gamma\_hc** Asymptotic covariance matrix HC correction.
- gamma** Asymptotic covariance matrix of the sample covariance matrix.
- acov** Asymptotic covariance matrix of the standardized slopes.
- vcov** Sampling covariance matrix of the standardized slopes.
- est** Vector of standardized slopes.

## Author(s)

Ivan Jacob Agaloos Pesigan

## References

- Dudgeon, P. (2017). Some improvements in confidence intervals for standardized regression coefficients. *Psychometrika*, 82(4), 928–951. [doi:10.1007/s113360179563z](https://doi.org/10.1007/s113360179563z)
- Pesigan, I. J. A., Sun, R. W., & Cheung, S. F. (2023). `betaDelta` and `betaSandwich`: Confidence intervals for standardized regression coefficients in R. *Multivariate Behavioral Research*. [doi:10.1080/00273171.2023.2201277](https://doi.org/10.1080/00273171.2023.2201277)

## See Also

Other Beta Sandwich Functions: [BetaADF\(\)](#), [BetaHC\(\)](#), [DiffBetaSandwich\(\)](#), [RSqBetaSandwich\(\)](#)

## Examples

```
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = nas1982)
std <- BetaN(object)
# Methods -----
print(std)
summary(std)
coef(std)
vcov(std)
confint(std, level = 0.95)
```

---

coef.betasandwich      *Standardized Regression Slopes*

---

**Description**

Standardized Regression Slopes

**Usage**

```
## S3 method for class 'betasandwich'  
coef(object, ...)
```

**Arguments**

object      Object of class betasandwich.  
...            additional arguments.

**Value**

Returns a vector of standardized regression slopes.

**Author(s)**

Ivan Jacob Agaloos Pesigan

**Examples**

```
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = nas1982)  
std <- BetaHC(object)  
coef(std)
```

---

coef.diffbetasandwich    *Differences of Standardized Regression Slopes*

---

**Description**

Differences of Standardized Regression Slopes

**Usage**

```
## S3 method for class 'diffbetasandwich'  
coef(object, ...)
```

**Arguments**

- object            Object of class `diffbetasandwich`.
- ...                additional arguments.

**Value**

Returns a vector of differences of standardized regression slopes.

**Author(s)**

Ivan Jacob Agaloos Pesigan

**Examples**

```
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = nas1982)
std <- BetaHC(object)
diff <- DiffBetaSandwich(std)
coef(diff)
```

**coef.rsqbetasandwich** *Multiple Correlation Coefficients (R-Squared and Adjusted R-Squared)*

**Description**

Multiple Correlation Coefficients (R-Squared and Adjusted R-Squared)

**Usage**

```
## S3 method for class 'rsqbetasandwich'
coef(object, ...)
```

**Arguments**

- object            Object of class `rsqbetasandwich`.
- ...                additional arguments.

**Value**

Returns a vector of multiple correlation coefficients (R-squared and adjusted R-squared)

**Author(s)**

Ivan Jacob Agaloos Pesigan

## Examples

```
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = nas1982)
std <- BetaHC(object)
rsq <- RSqBetaSandwich(std)
coef(rsq)
```

**confint.betasandwich** *Confidence Intervals for Standardized Regression Slopes*

## Description

Confidence Intervals for Standardized Regression Slopes

## Usage

```
## S3 method for class 'betasandwich'
confint(object, parm = NULL, level = 0.95, ...)
```

## Arguments

object	Object of class betasandwich.
parm	a specification of which parameters are to be given confidence intervals, either a vector of numbers or a vector of names. If missing, all parameters are considered.
level	the confidence level required.
...	additional arguments.

## Value

Returns a matrix of confidence intervals.

## Author(s)

Ivan Jacob Agaloos Pesigan

## Examples

```
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = nas1982)
std <- BetaHC(object)
confint(std, level = 0.95)
```

**confint.diffbetasandwich**

*Confidence Intervals for Differences of Standardized Regression  
Slopes*

**Description**

Confidence Intervals for Differences of Standardized Regression Slopes

**Usage**

```
## S3 method for class 'diffbetasandwich'
confint(object, parm = NULL, level = 0.95, ...)
```

**Arguments**

- |        |                                                                                                                                                                       |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| object | Object of class <code>diffbetasandwich</code> .                                                                                                                       |
| parm   | a specification of which parameters are to be given confidence intervals, either a vector of numbers or a vector of names. If missing, all parameters are considered. |
| level  | the confidence level required.                                                                                                                                        |
| ...    | additional arguments.                                                                                                                                                 |

**Value**

Returns a matrix of confidence intervals.

**Author(s)**

Ivan Jacob Agaloos Pesigan

**Examples**

```
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = nas1982)
std <- BetaHC(object)
diff <- DiffBetaSandwich(std)
confint(diff, level = 0.95)
```

---

**confint.rsqbetasandwich**

*Confidence Intervals for Multiple Correlation Coefficients (R-Squared and Adjusted R-Squared)*

---

**Description**

Confidence Intervals for Multiple Correlation Coefficients (R-Squared and Adjusted R-Squared)

**Usage**

```
## S3 method for class 'rsqbetasandwich'  
confint(object, parm = NULL, level = 0.95, ...)
```

**Arguments**

- |        |                                                                                                                                                                       |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| object | Object of class <code>rsqbetasandwich</code> .                                                                                                                        |
| parm   | a specification of which parameters are to be given confidence intervals, either a vector of numbers or a vector of names. If missing, all parameters are considered. |
| level  | the confidence level required.                                                                                                                                        |
| ...    | additional arguments.                                                                                                                                                 |

**Value**

Returns a matrix of confidence intervals.

**Author(s)**

Ivan Jacob Agaloos Pesigan

**Examples**

```
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = nas1982)  
std <- BetaHC(object)  
rsq <- RSqBetaSandwich(std)  
confint(rsq, level = 0.95)
```

DiffBetaSandwich	<i>Estimate Differences of Standardized Slopes and the Corresponding Sampling Covariance Matrix</i>
------------------	-----------------------------------------------------------------------------------------------------

**Description**

Estimate Differences of Standardized Slopes and the Corresponding Sampling Covariance Matrix

**Usage**

```
DiffBetaSandwich(object, alpha = c(0.05, 0.01, 0.001))
```

**Arguments**

- |                     |                                                                                                                                                                     |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>object</code> | Object of class <code>betasandwich</code> , that is, the output of the <a href="#">BetaHC()</a> , <a href="#">BetaN()</a> , or <a href="#">BetaADF()</a> functions. |
| <code>alpha</code>  | Numeric vector. Significance level $\alpha$ .                                                                                                                       |

**Value**

Returns an object of class `diffbetasandwich` which is a list with the following elements:

- call** Function call.
- fit** The argument `object`.
- args** Function arguments.
- vcov** Sampling covariance matrix of differences of standardized slopes.
- est** Vector of differences of standardized slopes.

**Author(s)**

Ivan Jacob Agaloos Pesigan

**See Also**

Other Beta Sandwich Functions: [BetaADF\(\)](#), [BetaHC\(\)](#), [BetaN\(\)](#), [RSqBetaSandwich\(\)](#)

**Examples**

```
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = nas1982)
std <- BetaHC(object)
diff <- DiffBetaSandwich(std)
# Methods -----
print(diff)
summary(diff)
coef(diff)
vcov(diff)
confint(diff, level = 0.95)
```

---

nas1982

*1982 National Academy of Sciences Doctoral Programs Data*

---

### Description

1982 National Academy of Sciences Doctoral Programs Data

### Usage

nas1982

### Format

Ratings of 46 doctoral programs in psychology in the USA with the following variables:

**QUALITY** Program quality ratings.

**NFACUL** Number of faculty members in the program.

**NGRADS** Number of program graduates.

**PCTSUPP** Percentage of program graduates who received support.

**PCTGRT** Percent of faculty members holding research grants.

**NARTIC** Number of published articles attributed to program faculty member.

**PCTPUB** Percent of faculty with one or more published article.

### References

National Research Council. (1982). *An assessment of research-doctorate programs in the United States: Social and behavioral sciences*. doi:[10.17226/9781](https://doi.org/10.17226/9781). Reproduced with permission from the National Academy of Sciences, Courtesy of the National Academies Press, Washington, D.C.

---

print.betasandwich

*Print Method for an Object of Class betasandwich*

---

### Description

Print Method for an Object of Class betasandwich

### Usage

```
## S3 method for class 'betasandwich'  
print(x, alpha = NULL, digits = 4, ...)
```

**Arguments**

- x Object of class betasandwich.
- alpha Numeric vector. Significance level  $\alpha$ . If alpha = NULL, use the argument alpha used in x.
- digits Digits to print.
- ... additional arguments.

**Value**

Returns a matrix of standardized regression slopes, standard errors, test statistics, degrees of freedom, p-values, and confidence intervals.

**Author(s)**

Ivan Jacob Agaloos Pesigan

**Examples**

```
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = nas1982)
std <- BetaHC(object)
print(std)
```

**print.diffbetasandwich**

*Print Method for an Object of Class diffbetasandwich*

**Description**

Print Method for an Object of Class diffbetasandwich

**Usage**

```
## S3 method for class 'diffbetasandwich'
print(x, alpha = NULL, digits = 4, ...)
```

**Arguments**

- x Object of class diffbetasandwich.
- alpha Numeric vector. Significance level  $\alpha$ . If alpha = NULL, use the argument alpha used in x.
- digits Digits to print.
- ... additional arguments.

**Value**

Returns a matrix of differences of standardized regression slopes, standard errors, test statistics, degrees of freedom, p-values, and confidence intervals.

**Author(s)**

Ivan Jacob Agaloos Pesigan

**Examples**

```
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = nas1982)
std <- BetaHC(object)
diff <- DiffBetaSandwich(std)
print(diff)
```

**print.rsqbetasandwich** *Print Method for an Object of Class rsqbetasandwich*

**Description**

Print Method for an Object of Class **rsqbetasandwich**

**Usage**

```
## S3 method for class 'rsqbetasandwich'
print(x, alpha = NULL, digits = 4, ...)
```

**Arguments**

- x Object of class **rsqbetasandwich**.
- alpha Numeric vector. Significance level  $\alpha$ . If  $\alpha = \text{NULL}$ , use the argument  $\alpha$  used in x.
- digits Digits to print.
- ... additional arguments.

**Value**

Returns a matrix of multiple correlation coefficients (R-squared and adjusted R-squared), standard errors, test statistics, degrees of freedom, p-values, and confidence intervals.

**Author(s)**

Ivan Jacob Agaloos Pesigan

## Examples

```
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = nas1982)
std <- BetaHC(object)
rsq <- RSqBetaSandwich(std)
print(rsq)
```

**RSqBetaSandwich**

*Estimate Multiple Correlation Coefficients (R-squared and adjusted R-squared) and the Corresponding Sampling Covariance Matrix*

## Description

Estimate Multiple Correlation Coefficients (R-squared and adjusted R-squared) and the Corresponding Sampling Covariance Matrix

## Usage

```
RSqBetaSandwich(object, alpha = c(0.05, 0.01, 0.001))
```

## Arguments

- |               |                                                                                                                                                                     |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>object</b> | Object of class <code>betasandwich</code> , that is, the output of the <a href="#">BetaHC()</a> , <a href="#">BetaN()</a> , or <a href="#">BetaADF()</a> functions. |
| <b>alpha</b>  | Numeric vector. Significance level $\alpha$ .                                                                                                                       |

## Value

Returns an object of class `rsqbetasandwich` which is a list with the following elements:

- call** Function call.
- fit** The argument `object`.
- args** Function arguments.
- vcov** Sampling covariance matrix of multiple correlation coefficients (R-squared and adjusted R-squared).
- est** Vector of multiple correlation coefficients (R-squared and adjusted R-squared).

## Author(s)

Ivan Jacob Agaloos Pesigan

## See Also

Other Beta Sandwich Functions: [BetaADF\(\)](#), [BetaHC\(\)](#), [BetaN\(\)](#), [DiffBetaSandwich\(\)](#)

## Examples

```
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = nas1982)
std <- BetaHC(object)
rsq <- RSqBetaSandwich(std)
# Methods -----
print(rsq)
summary(rsq)
coef(rsq)
vcov(rsq)
confint(rsq, level = 0.95)
```

**summary.betasandwich** *Summary Method for an Object of Class betasandwich*

## Description

Summary Method for an Object of Class `betasandwich`

## Usage

```
## S3 method for class 'betasandwich'
summary(object, alpha = NULL, digits = 4, ...)
```

## Arguments

- |                     |                                                                                                                                                |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>object</code> | Object of class <code>betasandwich</code> .                                                                                                    |
| <code>alpha</code>  | Numeric vector. Significance level $\alpha$ . If <code>alpha = NULL</code> , use the argument <code>alpha</code> used in <code>object</code> . |
| <code>digits</code> | Digits to print.                                                                                                                               |
| <code>...</code>    | additional arguments.                                                                                                                          |

## Value

Returns a matrix of standardized regression slopes, standard errors, test statistics, degrees of freedom, p-values, and confidence intervals.

## Author(s)

Ivan Jacob Agaloos Pesigan

## Examples

```
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = nas1982)
std <- BetaHC(object)
summary(std)
```

**summary.diffbetasandwich***Summary Method for an Object of Class diffbetasandwich***Description**

Summary Method for an Object of Class `diffbetasandwich`

**Usage**

```
## S3 method for class 'diffbetasandwich'
summary(object, alpha = NULL, digits = 4, ...)
```

**Arguments**

- `object` Object of class `diffbetasandwich`.
- `alpha` Numeric vector. Significance level  $\alpha$ . If `alpha = NULL`, use the argument `alpha` used in `object`.
- `digits` Digits to print.
- `...` additional arguments.

**Value**

Returns a matrix of differences of standardized regression slopes, standard errors, test statistics, degrees of freedom, p-values, and confidence intervals.

**Author(s)**

Ivan Jacob Agaloos Pesigan

**Examples**

```
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = nas1982)
std <- BetaHC(object)
diff <- DiffBetaSandwich(std)
summary(diff)
```

---

**summary.rsqbetaSandwich**

*Summary Method for an Object of Class rsqbetaSandwich*

---

**Description**

Summary Method for an Object of Class `rsqbetaSandwich`

**Usage**

```
## S3 method for class 'rsqbetaSandwich'  
summary(object, alpha = NULL, digits = 4, ...)
```

**Arguments**

- |                     |                                                                                                                                                |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>object</code> | Object of class <code>rsqbetaSandwich</code> .                                                                                                 |
| <code>alpha</code>  | Numeric vector. Significance level $\alpha$ . If <code>alpha = NULL</code> , use the argument <code>alpha</code> used in <code>object</code> . |
| <code>digits</code> | Digits to print.                                                                                                                               |
| <code>...</code>    | additional arguments.                                                                                                                          |

**Value**

Returns a matrix of multiple correlation coefficients (R-squared and adjusted R-squared), standard errors, test statistics, degrees of freedom, p-values, and confidence intervals.

**Author(s)**

Ivan Jacob Agaloos Pesigan

**Examples**

```
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = nas1982)  
std <- BetaHC(object)  
rsq <- RSqBetaSandwich(std)  
summary(rsq)
```

**vcov.betasandwich***Sampling Covariance Matrix of the Standardized Regression Slopes***Description**

Sampling Covariance Matrix of the Standardized Regression Slopes

**Usage**

```
## S3 method for class 'betasandwich'
vcov(object, ...)
```

**Arguments**

object	Object of class betasandwich.
...	additional arguments.

**Value**

Returns a matrix of the variance-covariance matrix of standardized slopes.

**Author(s)**

Ivan Jacob Agaloos Pesigan

**Examples**

```
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = nas1982)
std <- BetaHC(object)
vcov(std)
```

**vcov.diffbetasandwich** *Sampling Covariance Matrix of Differences of Standardized Regression Slopes***Description**

Sampling Covariance Matrix of Differences of Standardized Regression Slopes

**Usage**

```
## S3 method for class 'diffbetasandwich'
vcov(object, ...)
```

**Arguments**

- object            Object of class `diffbetasandwich`.
- ...                additional arguments.

**Value**

Returns a matrix of the variance-covariance matrix of differences of standardized regression slopes.

**Author(s)**

Ivan Jacob Agaloos Pesigan

**Examples**

```
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = nas1982)
std <- BetaHC(object)
diff <- DiffBetaSandwich(std)
vcov(diff)
```

**vcov.rsqbetasandwich**    *Sampling Covariance Matrix of Multiple Correlation Coefficients (R-Squared and Adjusted R-Squared)*

**Description**

Sampling Covariance Matrix of Multiple Correlation Coefficients (R-Squared and Adjusted R-Squared)

**Usage**

```
## S3 method for class 'rsqbetasandwich'
vcov(object, ...)
```

**Arguments**

- object            Object of class `rsqbetasandwich`.
- ...                additional arguments.

**Value**

Returns a matrix of the variance-covariance matrix of multiple correlation coefficients (R-squared and adjusted R-squared).

**Author(s)**

Ivan Jacob Agaloos Pesigan

**Examples**

```
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = nas1982)
std <- BetaHC(object)
rsq <- RSqBetaSandwich(std)
vcov(rsq)
```

# Index

## \* Beta Sandwich Functions

BetaADF, 2  
BetaHC, 4  
BetaN, 5  
DiffBetaSandwich, 12  
RSqBetaSandwich, 16

## \* betaSandwich

BetaADF, 2  
BetaHC, 4  
BetaN, 5  
DiffBetaSandwich, 12  
RSqBetaSandwich, 16

## \* data

nas1982, 13

## \* diff

DiffBetaSandwich, 12

## \* methods

coef.betasandwich, 7  
coef.diffbetasandwich, 7  
coef.rsqbetasandwich, 8  
confint.betasandwich, 9  
confint.diffbetasandwich, 10  
confint.rsqbetasandwich, 11  
print.betasandwich, 13  
print.diffbetasandwich, 14  
print.rsqbetasandwich, 15  
summary.betasandwich, 17  
summary.diffbetasandwich, 18  
summary.rsqbetasandwich, 19  
vcov.betasandwich, 20  
vcov.diffbetasandwich, 20  
vcov.rsqbetasandwich, 21

## \* rsq

RSqBetaSandwich, 16

## \* std

BetaADF, 2  
BetaHC, 4  
BetaN, 5

BetaADF, 2, 5, 6, 12, 16

BetaADF(), 2, 12, 16  
betaDelta::BetaDelta(), 2, 6  
BetaHC, 3, 4, 6, 12, 16  
BetaHC(), 2, 6, 12, 16  
BetaN, 3, 5, 5, 12, 16  
BetaN(), 6, 12, 16

coef.betasandwich, 7  
coef.diffbetasandwich, 7  
coef.rsqbetasandwich, 8  
confint.betasandwich, 9  
confint.diffbetasandwich, 10  
confint.rsqbetasandwich, 11

DiffBetaSandwich, 3, 5, 6, 12, 16

nas1982, 13

print.betasandwich, 13  
print.diffbetasandwich, 14  
print.rsqbetasandwich, 15

RSqBetaSandwich, 3, 5, 6, 12, 16

summary.betasandwich, 17  
summary.diffbetasandwich, 18  
summary.rsqbetasandwich, 19

vcov.betasandwich, 20  
vcov.diffbetasandwich, 20  
vcov.rsqbetasandwich, 21