Package 'bindrcpp'

December 12, 2023

Title An 'Rcpp' Interface to Active Bindings Version 0.2.3 Date 2023-12-11 Description Provides an easy way to fill an environment with active bindings that call a C++ function. License MIT + file LICENSE URL https://github.com/krlmlr/bindrcpp, https://krlmlr.github.io/bindrcpp/ BugReports https://github.com/krlmlr/bindrcpp/issues **Imports** bindr (>= 0.1.1), Rcpp (>= 0.12.16) Suggests testthat LinkingTo plogr, Rcpp Config/Needs/check RcppCore/Rcpp **Encoding** UTF-8 RoxygenNote 7.2.3 NeedsCompilation yes Author Kirill Müller [aut, cre] (<https://orcid.org/0000-0002-1416-3412>), RStudio [cph] Maintainer Kirill Müller <kirill@cynkra.com> **Repository** CRAN Date/Publication 2023-12-12 04:20:02 UTC

R topics documented:

Index

	bindrcpp-package	 	• •	 	 •	 •	•	 	•	 	•	•	 •	 •	•	2
C C																3

bindrcpp-package

Description

Provides an easy way to fill an environment with active bindings that call a C++ function.

Details

Use LinkingTo: bindrcpp in DESCRIPTION and #include <bindrcpp.h> in your C++ headers and/or modules to access the C++ functions provided by this package:

- create_env_string() creates an environment with active bindings, with names given as a character vector. Access of these bindings triggers a call to a C++ function with a fixed signature (GETTER_FUNC_STRING); this call contains the name of the binding (as character) and an arbitrary payload (PAYLOAD, essentially a wrapped void*).
- create_env_symbol() is similar, the callback function accepts the name of the binding as symbol instead of character (GETTER_FUNC_SYMBOL).
- populate_env_string() and populate_env_symbol() populate an existing environment instead of creating a new one.

Author(s)

Maintainer: Kirill Müller <krlmlr+r@mailbox.org> (ORCID)

Other contributors:

• RStudio [copyright holder]

See Also

Useful links:

- https://github.com/krlmlr/bindrcpp
- https://krlmlr.github.io/bindrcpp/
- Report bugs at https://github.com/krlmlr/bindrcpp/issues

Index

bindrcpp (bindrcpp-package), 2
bindrcpp-package, 2