

Package ‘faviconPlease’

May 15, 2025

Title Find the URL to the 'Favicon' for a Website

Version 0.1.4

Description Finds the URL to the 'favicon' for a website. This is useful if you want to display the 'favicon' in an HTML document or web application, especially if the website is behind a firewall.

URL <https://github.com/jdblischak/faviconPlease>

BugReports <https://github.com/jdblischak/faviconPlease/issues>

Imports utils, xml2

Suggests htr, tinytest (>= 1.0.0), ttdo

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.3.2

NeedsCompilation no

Author John Blischak [aut, cre]

Maintainer John Blischak <jdblischak@gmail.com>

Repository CRAN

Date/Publication 2025-05-15 19:20:02 UTC

Contents

faviconDuckDuckGo	2
faviconGoogle	2
faviconIco	3
faviconLink	4
faviconPlease	5

Index	6
--------------	----------

faviconDuckDuckGo	<i>Use DuckDuckGo's favicon service</i>
-------------------	---

Description

The search engine **DuckDuckGo** includes site favicons in its search results, and it makes this service publicly available. If it can't find a favicon, it returns a default fallback. `faviconPlease` uses this as a fallback function if the favicon can't be found directly via the standard methods.

Usage

```
faviconDuckDuckGo(server)
```

Arguments

server	The name of the server, e.g. "www.r-project.org"
--------	--

Value

Character vector

References

[DuckDuckGo favicons privacy](#)

See Also

[faviconPlease](#), [faviconGoogle](#)

Examples

```
faviconDuckDuckGo("reactome.org")
```

faviconGoogle	<i>Use Google's favicon service</i>
---------------	-------------------------------------

Description

Use Google's favicon service

Usage

```
faviconGoogle(server)
```

Arguments

server The name of the server, e.g. "www.r-project.org"

Value

Character vector

See Also

[faviconPlease](#), [faviconDuckDuckGo](#)

Examples

```
faviconGoogle("reactome.org")
```

faviconIco	<i>Check for the existence of favicon.ico</i>
------------	---

Description

Check for the existence of favicon.ico

Usage

```
faviconIco(  
  scheme,  
  server,  
  path,  
  method = getOption("download.file.method", default = "auto"),  
  extra = getOption("download.file.extra"),  
  headers = NULL  
)
```

Arguments

scheme	"http" or "https"
server	The name of the server, e.g. "www.r-project.org"
path	The path to a target file on the server (must start with a forward slash)
method	Method to be used for downloading files. Current download methods are "internal", "libcurl", "wget", "curl" and "wininet" (Windows only), and there is a value "auto": see 'Details' and 'Note'. The method can also be set through the option "download.file.method": see options() .
extra	character vector of additional command-line arguments for the "wget" and "curl" methods.

headers named character vector of additional HTTP headers to use in HTTP[S] requests. It is ignored for non-HTTP[S] URLs. The User-Agent header taken from the HTTPUserAgent option (see [options](#)) is automatically used as the first header.

Value

URL to favicon.ico or "".

See Also

[faviconPlease](#), [faviconLink](#)

faviconLink	<i>Search for a link element that specifies the location of the favicon</i>
-------------	---

Description

Search for a link element that specifies the location of the favicon

Usage

```
faviconLink(scheme, server, path)
```

Arguments

scheme	"http" or "https"
server	The name of the server, e.g. "www.r-project.org"
path	The path to a target file on the server (must start with a forward slash)

Value

URL to favicon or "".

See Also

[faviconPlease](#), [faviconIco](#)

faviconPlease	<i>Find the URL to a website's favicon</i>
---------------	--

Description

faviconPlease() first applies the favicon functions specified in the argument functions. If these do not find a favicon URL, then it applies the fallback function specified by the argument fallback.

Usage

```
faviconPlease(  
  links,  
  functions = list(faviconLink, faviconIco),  
  fallback = faviconDuckDuckGo  
)
```

Arguments

links	Character vector of URLs
functions	List of functions for finding URL to a website's favicon. They are tried in order until a URL is found. If no URL is found, the fallback is applied.
fallback	Either a function or a single character vector. It is applied when none of the supplied functions are able to find a favicon.

Value

Character vector with URLs to the favicons for the websites specified in the input argument links. The URLs are generated from one of the favicon functions specified in the input argument functions. If a favicon URL cannot be identified, then the returned URL is generated by the input argument fallback.

See Also

[faviconLink](#), [faviconIco](#), [faviconDuckDuckGo](#), [faviconGoogle](#)

Index

faviconDuckDuckGo, [2](#), [3](#), [5](#)

faviconGoogle, [2](#), [2](#), [5](#)

faviconIco, [3](#), [4](#), [5](#)

faviconLink, [4](#), [4](#), [5](#)

faviconPlease, [2–4](#), [5](#)

options, [3](#), [4](#)