

# Package ‘foto’

October 3, 2023

**Version** 1.1

**Title** Fourier Transform Textural Ordination

**Description** A tool to use a principal component analysis on radially averaged two dimensional Fourier spectra to characterize image texture. The method within the context of ecology was first described by Couteron et al. (2005) <[doi:10.1111/j.1365-2664.2005.01097.x](https://doi.org/10.1111/j.1365-2664.2005.01097.x)> and expanded upon by Solorzano et al. (2018) <[doi:10.1111/1.JRS.12.036006](https://doi.org/10.1111/1.JRS.12.036006)> using a moving window approach.

**URL** <https://github.com/bluegreen-labs/foto>

**BugReports** <https://github.com/bluegreen-labs/foto/issues>

**Depends** R (>= 3.4)

**Imports** terra, stats, parallel, grDevices

**Suggests** knitr, rmarkdown, covr, testthat

**License** AGPL-3

**ByteCompile** true

**RoxygenNote** 7.2.1

**VignetteBuilder** knitr

**NeedsCompilation** no

**Author** Koen Hufkens [aut, cre] (<<https://orcid.org/0000-0002-5070-8109>>),  
Jonathan V. Solorzano [ctb],  
BlueGreen Labs [cph, fnd]

**Maintainer** Koen Hufkens <koen.hufkens@gmail.com>

**Repository** CRAN

**Date/Publication** 2023-10-03 21:50:08 UTC

## R topics documented:

foto	2
foto_batch	3
normalize	4
rspectrum	4

**Index****6**

<b>foto</b>	<i>Calculates FOTO classification of texture</i>
-------------	--

**Description**

Note that the input matrix should be square or results will be discarded

**Usage**

```
foto(
  x,
  window_size = 61,
  method = "zones",
  norm_spec = FALSE,
  high_pass = TRUE,
  pca = TRUE,
  plot = FALSE
)
```

**Arguments**

<b>x</b>	an image file, or single or multi-layer SpatRaster (RGB or otherwise), multi-layer data are averaged to a single layer
<b>window_size</b>	a moving window size in pixels (default = 61 pixels)
<b>method</b>	zones (for discrete zones) or mw for a moving window approach
<b>norm_spec</b>	normalize radial spectrum, boolean TRUE or FALSE
<b>high_pass</b>	apply high pass filter to radial spectra, boolean TRUE or FALSE
<b>pca</b>	execute PCA, TRUE or FALSE. If FALSE only the radial spectra are returned for additional manipulation. Plotting is ignored if set to FALSE.
<b>plot</b>	plot output, boolean TRUE or FALSE

**Value**

returns a radial spectrum for a moving window across a raster layer

**See Also**

[rspectrum](#)

## Examples

```
## Not run:  
# load demo data  
r <- terra::rast(system.file("extdata",  
  "yangambi.png",  
  package = "foto",  
  mustWork = TRUE  
)  
  
# classify pixels using zones (discrete steps)  
output <- foto(r,  
  plot = FALSE,  
  window_size = 25,  
  method = "zones"  
)  
  
# print data structure  
print(names(output))  
  
## End(Not run)
```

---

### foto\_batch

*Calculates FOTO classification of texture for an image batch*

---

## Description

This routine process images as a batch, normalizing the PCA analysis across images. This global normalization makes it possible to compare the resulting PCA scores across images and infer trends over different remote sensing tiles or across time.

## Usage

```
foto_batch(path, window_size = 61, method = "zones", cores = 1)
```

## Arguments

path	directory containing (only) image files to process
window_size	a moving window size in pixels (default = 61 pixels)
method	zones (for discrete zones) or mw for a moving window approach
cores	number of cores to use in parallel calculations

## Value

returns a radial spectrum for a moving window across a raster layer

## See Also

[rspectrum](#) [foto](#)

## Examples

```
## Not run:
# load demo data path
path <- system.file("extdata", package = "foto")

# classify pixels using zones (discrete steps)
output <- foto_batch(
  path = path,
  window_size = 25,
  method = "zones"
)
## End(Not run)
```

**normalize**

*Normalize a matrix or vector*

## Description

Normalize values between 0 and 1, internal function only.

## Usage

```
normalize(x)
```

## Arguments

x	a matrix or vector
---	--------------------

## Value

returns a normalized matrix or vector

**rspectrum**

*Calculates a radial spectrum*

## Description

This is an internal function and not to be used stand-alone.

## Usage

```
rspectrum(x, w, n = TRUE, h = TRUE, env, ...)
```

**Arguments**

x	a square matrix
w	a moving window size
n	normalize, boolean TRUE or FALSE
h	high pass filter on the two first spectra values set to 0, limits the influence of low frequency components boolean TRUE or FALSE
env	local environment to evaluate
...	additional parameters to forward

**Value**

Returns a radial spectrum values for the image used in order to classify texture using a PCA (or other) analysis.

# Index

`foto`, 2, 3

`foto_batch`, 3

`normalize`, 4

`rspectrum`, 2, 3, 4