

Package ‘gen3sis’

November 22, 2023

Type Package

Title General Engine for Eco-Evolutionary Simulations

Version 1.5.11

Date 2023-11-21

Description Contains an engine for spatially-explicit eco-evolutionary mechanistic models with a modular implementation and several support functions. It allows exploring the consequences of ecological and macroevolutionary processes across realistic or theoretical spatio-temporal landscapes on biodiversity patterns as a general term. Reference: Oskar Hagen, Benjamin Flueck, Fabian Fopp, Juliano S. Cabral, Florian Hartig, Mikael Pontarp, Thiago F. Rangel, Loic Pellissier (2021) ``gen3sis: A general engine for eco-evolutionary simulations of the processes that shape Earth's biodiversity" <[doi:10.1371/journal.pbio.3001340](https://doi.org/10.1371/journal.pbio.3001340)>.

License GPL-3

Encoding UTF-8

Depends R (>= 3.5.0)

Imports Rcpp (>= 0.12.16), Matrix, methods, utils, raster, gdistance, stringr, tools, grDevices

Suggests knitr, markdown, testthat (>= 2.1.0), rmarkdown, formatR

LinkingTo Rcpp, BH

URL <https://github.com/project-Gen3sis/R-package>

BugReports <https://github.com/project-Gen3sis/R-package/issues>

RoxygenNote 7.2.3

VignetteBuilder knitr

NeedsCompilation yes

Author ETH Zürich [cph],

Oskar Hagen [aut, cre] (Landscape Ecology, WSL and ETH Zürich, Switzerland),

Benjamin Flück [aut] (Landscape Ecology, WSL and ETH Zürich, Switzerland),

Fabian Fopp [aut] (Landscape Ecology, WSL and ETH Zürich, Switzerland),
Juliano S. Cabral [aut] (Ecosystem Modeling, Center for Computational

and Theoretical Biology, University of Würzburg, Würzburg, Germany),
 Florian Hartig [aut] (Theoretical Ecology, University of Regensburg,
 Regensburg, Germany),
 Mikael Pontarp [aut] (Department of Biology, Lund University, Lund,
 Sweden),
 Charles Novaes de Santana [ctb] (Landscape Ecology, WSL and ETH Zürich,
 Switzerland),
 Thiago F. Rangel [aut] (Department of Ecology, Universidade Federal de
 Goiás, Goiás, Brazil),
 Theo Gaboriau [ctb] (Department of Computational Biology, Lausanne
 University, Switzerland),
 Loïc Pellissier [aut, ths] (Landscape Ecology, WSL and ETH Zürich,
 Switzerland)

Maintainer Oskar Hagen <oskar@hagen.bio>

Repository CRAN

Date/Publication 2023-11-22 15:20:06 UTC

R topics documented:

apply_ecology	3
apply_evolution	4
color_richness	4
color_richness_non_CVDCBP	5
create_ancestor_species	5
create_input_config	6
create_input_landscape	7
create_species	9
evolution_mode_none	10
gen3sis	11
get_dispersal_values	12
get_divergence_factor	13
get_divergence_matrix	14
get_geo_richness	15
plot_landscape	16
plot_landscape_overview	16
plot_ranges	17
plot_raster_multiple	18
plot_raster_single	18
plot_richness	19
plot_species_abundance	20
plot_species_presence	21
plot_summary	22
prepare_directories	23
run_simulation	24
save_abundance	26
save_divergence	26
save_landscape	27

<i>apply_ecology</i>	3
----------------------	---

save_occupancy	28
save_phylogeny	28
save_richness	29
save_species	29
save_traits	30
skeleton_config	31
verify_config	31
write_config_skeleton	32

Index	33
--------------	----

apply_ecology	<i>Allows the user to define the ecological consequences for species within each site, defining thus species survival and abundance</i>
----------------------	---

Description

Allows the user to define the ecological consequences for species within each site, defining thus species survival and abundance

Usage

```
apply_ecology(abundance, traits, local_environment, config)
```

Arguments

abundance	a named vector of abundances with one abundance value per species
traits	a named matrix containing the species traits, one row per species
local_environment	the environmental values for the given site
config	the config of the simulation

Details

The arguments of the function allows to apply abiotic and biotic ecological rules to species in each site. Based on those rules, the function updates the abundance of each species in each site. If the abundance is null, the species is absent or extinct. Ecology can account for local environmental conditions, the abundance of species, and/or their traits.

Value

an abundance vector with the new abundance values for every species. An abundance value of 0 indicates species death, any other values indicates survival.

apply_evolution	<i>Allows defining the function that changes the values of traits of a given species at each time-step and in each site. If no operations are provided, traits are not changing</i>
-----------------	---

Description

Allows defining the function that changes the values of traits of a given species at each time-step and in each site. If no operations are provided, traits are not changing

Usage

```
apply_evolution(species, cluster_indices, landscape, config)
```

Arguments

species	the target species object whose traits will be changed
cluster_indices	an index vector indicating the cluster every occupied site is part of
landscape	the current landscape which can co-determine the rate of trait changes
config	the current config

Details

This function is called for any single species alongside an index for the geographical clusters within the species

Value

the mutated species traits matrix

color_richness	<i>Define gen3sis richness color scale which is colour-vision deficient and colour-blind people safe based on scientific colour maps by Fabio Crameri</i>
----------------	---

Description

Define gen3sis richness color scale which is colour-vision deficient and colour-blind people safe based on scientific colour maps by Fabio Crameri

Usage

```
color_richness(n)
```

Arguments

n corresponds to the [colorRampPalette](#) parameter

Value

returns a [colorRampPalette](#) function with the gen3sis richness colors

color_richness_non_CVDCBP

Define gen3sis richness color scale for non colour-vision deficient and colour-blind people

Description

Define gen3sis richness color scale for non colour-vision deficient and colour-blind people

Usage

`color_richness_non_CVDCBP(n)`

Arguments

n corresponds to the [colorRampPalette](#) parameter

Value

returns a [colorRampPalette](#) function with the gen3sis richness colors

create_ancestor_species

Allows the user to populate the world at the beginning of a simulation

Description

Allows the user to populate the world at the beginning of a simulation

Usage

`create_ancestor_species(landscape, config)`

Arguments

landscape the landscape over which to create the species

config the configuration information

Details

Using this function, any number of new species can be created. For every species, a number of habitable sites from the landscape are selected and call 'create_species'. In another step, the user must initialize the species[["traits"]] matrix with the desired initial traits values

Value

a list of species

create_input_config	<i>Creates either an empty configuration or a pre-filled configuration object from a config file</i>
---------------------	--

Description

Creates either an empty configuration or a pre-filled configuration object from a config file

Usage

```
create_input_config(config_file = NA)
```

Arguments

config_file the path to a valid configuration file. if NA it creates an empty config

Value

list of configuration elements, similar generated from reading a config_file.R. The internal elements of this list are: "general", "initialization", "dispersal", "speciation", "mutation" and "ecology"

Examples

```
# create empty config object
config_empty <- create_input_config(config_file = NA)

# create a config object from config_file
# get path to example config
datapath <- system.file(file.path("extdata", "WorldCenter"), package = "gen3sis")
path_config <- file.path(datapath, "config/config_worldcenter.R")
config_object <- create_input_config(config_file = path_config)

# change seed of config_worldcenter config object
config_object$gen3sis$general$random_seed <- 2020

# run the model for config_object

sim <- run_simulation(config = config_object,
                      landscape = file.path(datapath, "landscape"),
                      output_directory = tempdir())
```

create_input_landscape*create an landscape input from a named list of rasters or raster files*

Description

create an landscape input from a named list of rasters or raster files

Usage

```
create_input_landscape(
  landscapes,
  cost_function,
  directions,
  output_directory,
  timesteps = NULL,
  calculate_full_distance_matrices = FALSE,
  crs = NULL,
  overwrite_output = FALSE,
  verbose = FALSE
)
```

Arguments

<code>landscapes</code>	list of named list(s) of raster(s) or raster file(s) name(s). Starting from the present towards the past. NOTE: the list names are important since these are the environmental names
<code>cost_function</code>	function that returns a cost value between a pair of sites (neighbors) that should have the following signature: <code>cost_function <- function(src, src_habitable, dest, dest_habitable){ rules for environmental factors to be considered (e.g. elevation) return(cost value) }</code> where: <code>src</code> is a vector of environmental conditions for the origin sites, <code>src_habitable</code> (TRUE or FALSE) for habitable condition of the origin sites, <code>dest</code> is a vector of environmental conditions for the destination site, <code>dest_habitable</code> (TRUE or FALSE) for habitable condition of the destination cell
<code>directions</code>	4, 8 or 16 neighbors, dictates the connection of cell neighbors on adjacency matrix (see gistance package)
<code>output_directory</code>	path for storing the gen3sis ready landscape (i.e. landscape.rds, metadata.txt and full- and/or local_distance folders)
<code>timesteps</code>	vector of names for every time-step to represent the time-step at gen3sis ready landscape. If <code>timesteps=NULL</code> (default), time-steps are sequentially numbered from 0 to the latest time-step.
<code>calculate_full_distance_matrices</code>	should a full distance matrix be calculated? TRUE or FALSE? If TRUE calculates the entire distance matrix for every time-step and between all habitable

cells (faster CPU time, higher storage required). If FALSE (default), only local distances are calculated (slower CPU time when simulating but smaller gen3sis landscape size)

crs	the coordinate reference system in crs format (see <code>raster::crs</code>)
overwrite_output	TRUE or FALSE
verbose	print distance calculation progress (default: FALSE)

Details

This function creates the input landscapes files needed by the `run_simulation` function. It uses as input the dynamic landscape rasters and user defined geodesimal corrections as well as rules to define the connection costs between sites

Value

no return object. This function saves the landscape input files for gen3sis at the `output_directory`

See Also

[run_simulation](#)

Examples

```
# load needed library
library(raster)

# get path containing example rasters
datapath <- system.file(file.path("extdata", "WorldCenter"), package="gen3sis")

# create raster bricks
temperature_brick <- brick(file.path(datapath, "input_rasters/temp_rasters.grd"))
aridity_brick <- brick(file.path(datapath, "input_rasters/arid_rasters.grd"))
area_brick <- brick(file.path(datapath, "input_rasters/area_rasters.grd"))

# create sub-list of environmental variables for fast example
# (i.e. 4 time-steps)
landscapes_sub_list <- list(temp=NULL, arid=NULL, area=NULL)
for(i in 1:4){
  landscapes_sub_list$temp <- c(landscapes_sub_list$temp, temperature_brick[[i]])
  landscapes_sub_list$arid <- c(landscapes_sub_list$arid, aridity_brick[[i]])
  landscapes_sub_list$area <- c(landscapes_sub_list$area, area_brick[[i]])
}

# define cost function, crossing water as double as land sites
cost_function_water <- function(source, habitable_src, dest, habitable_dest) {
  if(!all(habitable_src, habitable_dest)) {
    return(2/1000)
  } else {
    return(1/1000)
  }
}
```

```

        }

}

## Not run:
# create input landscape ready for gen3sis from sub-list
# (i.e. 10 time-steps) and only local-distances.
create_input_landscape(
  landscapes = landscapes_sub_list,
  cost_function = cost_function_water,
  output_directory = file.path(tempdir(), "landscape_sub"),
  directions = 8, # surrounding sites for each site
  timesteps = paste0(round(150:147,2), "Ma"),
  calculate_full_distance_matrices = FALSE) # full distance matrix

# create list of all environmental variables available
landscapes_list <- list(temp=NULL, arid=NULL, area=NULL)
for(i in 1:nlayers(temperature_brick)){
  landscapes_list$temp <- c(landscapes_list$temp, temperature_brick[[i]])
  landscapes_list$arid <- c(landscapes_list$arid, aridity_brick[[i]])
  landscapes_list$area <- c(landscapes_list$area, area_brick[[i]])
}

# create input landscape ready for gen3sis (~ 3min run-time)
# and full distance matrix
create_input_landscape(
  landscapes = landscapes_list,
  cost_function = cost_function_water,
  output_directory = file.path(tempdir(), "landscape_WorldCenter_5"),
  directions = 8, # surrounding sites for each site
  timesteps = paste0(round(150:100,2), "Ma"),
  crs="+proj=longlat +datum=WGS84 +no_defs +ellps=WGS84 +towgs84=0,0,0",
  calculate_full_distance_matrices = FALSE) # full distance matrix

## End(Not run)

```

create_species *Creates a new species*

Description

Creates a new species

Usage

```
create_species(initial_cells, config)
```

Arguments

initial_cells	a list of initial sites (strings) to occupy
config	the configuration information

Details

This function is to be used in the `create_ancestor_species` function at the configuration of a simulation. It will create a species object representing one species in the simulation occupying the given list of initial sites

Value

returns a newly created species occupying the provided initial cells

Examples

```
## Not run:
# inside a create_ancestor_species function of a config taking a landscape and a config
# create_species creates a new species

# define range of species for the entire world in this case lat long system
range <- c(-180, 180, -90, 90)

## select coordinates within the range stipulated above
# takes landscape coordinates
co <- landscape$coordinates
# select coordinates within the range
selection <- co[, "x"] >= range[1] &
  co[, "x"] <= range[2] &
  co[, "y"] >= range[3] &
  co[, "y"] <= range[4]
# get the initial cells
initial_cells <- rownames(co)[selection]

# call create_species
new_species <- create_species(initial_cells, config)

# extra: set local adaptation to max optimal temp equals local temp
new_species$traits[ , "temp"] <- landscape$environment[,"temp"]

# extra: set a certain trait (e.g. traitX) to one on all populations of this species
new_species$traits[ , "traitX"] <- 1

## End(Not run)
```

evolution_mode_none *No evolution considered*

Description

No evolution considered

Usage

```
evolution_mode_none(species, cluster_indices, landscape, config)
```

Arguments

species	the current species
cluster_indices	indices to assign cells to geographic clusters
landscape	the current landscape
config	the general config

Value

returns an invisible empty species traits when no evolution is considered

Description

Contains an engine for spatially-explicit eco-evolutionary mechanistic models with a modular implementation and several support functions. It allows exploring the consequences of ecological and macroevolutionary processes across realistic or theoretical spatio-temporal landscapes on biodiversity patterns as a general term.

Details

Gen3sis is implemented in a mix of R and C++ code, and wrapped into an R-package. All high-level functions that the user may interact with are written in R, and are documented via the standard R / Roxygen help files for R-packages. Runtime-critical functions are implemented in C++ and coupled to R via the Rcpp framework. Additionally, the package provides several convenience functions to generate input data, configuration files and plots, as well as tutorials in the form of vignettes that illustrate how to declare models and run simulations.

References

O. Hagen, B. Flück, F. Fopp, J.S. Cabral, F. Hartig, M. Pontarp, T.F. Rangel, L. Pellissier. (2021). gen3sis: A general engine for eco-evolutionary simulations of the processes that shape Earth's biodiversity. PLoS biology

See Also

[create_input_config](#) [create_input_landscape](#) [run_simulation](#) [plot_summary](#)

Examples

```
## Not run:

# 1. Load gen3sis and all necessary input data is set (landscape and config).

library(gen3sis)

# get path to example input inside package
datapath <- system.file(file.path("extdata", "WorldCenter"), package = "gen3sis")
path_config <- file.path(datapath, "config/config_worldcenter.R")
path_landscape <- file.path(datapath, "landscape")

# 2. Run simulation

sim <- run_simulation(config = path_config, landscape = path_landscape)

# 3. Visualize the outputs

# plot summary of entire simulation
plot_summary(sim)

# plot richness at a given time-step
# this only works if species is saved for this time-step
landscape_t_150 <- readRDS(file.path(datapath,
"output", "config_worldcenter", "landscapes", "landscape_t_150.rds"))
species_t_150 <- readRDS(file.path(datapath,
"output", "config_worldcenter", "species", "species_t_150.rds"))
plot_richness(species_t_150, landscape_t_150)

## End(Not run)
```

get_dispersal_values *Allows the user to generate dispersal value(s) for a given species. The simulation request the user to return a vector of dispersal values with length specified by the num_draws parameter*

Description

Allows the user to generate dispersal value(s) for a given species. The simulation request the user to return a vector of dispersal values with length specified by the num_draws parameter

Usage

```
get_dispersal_values(num_draws, species, landscape, config)
```

Arguments

<code>num_draws</code>	the number of dispersal values drawn
<code>species</code>	the species for which the values are to be produced
<code>landscape</code>	the landscape of the current time step
<code>config</code>	the config of the simulation

Details

Dispersal values are used for two different operations. First, for colonization, dispersal values are used to evaluate pairwise dispersal events between colonized and uninhabited sites. Second, for geographic clustering, dispersal values are used during the clustering of species populations when determining which sites are in range of each other and belong to the same geographic cluster.

`num_draws` tells the user how many dispersal values are requested by the simulation when this function is called and must be returned. It can be of varying length depending on the operation calling it, i.e. colonization or geographic clustering. If the dispersal is considered as fixed the function should return a vector of length `num_draws` with repeated identical values, or varying values in case of more complex dispersal kernels.

Note: if the distances are randomized the cluster formation may be asymmetrical. Therefore the ordering of all clustering operations is randomized.

Value

a numerical vector of length `num_draws` with dispersal values

`get_divergence_factor` *Allows the user to define the rate at which geographic clusters accumulate differentiation with each other.*

Description

Allows the user to define the rate at which geographic clusters accumulate differentiation with each other.

Usage

```
get_divergence_factor(species, cluster_indices, landscape, config)
```

Arguments

<code>species</code>	the species of the current time step
<code>cluster_indices</code>	an index vector indicating the cluster every occupied site is part of
<code>landscape</code>	the landscape of the current time step
<code>config</code>	the config of the simulation

Details

This function determines the increase in divergence between separated clusters of a species. This function should return either (i) a single value if there is an homogeneous divergence, or (ii) a matrix indicating the divergence that should be accumulated between specific pairwise geographic clusters.

The function can either return a single value or a full cluster by cluster matrix. If only one value is returned it will be used to increment divergence between any given distinct cluster pairs. If a matrix is returned it has to be in the dimension of cluster x cluster, in which case the divergence values will be increased according to the cluster membership of any cell pairs.

For every time step, the divergence between geographic clusters can increase by a defined number. The divergence values can be scaled optionally using the species or landscape information. For instance, the divergence between clusters could be higher under warmer temperature, or difference in ecological traits could promote faster divergence between clusters.

Oppositely, for every time-step, if cluster are merged their divergence is reduced by one (1).

Value

a single value or a matrix of divergences between all clusters occurring in clusters_indices

`get_divergence_matrix` *Returns the full divergence matrix for a given species (site x site).*

Description

Returns the full divergence matrix for a given species (site x site).

Usage

```
get_divergence_matrix(species)
```

Arguments

species	the species for which the divergence matrix should be produced
---------	--

Details

The functions allows to extract the full divergence matrix representing the accumulated differentiation between all the sites that are occupied by the species. The input is a species object for any time step.

Value

the full decompressed divergence matrix

Examples

```
# get path containing example rasters
datapath <- system.file(file.path("extdata", "WorldCenter"), package="gen3sis")
# get species at t0
species_t_0 <- readRDS(file.path(datapath, "output/config_worldcenter/species/species_t_0.rds"))
# get divergence matrix from species 1
divergence_sp1_t0 <- get_divergence_matrix(species_t_0[[1]])
# get divergence matrix from species 12
divergence_sp12_t0 <- get_divergence_matrix(species_t_0[[12]])
# note that species 1 has no divergence between it's populations, while 12 has.
```

`get_geo_richness` *calculate the richness of a list of species over a given landscape*

Description

calculate the richness of a list of species over a given landscape

Usage

```
get_geo_richness(species_list, landscape)
```

Arguments

<code>species_list</code>	a list of species to include in the richness calculations
<code>landscape</code>	the landscape to calculate the richness over

Value

a vector with the richness for every cell in the input landscape

See Also

[plot_richness](#)

Examples

```
# get path containing example rasters
datapath <- system.file(file.path("extdata", "WorldCenter"), package="gen3sis")
# get species at t0
species_t_0 <- readRDS(file.path(datapath,
                                    "output/config_worldcenter/species/species_t_0.rds"))
# get landscape at t0
landscape_t_0 <- readRDS(file.path(datapath,
                                    "output/config_worldcenter/landscapes/landscape_t_0.rds"))
# get geo richness
richness_t_0 <- get_geo_richness(species_t_0, landscape_t_0)

# histogram of richness at t0
```

```
hist(richness_t_0)

## plot richness using raster and gen3sis color_richness (see plot_richness for alternative)
# combine richness and geographical coordinates
geo_richness_t_0 <- cbind(landscape_t_0$coordinates, richness_t_0)
library(raster)
plot(rasterFromXYZ(geo_richness_t_0), col=color_richness(20))
```

plot_landscape*Plot the environment variable of a given landscape***Description**

Plot the environment variable of a given landscape

Usage

```
plot_landscape(landscape)
```

Arguments

<code>landscape</code>	the landscape to plot the environment from
------------------------	--

Value

no return value, called for plot

plot_landscape_overview*Plot the outline of a given landscape over time***Description**

Plot the outline of a given landscape over time

Usage

```
plot_landscape_overview(landscape, slices = 2, start_end_times = NULL)
```

Arguments

<code>landscape</code>	the input landscape to be plotted
<code>slices</code>	the amount of slices though time between start and end (default value is 2).
<code>start_end_times</code>	the stating and ending times of the simulation (default is NULL, takes the oldest and most recent available)

Value

no return value, called for plot

plot_ranges

Plot species ranges of the given list of species on a landscape

Description

Plot species ranges of the given list of species on a landscape

Usage

```
plot_ranges(species_list, landscape, disturb = 0, max_sps = 10)
```

Arguments

species_list	a list of species to use in the richness calculation
landscape	a corresponding landscape object
disturb	value randomly added to shift each species symbol. Useful to enhance visualization in case of multiple species overlaps
max_sps	maximum number of plotted species, not recommended above 20

Value

no return value, called for plot

Examples

```
## plot from saved outputs
# get path containing outputs
datapath <- system.file(file.path("extdata", "WorldCenter"), package="gen3sis")
# get species at t0
species_t_50 <- readRDS(file.path(datapath,
                                      "output/config_worldcenter/species/species_t_50.rds"))
# get landscape at t0
landscape_t_50 <- readRDS(file.path(datapath,
                                      "output/config_worldcenter/landscapes/landscape_t_50.rds"))
# plot range
plot_ranges(species_t_50, landscape_t_50)

# get species at t0
species_t_25 <- readRDS(file.path(datapath,
                                      "output/config_worldcenter/species/species_t_25.rds"))
# get landscape at t0
landscape_t_25 <- readRDS(file.path(datapath,
                                      "output/config_worldcenter/landscapes/landscape_t_25.rds"))
# plot ranges at intermediate time-step
plot_ranges(species_t_25, landscape_t_25, disturb = 2, max_sps = 20)
```

```

## plot from within observer
# call plot_richness from inside the end_of_timestep_observer function
# at the config file:
## Not run:
plot_ranges(data$all_species, data$landscape)

## End(Not run)

```

plot_raster_multiple *Plot a set of values onto a given landscape*

Description

Plot a set of values onto a given landscape

Usage

```
plot_raster_multiple(values, landscape, no_data = 0)
```

Arguments

values	a matrix of values with columns corresponding to sets of values, and rows corresponding to grid cells, this will result in ncol(values) raster plots.
landscape	a landscape to plot the values onto
no_data	what value should be used for missing data present in the values parameter

Value

no return value, called for plot

plot_raster_single *Plot a single set of values onto a given landscape*

Description

Plot a single set of values onto a given landscape

Usage

```
plot_raster_single(values, landscape, title, no_data = 0, col, legend = TRUE)
```

Arguments

values	a named list of values, the names must correspond to cells in the landscape
landscape	a landscape to plot the values onto
title	a title string for resulting plot, the time information will be taken and appended from the landscape id
no_data	what value should be used for missing values in values
col	corresponds to the <code>raster</code> col plot parameter. This can be omitted and colors are handled by <code>raster::plot</code>
legend	corresponds to the <code>raster</code> legend plot parameter. This can be omitted and legend is handled by <code>raster::plot</code>

Value

no return value, called for plot

Examples

```
# get path to output objects
datapath <- system.file(file.path("extdata", "WorldCenter"), package = "gen3sis")

# plot environmental variables at a given step
landscape_t_25 <- readRDS(
  file.path(datapath, "output", "config_worldcenter", "landscapes", "landscape_t_25.rds"))
oldpar <- par(no.readonly = TRUE)
par(mfrow=c(1,2))
plot_raster_single(landscape_t_25$environment[,"temp"], landscape_t_25, "Temperature", NA)
# use col to change the color
plot_raster_single(landscape_t_25$environment[,"arid"], landscape_t_25, "Aridity", NA,
                   col=topo.colors(5))
par(oldpar)
# note that these values were scaled by the configuration object
```

plot_richness

*Plot the richness of the given list of species on a landscape***Description**

Plot the richness of the given list of species on a landscape

Usage

```
plot_richness(species_list, landscape)
```

Arguments

species_list	a list of species to use in the richness calculation
landscape	a corresponding landscape object

Value

no return value, called for plot

Examples

```
## plot from saved outputs
# get path containing example rasters
datapath <- system.file(file.path("extdata", "WorldCenter"), package="gen3sis")
# get species at t0
species_t_0 <- readRDS(file.path(datapath,
                                    "output/config_worldcenter/species/species_t_0.rds"))
# get landscape at t0
landscape_t_0 <- readRDS(file.path(datapath,
                                    "output/config_worldcenter/landscapes/landscape_t_0.rds"))
# plot richness
plot_richness(species_t_0, landscape_t_0)

## plot from within observer
# call plot_richness from inside the end_of_timestep_observer function
# at the config file:
## Not run:
plot_richness(data$all_species, data$landscape)

## End(Not run)
```

plot_species_abundance

Plot a species' abundance on a given landscape

Description

Plot a species' abundance on a given landscape

Usage

```
plot_species_abundance(species, landscape)
```

Arguments

species	a single species object
landscape	a landscape object

Value

no return value, called for plot

Examples

```
# get path to output objects
datapath <- system.file(file.path("extdata", "WorldCenter"), package = "gen3sis")

# load landscape and species at time step zero
landscape_t_0 <- readRDS(
  file.path(datapath, "output/config_worldcenter", "landscapes", "landscape_t_0.rds"))
species_t_0 <- readRDS(
  file.path(datapath, "output/config_worldcenter", "species", "species_t_0.rds"))

# plot species 13 range and abundances
plot_species_abundance(species_t_0[[13]], landscape_t_0)
# oh, a South American one!

# plot ranges and abundances of 3 species (i.e. 1, 21 and 32)
oldpar <- par(no.readonly = TRUE)
par(mfrow=c(1,3))
plot_species_abundance(species_t_0[[1]], landscape_t_0)
plot_species_abundance(species_t_0[[7]], landscape_t_0)
plot_species_abundance(species_t_0[[11]], landscape_t_0)
par(oldpar)
```

plot_species_presence *Plot a species' presence on a given landscape*

Description

Plot a species' presence on a given landscape

Usage

```
plot_species_presence(species, landscape)
```

Arguments

species	a single species object
landscape	a landscape object

Value

no return value, called for plot

Examples

```
# get path to output objects
datapath <- system.file(file.path("extdata", "WorldCenter"), package = "gen3sis")

# load landscape and species at time step zero
landscape_t_0 <- readRDS(
```

```

file.path(datapath, "output/config_worldcenter", "landscapes", "landscape_t_0.rds"))
species_t_0 <- readRDS(
  file.path(datapath, "output/config_worldcenter", "species", "species_t_0.rds"))

# plot species 13 range
plot_species_presence(species_t_0[[13]], landscape_t_0)
# oh, a South American one!

# plot ranges of 3 species (i.e. 1, 21 and 32)
oldpar <- par(no.readonly = TRUE)
par(mfrow=c(1,3))
plot_species_presence(species_t_0[[1]], landscape_t_0)
plot_species_presence(species_t_0[[7]], landscape_t_0)
plot_species_presence(species_t_0[[11]], landscape_t_0)
par(oldpar)

```

plot_summary*Plot simulation default summary object***Description**

Plot simulation default summary object

Usage

```
plot_summary(output, summary_title = NULL, summary_legend = NULL)
```

Arguments

<code>output</code>	a sgen3sis output object resulting from a gen3sis simulation (i.e. <code>run_simulation</code>)
<code>summary_title</code>	summary plot title as character. If <code>NULL</code> , title is computed from input name.
<code>summary_legend</code>	either a string using <code>\n</code> for new lines or <code>NULL</code> . If <code>NULL</code> , provides default summary and simulation information.

Value

no return value, called for plot

See Also

[run_simulation](#)

Examples

```
# load existing summary example
datapath <- system.file(file.path("extdata", "WorldCenter"), package = "gen3sis")
output <- readRDS(file.path(datapath, "output/config_worldcenter/sgen3sis.rds"))
# plot output summary
plot_summary(output)

plot_summary(output, summary_title="Example")

## run simulation and plot summary
# get path or correct input objects
datapath <- system.file(file.path("extdata", "CaseStudy1"), package="gen3sis")
# run simulation and store summary object to output
output <- run_simulation(config = file.path(datapath,"config/config_fast.R"),
                          landscape = file.path(datapath,"landscape"),
                          output_directory = tempdir())
# plot output summary
plot_summary(output)
```

`prepare_directories` *Checks if the necessary directories exist, and otherwise creates them*

Description

Checks if the necessary directories exist, and otherwise creates them

Usage

```
prepare_directories(
  config_file = NA,
  input_directory = NA,
  output_directory = NA
)
```

Arguments

<code>config_file</code>	path to the config file, if NA the default config will be used
<code>input_directory</code>	path to input directory, if NA it will be derived from the config file path
<code>output_directory</code>	path to output directory, if NA it will be derived from the config file path

Details

This function will be called by the simulation, but is made available if the directories should be created manually beforehand, for example to redirect the stdout to a file in the output directory.

Value

returns a named list with the paths for the input and output directories

Examples

```
## Not run:
# this is an internal function used to attribute directories by deduction
# called at the start of a simulation run
datapath <- system.file(file.path("extdata", "WorldCenter"), package = "gen3sis")
# deducing input directory and setting output directory
prepare_directories(config_file = file.path(datapath, "config/config_worldcenter.R"))
# setting output directory
prepare_directories(config_file = file.path(datapath, "config/config_worldcenter.R"),
                    input_directory = file.path(datapath, "landscape"))

## End(Not run)
```

run_simulation

Run a simulation in gen3sis and return a summary object possibly saving outputs and plots to the output folder

Description

Run a simulation in gen3sis and return a summary object possibly saving outputs and plots to the output folder

Usage

```
run_simulation(
  config = NA,
  landscape = NA,
  output_directory = NA,
  timestep_restart = NA,
  save_state = NA,
  call_observer = "all",
  enable_gc = FALSE,
  verbose = 1
)
```

Arguments

<code>config</code>	configuration file for the simulation or configuration object derived from a config file
<code>landscape</code>	directory where the all_geo_hab and distance_matrices reside
<code>output_directory</code>	directory for the simulation output

timestep_restart	set the start time time-step. If timestep_restart=NA (default), start at the oldest available landscape. If timestep_restart="ti", start from the last available time-step. If a number "x", start at time-step x (e.g. timestep_restartstart=6)
save_state	save the internal state of the simulation for restarts. If save_state=NA (default), do not save any internal state of the simulation. If save_state="all", save all time-step. If save_state="last", saves only last time-step. If a vector, saves the desired time-steps (e.g. save_state=c(1,3,5))
call_observer	call observer functions. If call_observer="all" (default), call all time-steps. If call_observer=NA, calls the start and end times. If a number "X", call call_observer at X time-steps equally spaced between start and end steps. For example, on a simulation with start time of 1 and end time of 20, call_observer=1 calls the observer function at time-steps 1, 11 and 20.
enable_gc	enable gc in case of memory shortages
verbose	integer value (i.e. 0, 1 ,2 or 3). If verbose=0, no printed statement. If verbose=1 (default), print time-step progress. If verbose=2, enable additional progress outputs regarding current time-step. If verbose=3, enable additional information from within modules

Details

This function runs a simulation with defined landscape and config objects. Possibly plot and save specified outputs as defined in the end_of_timestep_observer function inside the config object

Value

a summary object containing a minimal summary on simulation and dynamics progress (alive, speciations, extinctions) as well as useful simulation data

See Also

[plot_summary](#) [create_input_config](#) [create_input_landscape](#)

Examples

```
# get path or correct input objects
datapath <- system.file(file.path("extdata", "CaseStudy1"), package="gen3sis")

# run simulation and store summary obejct to sim
sim <- run_simulation(config = file.path(datapath,"config/config_fast.R"),
                      landscape = file.path(datapath,"landscape"),
                      output_directory = tempdir())

# plot summary object
plot_summary(sim)
```

save_abundance

This function can be called within the observer function to save the species abundances.

Description

This function can be called within the observer function to save the species abundances.

Usage

```
save_abundance()
```

Value

no return value, called for side effects

See Also

[save_species](#)

Examples

```
## Not run:
## save abundances from within observer
# this functions should be called inside the end_of_timestep_observer function at the config file:
save_abundance()

## End(Not run)
```

save_divergence

This function can be called within the observer function to save the compressed species divergence.

Description

This function can be called within the observer function to save the compressed species divergence.

Usage

```
save_divergence()
```

Value

no return value, called for side effects

See Also[save_species](#)**Examples**

```
## Not run:  
## save divergences from within observer for each species  
# this functions should be called inside the end_of_timestep_observer function at the config file:  
save_divergence()  
  
## End(Not run)
```

save_landscape

This function can be called within the observer function to save the current landscape, can be called independently by the user and is called by other observer functions relying on the landscape to be present (e.g. save_species)

Description

This function can be called within the observer function to save the current landscape, can be called independently by the user and is called by other observer functions relying on the landscape to be present (e.g. save_species)

Usage

```
save_landscape()
```

Value

no return value, called for side effects

See Also[save_species](#)**Examples**

```
## Not run:  
## save landscape from within observer for each species  
# this functions should be called inside the end_of_timestep_observer function at the config file:  
save_landscape()  
  
## End(Not run)
```

save_occupancy	<i>This function can be called within the observer function to save the current occupancy pattern</i>
----------------	---

Description

This function can be called within the observer function to save the current occupancy pattern

Usage

```
save_occupancy()
```

Value

no return value, called for side effects

Examples

```
## Not run:
## save occupancies from within observer
# this functions should be called inside the end_of_timestep_observer function at the config file:
save_occupancy()

## End(Not run)
```

save_phylogeny	<i>This function can be called within the observer function to save the current phylogeny.</i>
----------------	--

Description

This function can be called within the observer function to save the current phylogeny.

Usage

```
save_phylogeny()
```

Value

no return value, called for side effects

Examples

```
## Not run:
## save phylogeny as a nexus tree from within observer for each species
# this functions should be called inside the end_of_timestep_observer function at the config file:
save_phylogeny()

## End(Not run)
```

save_richness

This function can be called within the observer function to save the current richness pattern

Description

This function can be called within the observer function to save the current richness pattern

Usage

```
save_richness()
```

Value

no return value, called for side effects

See Also

[save_species](#)

Examples

```
## Not run:  
## save the current richness pattern from within observer for each species  
# this functions should be called inside the end_of_timestep_observer function at the config file:  
save_richness()  
  
## End(Not run)
```

save_species

This function can be called within the observer function to save the full species list.

Description

This function can be called within the observer function to save the full species list.

Usage

```
save_species()
```

Value

no return value, called for side effects

See Also

[save_landscape](#)

Examples

```
## Not run:
#adding the call to the end_of_timestep_observer function at the config file or object
#will automatically save all the species at an rds file at the outputfolder/species folder
# and the respective landscape at outputfolder/landscapes for the times steps the observer
# function is called (i.e. call_observer parameter at the run_simulation function)
save_species()

## End(Not run)
```

save_traits

This function can be called within the observer function to save the species traits.

Description

This function can be called within the observer function to save the species traits.

Usage

```
save_traits()
```

Value

no return value, called for side effects

See Also

[save_species](#)

Examples

```
## Not run:
## save the current traits pattern from within observer for each population of each species
# this functions should be called inside the end_of_timestep_observer function at the config file:
save_traits()

## End(Not run)
```

skeleton_config	<i>empty skeleton config</i>
-----------------	------------------------------

Description

empty skeleton config

Usage

```
skeleton_config()
```

Value

compiled string

verify_config	<i>Verifies if all required config fields are provided</i>
---------------	--

Description

Verifies if all required config fields are provided

Usage

```
verify_config(config)
```

Arguments

config	a config object
--------	-----------------

Value

Returns TRUE for a valid config, FALSE otherwise, in which case a list of missing parameters will be printed out as well

See Also

[create_input_config](#) [write_config_skeleton](#)

Examples

```
# get path to input config
datapath <- system.file(file.path("extdata", "WorldCenter"), package="gen3sis")
path_config <- file.path(datapath, "config/config_worldcenter.R")
# create config object
config_object <- create_input_config(path_config)
# check class
class(config_object)
# verify config
verify_config(config_object) # TRUE! this is a valid config

# break config_object, change name random_seed to r4nd0m_s33d
names(config_object$gen3sis$general)[1] <- "r4nd0m_s33d"
verify_config(config_object) # FALSE! this is an invalid config
```

`write_config_skeleton` *Writes out a config skeleton*

Description

Writes out a config skeleton

Usage

```
write_config_skeleton(file_path = "./config_skeleton.R", overwrite = FALSE)
```

Arguments

<code>file_path</code>	file path to write the file into
<code>overwrite</code>	overwrite existing file defaults to FALSE

Details

This function writes out a config skeleton, that is, an empty config file to be edited by the user.

Value

returns a boolean indicating success or failure

Examples

```
# set config_empty.R file path
config_file_path <- file.path(tempdir(), "config_empty.R")
#writes out a config skeleton
write_config_skeleton(config_file_path)
```

Index

* **IO**
 gen3sis, 11

* **gen3sis modeling eco-evolutionary macroevolution macroecology mechanisms**
 gen3sis, 11

* **iteration**
 gen3sis, 11

* **methods**
 gen3sis, 11

* **programming**
 gen3sis, 11

* **utilities**
 gen3sis, 11

apply_ecology, 3
apply_evolution, 4

color_richness, 4
color_richness_non_CVDCBP, 5
colorRampPalette, 5
create_ancestor_species, 5
create_input_config, 6, 11, 25, 31
create_input_landscape, 7, 11, 25
create_species, 9

evolution_mode_none, 10

gen3sis, 11
get_dispersal_values, 12
get_divergence_factor, 13
get_divergence_matrix, 14
get_geo_richness, 15

plot_landscape, 16
plot_landscape_overview, 16
plot_ranges, 17
plot_raster_multiple, 18
plot_raster_single, 18
plot_richness, 15, 19
plot_species_abundance, 20

plot_species_presence, 21
plot_summary, 11, 22, 25
prepare_directories, 23

raster, 19
run_simulation, 8, 11, 22, 24

save_abundance, 26
save_divergence, 26
save_landscape, 27, 30
save_occupancy, 28
save_phylogeny, 28
save_richness, 29
save_species, 26, 27, 29, 29, 30
save_traits, 30
skeleton_config, 31

verify_config, 31

write_config_skeleton, 31, 32