

Package ‘ggmice’

August 7, 2023

Title Visualizations for 'mice' with 'ggplot2'

Version 0.1.0

Description Enhance a 'mice' imputation workflow with visualizations for incomplete and/or imputed data. The plotting functions produce 'ggplot' objects which may be easily manipulated or extended. Use 'ggmice' to inspect missing data, develop imputation models, evaluate algorithmic convergence, or compare observed versus imputed data.

License GPL (>= 3)

URL <https://github.com/amices/ggmice>, [https://amices.org/ggmice/](https://amices.org/)

BugReports <https://github.com/amices/ggmice>

Imports cli, dplyr, ggplot2, magrittr, mice, purrr, rlang, stats, stringr, tidyverse, tidyselect, utils

Suggests covr, knitr, patchwork, plotly, rmarkdown, testthat (>= 3.0.0)

VignetteBuilder knitr

Config/testthat/edition 3

Copyright 'ggmice' authors

Encoding UTF-8

RoxygenNote 7.2.3

NeedsCompilation no

Author Hanne Oberman [aut, cre] (<<https://orcid.org/0000-0003-3276-2141>>), Utrecht University [fnd], University Medical Centre Utrecht [fnd], Thom Volker [ctb] (<<https://orcid.org/0000-0002-2408-7820>>), Gerko Vink [ctb] (<<https://orcid.org/0000-0001-9767-1924>>), Pepijn Vink [ctb] (<<https://orcid.org/0000-0001-6960-9904>>), Jamie Wallis [ctb] (<<https://orcid.org/0000-0003-2765-3813>>)

Maintainer Hanne Oberman <h.i.oberman@uu.nl>

Repository CRAN

Date/Publication 2023-08-07 14:20:02 UTC

R topics documented:

bwplot	2
densityplot	3
ggmice	3
plot_corr	4
plot_flux	5
plot_pattern	5
plot_pred	6
plot_trace	7
stripplot	8
theme_mice	8
theme_minimice	9
xyplot	9

Index	10
--------------	-----------

bwplot	<i>Box-and-whisker plot of observed and imputed data</i>
---------------	--

Description

Box-and-whisker plot of observed and imputed data

Usage

```
bwplot(...)
```

Arguments

... Any arguments passed to the function.

Value

The output of [mice::bwplot](#) and a message about the ggmice equivalent.

Examples

```
imp <- mice::mice(mice::nhanes, maxit = 1, printFlag = FALSE)
bwplot(imp)
```

densityplot	<i>Densityplot of observed and imputed data</i>
-------------	---

Description

Densityplot of observed and imputed data

Usage

```
densityplot(...)
```

Arguments

... Any arguments passed to the function.

Value

The output of [mice::densityplot](#) and a message about the ggmice equivalent.

Examples

```
imp <- mice::mice(mice::nhanes, maxit = 1, printFlag = FALSE)
densityplot(imp)
```

ggmice	<i>Plot incomplete or imputed data</i>
--------	--

Description

Plot incomplete or imputed data

Usage

```
ggmice(data = NULL, mapping = ggplot2::aes())
```

Arguments

data An incomplete dataset (of class `data.frame`), or an object of class [mice::mids](#).
mapping A list of aesthetic mappings created with [ggplot2::aes\(\)](#).

Value

An object of class [ggplot2::ggplot](#).

See Also

See the `ggmice` vignette to use the `ggmice()` function on [incomplete data](#) or [imputed data](#).

Examples

```
dat <- mice::nhanes
ggmice(dat, ggplot2::aes(x = age, y = bmi)) + ggplot2::geom_point()
```

plot_corr

Plot correlations between (incomplete) variables

Description

Plot correlations between (incomplete) variables

Usage

```
plot_corr(
  data,
  vrb = "all",
  label = FALSE,
  square = TRUE,
  diagonal = FALSE,
  rotate = FALSE,
  caption = TRUE
)
```

Arguments

<code>data</code>	A dataset of class <code>data.frame</code> , <code>tibble</code> , or <code>matrix</code> .
<code>vrb</code>	String, vector, or unquoted expression with variable name(s), default is "all".
<code>label</code>	Logical indicating whether correlation values should be displayed.
<code>square</code>	Logical indicating whether the plot tiles should be squares.
<code>diagonal</code>	Logical indicating whether the correlation of each variable with itself should be displayed.
<code>rotate</code>	Logical indicating whether the variable name labels should be rotated 90 degrees.
<code>caption</code>	Logical indicating whether the figure caption should be displayed.

Value

An object of class `ggplot2::ggplot`.

Examples

```
plot_corr(mice::nhanes, label = TRUE)
```

plot_flux

Plot the influx and outflux of a multivariate missing data pattern

Description

Plot the influx and outflux of a multivariate missing data pattern

Usage

```
plot_flux(data, vrb = "all", label = TRUE, caption = TRUE)
```

Arguments

data	An incomplete dataset of class <code>data.frame</code> or <code>matrix</code> .
vrb	String, vector, or unquoted expression with variable name(s), default is "all".
label	Logical indicating whether variable names should be displayed within the plot (the default) or with colors in the legend.
caption	Logical indicating whether the figure caption should be displayed.

Value

An object of class `ggplot2::ggplot`.

Examples

```
plot_flux(mice::nhanes)
```

plot_pattern

Plot the missing data pattern of an incomplete dataset

Description

Plot the missing data pattern of an incomplete dataset

Usage

```
plot_pattern(  
  data,  
  vrb = "all",  
  square = TRUE,  
  rotate = FALSE,  
  cluster = NULL,  
  npat = NULL,  
  caption = TRUE  
)
```

Arguments

<code>data</code>	An incomplete dataset of class <code>data.frame</code> or <code>matrix</code> .
<code>vrb</code>	String, vector, or unquoted expression with variable name(s), default is "all".
<code>square</code>	Logical indicating whether the plot tiles should be squares, defaults to squares to mimick <code>mice::md.pattern()</code> .
<code>rotate</code>	Logical indicating whether the variable name labels should be rotated 90 degrees.
<code>cluster</code>	Optional character string specifying which variable should be used for clustering (e.g., for multilevel data).
<code>npat</code>	Optional numeric input specifying the number of missing data patterns to be visualized, defaults to all patterns.
<code>caption</code>	Logical indicating whether the figure caption should be displayed.

Value

An object of class `ggplot2::ggplot`.

Examples

```
plot_pattern(mice::nhanes)
```

`plot_pred`

Plot the predictor matrix of an imputation model

Description

Plot the predictor matrix of an imputation model

Usage

```
plot_pred(
  data,
  vrb = "all",
  method = NULL,
  label = TRUE,
  square = TRUE,
  rotate = FALSE
)
```

Arguments

data	A predictor matrix for <code>mice</code> , typically generated with <code>mice::make.predictorMatrix</code> or <code>mice::quickpred</code> .
vrб	String, vector, or unquoted expression with variable name(s), default is "all".
method	Character string or vector with imputation methods.
label	Logical indicating whether predictor matrix values should be displayed.
square	Logical indicating whether the plot tiles should be squares.
rotate	Logical indicating whether the variable name labels should be rotated 90 degrees.

Value

An object of class `ggplot2::ggplot`.

Examples

```
pred <- mice::quickpred(mice::nhanes)
plot_pred(pred)
```

plot_trace*Plot the trace lines of the imputation algorithm*

Description

Plot the trace lines of the imputation algorithm

Usage

```
plot_trace(data, vrб = "all")
```

Arguments

data	An object of class <code>mice::mids</code> .
vrб	String, vector, or unquoted expression with variable name(s), default is "all".

Value

An object of class `ggplot2::ggplot`.

Examples

```
imp <- mice::mice(mice::nhanes, print = FALSE)
plot_trace(imp)
```

stripplot*Stripplot of observed and imputed data***Description**

Stripplot of observed and imputed data

Usage

```
stripplot(...)
```

Arguments

...	Any arguments passed to the function.
-----	---------------------------------------

Value

The output of `mice::stripplot` and a message about the `ggmice` equivalent.

Examples

```
imp <- mice::mice(mice::nhanes, maxit = 1, printFlag = FALSE)
stripplot(imp)
```

theme_mice*Theme for `mice` style `ggplot2::ggplot` objects***Description**

Theme for `mice` style `ggplot2::ggplot` objects

Usage

```
theme_mice()
```

Value

A `ggplot2` theme.

theme_minimice	<i>Minimal theme for mice style ggplot2::ggplot objects</i>
----------------	---

Description

Minimal theme for [mice](#) style [ggplot2::ggplot](#) objects

Usage

```
theme_minimice()
```

Value

A [ggplot2](#) theme.

xyplot	<i>Scatterplot of observed and imputed data</i>
--------	---

Description

Scatterplot of observed and imputed data

Usage

```
xyplot(...)
```

Arguments

... Any arguments passed to the function.

Value

The output of [mice::xyplot](#) and a message about the [ggmice](#) equivalent.

Examples

```
imp <- mice::mice(mice::nhanes, maxit = 1, printFlag = FALSE)
xyplot(imp, bmi ~ age)
```

Index

```
bwplot, 2
densityplot, 3
ggmice, 3
ggplot2, 8, 9
ggplot2::aes(), 3
ggplot2::ggplot, 3–9
mice, 8, 9
mice::bwplot, 2
mice::densityplot, 3
mice::make.predictorMatrix, 7
mice::mids, 3, 7
mice::quickpred, 7
mice::stripplot, 8
mice::xyplot, 9
plot_corr, 4
plot_flux, 5
plot_pattern, 5
plot_pred, 6
plot_trace, 7
stripplot, 8
theme_mice, 8
theme_minimice, 9
xyplot, 9
```