

Package ‘ibb’

October 13, 2022

Title R Wrapper for Istanbul Municipality Open Data Portal

Version 0.0.2

Description Call wrappers for Istanbul Metropolitan
Municipality's Open Data Portal (Turkish: İstanbul Büyükşehir
Belediyesi Açık Veri Portalı) at <<https://data.ibb.gov.tr/en/>>.

License MIT + file LICENSE

URL <https://github.com/berkorbay/ibb>

BugReports <https://github.com/berkorbay/ibb/issues>

Depends R (>= 3.4)

Imports dplyr, htr, jsonlite, rlang (>= 0.1.2), magrittr, tibble,
tidyselect

Suggests testthat (>= 2.1.0), covr, roxygen2

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

NeedsCompilation no

Author Berk Orbay [aut, cre],
Emrah Er [ctb]

Maintainer Berk Orbay <orbabay@mef.edu.tr>

Repository CRAN

Date/Publication 2021-02-17 15:50:09 UTC

R topics documented:

call_data_ibb	2
change_language_to_english	2
get_all_data_sources	3
get_all_detailed_info	3
get_data_frame_ibb	3
get_detailed_info_on_data_source	4

get_environmental_monitoring_and_control_data	5
get_ibb_wifi_daily_data_usage	5
get_ibb_wifi_daily_new_subscribers	6
get_ibb_wifi_new_subscribers_by_location	6
get_iski_call_center_complaint_stats	7
get_ispark_locations	7
get_park_garden_green_area_data	8
ibb_data_sources	8
set_query_limit	9

Index	10
--------------	-----------

call_data_ibb	<i>Fundamental Call Function</i>
----------------------	----------------------------------

Description

Fundamental call function of (almost) all IBB Open Data Portal (exceptions apply)

Usage

```
call_data_ibb(
  call_phrase = "",
  root_url = "https://data.ibb.gov.tr/api/3/action/"
)
```

Arguments

call_phrase	Suffix of the call url.
root_url	Root of the calls.

change_language_to_english	<i>Change Language to English</i>
-----------------------------------	-----------------------------------

Description

Changes API language to English

Usage

```
change_language_to_english()
```

```
get_all_data_sources  Get All Data Sources
```

Description

Get All Data Sources

Usage

```
get_all_data_sources(get_all_info = FALSE)
```

Arguments

get_all_info If TRUE return the whole list, otherwise just return the required result data frame.

```
get_all_detailed_info  Get Info on All Data Sources
```

Description

Get Info on All Data Sources

Usage

```
get_all_detailed_info(verbose = FALSE)
```

Arguments

verbose If TRUE, it prints the track of the data being imported.

```
get_data_frame_ibb  Get Data Frame from Resource ID Value
```

Description

Given a data resource ID, this function returns the data frame.

Usage

```
get_data_frame_ibb(resource_id, limit = "", return_json = FALSE)
```

Arguments

<code>resource_id</code>	Resource ID of the wanted data set. Run <code>get_all_detailed_info</code> to see the available IDs
<code>limit</code>	Maximum number of records
<code>return_json</code>	If TRUE, return a json string instead of a data frame.

Examples

```
## Not run:
get_data_frame_ibb("99d1edb6-a889-4e69-be7b-21a3f90101f1")

## End(Not run)
```

`get_detailed_info_on_data_source`
Get Info on a Data Source

Description

Get Info on a Data Source

Usage

```
get_detailed_info_on_data_source(package_id, get_all_info = FALSE)
```

Arguments

<code>package_id</code>	Package ID taken from the package list. Run <code>get_all_detailed_info</code> to see the available IDs
<code>get_all_info</code>	If TRUE return the whole list, otherwise just return the required result data frame.

Examples

```
## Not run:
get_detailed_info_on_data_source("594ca91d-0c71-41da-b50a-c7cd30fab67a")

## End(Not run)
```

```
get_environmental_monitoring_and_control_data
```

*Environmental Monitoring and Control Data Based on Location in
2020*

Description

It contains environmental monitoring and control data with 13 parameters, measured in 15-minute periods in 38 pre-determined locations in Istanbul for 2020.

Usage

```
get_environmental_monitoring_and_control_data(  
  params = list(limit = Sys.getenv("IBB_QUERY_LIMIT"))  
)
```

Arguments

params List of parameters

Examples

```
## Not run:  
get_environmental_monitoring_and_control_data(params = list(limit = 5))  
  
## End(Not run)
```

```
get_ibb_wifi_daily_data_usage
```

ibbWiFi Daily Data Usage

Description

Data set contains info about number of locations, number of subscribers, number of sessions, number of devices, data usage and usage duration.

Usage

```
get_ibb_wifi_daily_data_usage(  
  params = list(limit = Sys.getenv("IBB_QUERY_LIMIT"))  
)
```

Arguments

params List of parameters

```
get_ibb_wifi_daily_new_subscribers
    ibbWiFi Daily New Subscribers
```

Description

Data set of new subscribers

Usage

```
get_ibb_wifi_daily_new_subscribers(
    params = list(limit = Sys.getenv("IBB_QUERY_LIMIT"))
)
```

Arguments

params List of parameters

```
get_ibb_wifi_new_subscribers_by_location
    ibbWiFi New Subscribers by Location
```

Description

Data set of new subscribers by subscription location

Usage

```
get_ibb_wifi_new_subscribers_by_location(
    params = list(limit = Sys.getenv("IBB_QUERY_LIMIT"))
)
```

Arguments

params List of parameters

get_iski_call_center_complaint_stats

Water Outage Complaints and Response Numbers by District in 2019

Description

Contains information on the number of complaints and responses to water outages and responses from all districts and neighborhoods across Istanbul in 2019, from the Istanbul Water and Sewerage Administration (İSKİ) call center.

Usage

```
get_iski_call_center_complaint_stats(  
  params = list(limit = Sys.getenv("IBB_QUERY_LIMIT"))  
)
```

Arguments

params List of parameters

Examples

```
## Not run:  
get_iski_call_center_complaint_stats(params = list(limit = 5))  
  
## End(Not run)
```

get_ispark_locations *Get ISPARK Locations*

Description

Get ISPARK Locations

Usage

```
get_ispark_locations(params = list(limit = Sys.getenv("IBB_QUERY_LIMIT")))
```

Arguments

params List of parameters

Examples

```
## Not run:  
get_ispark_locations(params = list(limit = 5))  
  
## End(Not run)
```

`get_park_garden_green_area_data`

Park, Garden and Green Area Data for 2019

Description

Includes the number of parks, number of trees maintained, number of sports grounds, length of sports fields, number of playgrounds, number of trees planted, and type of green areas in Istanbul in 2019.

Usage

```
get_park_garden_green_area_data(
  params = list(limit = Sys.getenv("IBB_QUERY_LIMIT"))
)
```

Arguments

params	List of parameters
--------	--------------------

Examples

```
## Not run:
get_park_garden_green_area_data(params = list(limit = 5))

## End(Not run)
```

`ibb_data_sources` *List of Data Sources*

Description

Data frame containing all resource ids and data sources of IBB Open Data Portal

Usage

`ibb_data_sources`

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 205 rows and 23 columns.

`set_query_limit` *Set Query Limit*

Description

Sets maximum number of returned results

Usage

```
set_query_limit(limit = 100)
```

Arguments

<code>limit</code>	Limit of the maximum results
--------------------	------------------------------

Index

* **datasets**
 ibb_data_sources, 8

 call_data_ibb, 2
 change_language_to_english, 2

 get_all_data_sources, 3
 get_all_detailed_info, 3
 get_data_frame_ibb, 3
 get_detailed_info_on_data_source, 4
 get_environmental_monitoring_and_control_data,
 5
 get_ibb_wifi_daily_data_usage, 5
 get_ibb_wifi_daily_new_subscribers, 6
 get_ibb_wifi_new_subscribers_by_location,
 6
 get_iski_call_center_complaint_stats,
 7
 get_ispark_locations, 7
 get_park_garden_green_area_data, 8

 ibb_data_sources, 8

 set_query_limit, 9