

# Package ‘ipeaplot’

February 26, 2025

**Type** Package

**Title** Add Ipea Editorial Standards to 'ggplot2' Graphics

**Version** 0.4.1

**Maintainer** Pedro Ferreira <[pedro.ferreira2@ipea.gov.br](mailto:pedro.ferreira2@ipea.gov.br)>

**Description** Convenient functions to create 'ggplot2' graphics following the editorial guidelines of the Institute for Applied Economic Research (Ipea).

**License** MIT + file LICENSE

**URL** <https://github.com/ipeadata-lab/ipeaplot>

**BugReports** <https://github.com/ipeadata-lab/ipeaplot/issues>

**Depends** R (>= 3.3.2)

**Imports** checkmate, ggplot2, grDevices, paletteer, scales, rlang, ggthemes

**Suggests** abjData, data.table, dplyr,forcats, geobr, knitr, patchwork, purrr, reshape, rmarkdown, sf, sysfonts, testthat, tidyverse

**VignetteBuilder** knitr

**Encoding** UTF-8

**RoxygenNote** 7.3.2

**NeedsCompilation** no

**Author** Pedro Ferreira [aut, cre],  
Pedro Jorge [aut],  
Daniel Lima [aut],  
Gustavo Coelho [aut],  
Rafael H. M. Pereira [aut],  
Lucas Mation [aut],  
Fabio Vaz [ctb],  
Ipea - Institue for Applied Economic Research [cph, fnd]

**Repository** CRAN

**Date/Publication** 2025-02-26 15:10:02 UTC

## Contents

ipeaplot . . . . .	2
ipea_pal . . . . .	3
ipea_palette . . . . .	4
save_eps . . . . .	5
save_pdf . . . . .	6
scale_color_ipea . . . . .	7
scale_fill_ipea . . . . .	8
theme_ipea . . . . .	10

<b>Index</b>	<b>12</b>
--------------	-----------

---

ipeaplot	<i>ipeaplot: ggplot Graphics in Ipea Standard</i>
----------	---

---

### Description

Convenient functions to create ggplot graphics following the editorial guidelines of the Institute for Applied Economic Research - Ipea.

### Usage

Please check the vignettes and data documentation on the [website](#).

### Author(s)

**Maintainer:** Pedro Ferreira <[pedro.ferreira2@ipea.gov.br](mailto:pedro.ferreira2@ipea.gov.br)>

Authors:

- Pedro Jorge <[pedro.alves@ipea.gov.br](mailto:pedro.alves@ipea.gov.br)>
- Daniel Lima <[daniel.viegas@ipea.gov.br](mailto:daniel.viegas@ipea.gov.br)>
- Gustavo Coelho <[gustavo.coelho@ipea.gov.br](mailto:gustavo.coelho@ipea.gov.br)>
- Rafael H. M. Pereira <[rafa.pereira.br@gmail.com](mailto:rafa.pereira.br@gmail.com)>
- Lucas Mation <[lucas.mation@ipea.gov.br](mailto:lucas.mation@ipea.gov.br)>

Other contributors:

- Fabio Vaz <[fabio.vaz@ipea.gov.br](mailto:fabio.vaz@ipea.gov.br)> [contributor]
- Ipea - Institue for Applied Economic Research [copyright holder, funder]

### See Also

Useful links:

- <https://github.com/ipeadata-lab/ipeaplot>
- Report bugs at <https://github.com/ipeadata-lab/ipeaplot/issues>

---

ipea\_pal*Ipea palette*

---

## Description

Ipea palette

## Usage

```
ipea_pal(
  palette = c("Blue", "Green", "Orange", "Pink", "Green-Blue", "Green-Blue-White",
             "Red-Blue", "Red-Blue-White", "Orange-Blue", "Orange-Blue-White", "Viridis",
             "Inferno", "Magma", "Plasma", "Cividis"),
  alpha = 1,
  begin = 0,
  end = 1,
  palette_direction = 1
)
```

## Arguments

palette	A character string indicating the color map option to use. These options are available: 'Blue', 'Green', 'Orange', 'Pink', 'Red-Blue', 'Orange-Blue', 'Green-Blue', 'Viridis', 'Inferno', 'Magma', 'Plasma' 'Cividis'.
alpha	The alpha transparency in a number between 0 and 1.
begin	The (corrected) hue in a number between 0 and 1 at which the color map begins.
end	The (corrected) hue in a number between 0 and 1 at which the color map ends.
palette_direction	Sets the order of colors in the scale. If 1, the default, colors are ordered from darkest to lightest. If -1, the order of colors is reversed.

## Value

ipea\_palette produces a character vector, cv, containing color hex codes. This vector can be utilized to establish a custom color scheme for future graphics using palette(cv), or it can be applied directly as a col = parameter in graphic functions or within par.

## References

'Blue', 'Green', 'Orange', 'Pink', 'Green-Blue', 'Green-Blue-White', 'Red-Blue', 'Red-Blue-White', 'Orange-Blue', 'Orange-Blue-White', 'Viridis', 'Inferno', 'Magma', 'Plasma' and 'Cividis': [https://pmassicotte.github.io/paletteer\\_galler](https://pmassicotte.github.io/paletteer_galler)

## Examples

```
scales::show_col(ipea_pal()(10))
scales::show_col(ipea_pal(palette_direction = -1)(6))
scales::show_col(ipea_pal(begin = 0.2, end = 0.8)(4))
scales::show_col(ipea_pal(palette = "Green")(6))
```

**ipea\_palette**      *Ipea Color Palette and Scales*

## Description

This function creates a vector of n equally spaced colors along the selected color map.

## Usage

```
ipea_palette(
  palette = c("Blue", "Green", "Orange", "Pink", "Green-Blue", "Green-Blue-White",
             "Red-Blue", "Red-Blue-White", "Orange-Blue", "Orange-Blue-White", "Viridis",
             "Inferno", "Magma", "Plasma", "Cividis"),
  n,
  alpha = 1,
  begin = 0,
  end = 1,
  palette_direction = 1
)
```

## Arguments

<b>palette</b>	A character string indicating the color map option to use. These options are available: 'Blue', 'Green', 'Orange', 'Pink', 'Red-Blue', 'Orange-Blue', 'Green-Blue', 'Red-Blue-White', 'Orange-Blue-White', 'Green-Blue-White', 'Viridis', 'Inferno', 'Magma', 'Plasma', 'Cividis'.
<b>n</b>	The number of colors ( $\geq 1$ ) used in the palette.
<b>alpha</b>	The alpha transparency in a number between 0 and 1.
<b>begin</b>	The (corrected) hue in a number between 0 and 1 at which the color map begins.
<b>end</b>	The (corrected) hue in a number between 0 and 1 at which the color map ends.
<b>palette_direction</b>	Sets the order of colors in the scale. If 1, the default, colors are ordered from darkest to lightest. If -1, the order of colors is reversed.

## Details

A 9-color Ipea palette.

## Value

**ipea\_palette** produces a character vector, cv, containing color hex codes. This vector can be utilized to establish a custom color scheme for future graphics using **palette(cv)**, or it can be applied directly as a **col =** parameter in graphic functions or within **par**.

## References

'Blue', 'Green', 'Orange', 'Pink', 'Green-Blue', 'Green-Blue-White', 'Red-Blue', 'Red-Blue-White', 'Orange-Blue', 'Orange-Blue-White', 'Viridis', 'Inferno', 'Magma', 'Plasma' and 'Cividis': [https://pmassicotte.github.io/paletteer\\_gallery.html](https://pmassicotte.github.io/paletteer_gallery.html)

---

save_eps	<i>Save the chart in Eps format</i>
----------	-------------------------------------

---

## Description

Convenient function to save charts in Eps format.

## Usage

```
save_eps(gplot, file.name, ...)
```

## Arguments

gplot	ggplot which will be saved.
file.name	Character. Name of the file which will be generated
...	Additional arguments to be passed to the ggsave function from the ggplot2 package.

## Value

An "eps" file

## See Also

Other save: [save\\_pdf\(\)](#)

## Examples

```
# Creating theme for ggplot2 graph using default arguments
library(ggplot2)
fig_raw <- ggplot() +
  geom_col(data = mtcars, aes(x = hp , y = mpg, fill = cyl)) +
  theme_ipca()
# Save ggplot output
save_eps(fig_raw,file.name = paste0(tempdir(),"/figura.eps"))
```

<code>save_pdf</code>	<i>Save the chart in PDF format</i>
-----------------------	-------------------------------------

## Description

Convenient function to save charts in PDF format.

## Usage

```
save_pdf(gplot, file.name, ...)
```

## Arguments

<code>gplot</code>	ggplot which will be saved.
<code>file.name</code>	Character. Name of the file which will be generated
<code>...</code>	Additional arguments to be passed to the ggsave function from the ggplot2 package.

## Value

An "PDF" file

## See Also

Other save: [save\\_eps\(\)](#)

## Examples

```
# Creating theme for ggplot2 graph using default arguments
library(ggplot2)
fig_raw <- ggplot() +
  geom_col(data = mtcars, aes(x = hp , y = mpg, fill = cyl)) +
  theme_ipca()
# Save ggplot output
save_pdf(fig_raw,file.name = paste0(tempdir(),"/figura.pdf"))
```

---

<code>scale_color_ipea</code>	<i>Scale color IPEA</i>
-------------------------------	-------------------------

---

## Description

Generate a color palette (continuous or discrete) following the editorial guidelines used by the Institute for Applied Economic Research - Ipea.

## Usage

```
scale_color_ipea(
  palette = c("Blue", "Green", "Orange", "Pink", "Green-Blue", "Green-Blue-White",
             "Red-Blue", "Red-Blue-White", "Orange-Blue", "Orange-Blue-White", "Viridis",
             "Inferno", "Magma", "Plasma", "Cividis"),
  palette_direction = 1,
  decimal.mark = ",",
  barheight = NULL,
  barwidth = NULL,
  title.hjust = NULL,
  label.hjust = NULL,
  ...
)
```

## Arguments

<code>palette</code>	A character vector specifying the available palette for the color palette. The default palette are "Blue", but we can also change to 'Green', 'Orange', 'Pink', 'Red-Blue', 'Orange-Blue', 'Green-Blue', 'Red-Blue-White', 'Orange-Blue-White', 'Green-Blue-White', 'Viridis', 'Inferno', 'Magma', 'Plasma', 'Cividis'.
<code>palette_direction</code>	A logical argument specifying if the ordering of the colors will follow the default of the palette (when the argument is 1) or if it will have an inverted ordering (for cases where it is -1).
<code>decimal.mark</code>	The character to be used to indicate the numeric decimal point and Character used between every 3 digits to separate thousands. By default, the function uses a comma ",", following the format used in Brazilian Portuguese.
<code>barheight</code>	The height of the color gradient bar. This parameter is used when the direction is set to "horizontal".
<code>barwidth</code>	The width of the color gradient bar. This parameter is used when the direction is set to "horizontal".
<code>title.hjust</code>	A number specifying horizontal justification of the title text.
<code>label.hjust</code>	A number specifying vertical justification of the title text.
<code>...</code>	Additional arguments to be passed to the <code>scale_fill_gradientn</code> , <code>scale_color_gradientn</code> , <code>scale_fill_distiller</code> or <code>scale_color_distiller</code> function from the <code>ggplot2</code> package.

## Value

A list object be added to a ggplot object to change color pallete.

## See Also

Other ggplot2 theme functions: [scale\\_fill\\_ipea\(\)](#), [theme\\_ipea\(\)](#)

## Examples

```
# Creating scale for ggplot2 graph using default arguments
library(ggplot2)
fig_raw <- ggplot() +
  geom_point(data = mtcars, aes(x = hp , y = mpg, color = cyl)) +
  scale_color_ipea()

# Creating scale for ggplot2 graph using green sequential palette
fig_raw <- ggplot() +
  geom_point(data = mtcars, aes(x = hp , y = mpg, color = cyl)) +
  scale_color_ipea(palette = "Green")
```

**scale\_fill\_ipea**      *Scale fill IPEA*

## Description

Generate a fill palette (continuous or discrete) in the formatting of texts published by the Institute for Applied Economic Research (IPEA)

## Usage

```
scale_fill_ipea(
  palette = c("Blue", "Green", "Orange", "Pink", "Green-Blue", "Green-Blue-White",
             "Red-Blue", "Red-Blue-White", "Orange-Blue", "Orange-Blue-White", "Viridis",
             "Inferno", "Magma", "Plasma", "Cividis"),
  palette_direction = 1,
  decimal.mark = ",",
  barheight = NULL,
  barwidth = NULL,
  title.hjust = NULL,
  label.hjust = NULL,
  ...
)
```

## Arguments

palette	A character vector specifying the available palette for the color palette. The default palette are "Blue", but we can also change to 'Green', 'Orange', 'Pink', 'Red-Blue', 'Orange-Blue', 'Green-Blue', 'Red-Blue-White', 'Orange-Blue-White', 'Green-Blue-White', 'Viridis', 'Inferno', 'Magma', 'Plasma', 'Cividis'.
palette_direction	A logical argument specifying if the ordering of the colors will follow the default of the palette (when the argument is 1) or if it will have an inverted ordering (for cases where it is 0).
decimal.mark	The character to be used to indicate the numeric decimal point and Character used between every 3 digits to separate thousands. By default, the function uses a comma ",", following the format used in Brazilian Portuguese.
barheight	The height of the color gradient bar. This parameter is used when the direction is set to "horizontal".
barwidth	The width of the color gradient bar. This parameter is used when the direction is set to "horizontal".
title.hjust	A number specifying horizontal justification of the title text.
label.hjust	A number specifying vertical justification of the title text.
...	Additional arguments to be passed to the scale_fill_gradientn, scale_color_gradientn, scale_fill_distiller or scale_color_distiller function from the ggplot2 package

## Value

A list object be added to a ggplot object to change color pallete.

## See Also

Other ggplot2 theme functions: [scale\\_color\\_ipea\(\)](#), [theme\\_ipea\(\)](#)

## Examples

```
# Creating scale for ggplot2 graph using default arguments
library(ggplot2)
fig_raw <- ggplot() +
  geom_col(data = mtcars, aes(x = hp , y = mpg, fill = cyl)) +
  scale_fill_ipea()

# Creating scale for ggplot2 graph using green sequential palette
fig_raw <- ggplot() +
  geom_col(data = mtcars, aes(x = hp , y = mpg, fill = cyl)) +
  scale_fill_ipea(palette = "Green")
```

---

**theme\_ipea**

*Ggplot theme for Ipea charts and figures*

---

## Description

Applies a custom theme for ggplot figures following the editorial guidelines used by the Institute for Applied Economic Research - Ipea. The function includes standardized formatting of options for axis lines, text,

## Usage

```
theme_ipea(
  axis_lines = "full",
  axis_values = TRUE,
  legend.position = "right",
  grid.adjust = "horizontal",
  x_breaks = NULL,
  y_breaks = NULL,
  expand_x_limit = TRUE,
  expand_y_limit = TRUE,
  x_text_angle = 0,
  include_x_text_title = TRUE,
  include_y_text_title = TRUE,
  include_ticks = TRUE,
  ...
)
```

## Arguments

<code>axis_lines</code>	A character vector specifying the axis style. Valid options are "none" (no axis lines), "full" (full-length axis lines), and "half" (half-length axis lines), the default.
<code>axis_values</code>	Logical value indicating whether to show text elements. If TRUE, axis text will be displayed in black; otherwise, they will be hidden.
<code>legend.position</code>	A character vector specifying the position of the legend. Valid options are "right" (default), "left", "top", and "bottom".
<code>grid.adjust</code>	Defines whether the grid lines should be "horizontal" (default) or "vertical".
<code>x_breaks</code>	Numeric. The number of breaks on the x-axis
<code>y_breaks</code>	Numeric. The number of breaks on the y-axis
<code>expand_x_limit</code>	Logical value that indicates whether the x-axis boundary should be expanded. If TRUE, the x-axis limits will be expanded; otherwise there will be no change
<code>expand_y_limit</code>	Logical value that indicates whether the y-axis boundary should be expanded. If TRUE, the x-axis limits will be expanded; otherwise there will be no change
<code>x_text_angle</code>	Numeric. Angle in degrees of the text in the x-axis.

```
include_x_text_title
  Logical. Whether to include x text title. Defaults to TRUE.
include_y_text_title
  Logical. Whether to include x text title. Defaults to TRUE.
include_ticks  Logical. Whether to include ticks. Defaults to TRUE.
...           Additional arguments to be passed to the theme function from the ggplot2
             package.
```

### Value

A custom theme for IPEA graphics.

### See Also

Other ggplot2 theme functions: [scale\\_color\\_ipea\(\)](#), [scale\\_fill\\_ipea\(\)](#)

### Examples

```
# Creating theme for ggplot2 graph using default arguments
library(ggplot2)
fig_raw <- ggplot() +
  geom_col(data = mtcars, aes(x = hp , y = mpg, fill = cyl)) +
  theme_ipea()
```

# Index

- \* **ggplot2 theme functions**
  - scale\_color\_ipea, [7](#)
  - scale\_fill\_ipea, [8](#)
  - theme\_ipea, [10](#)
- \* **save**
  - save\_eps, [5](#)
  - save\_pdf, [6](#)
- ipea\_pal, [3](#)
- ipea\_palette, [4](#)
- ipeaplot, [2](#)
- ipeaplot-package (ipeaplot), [2](#)
- save\_eps, [5, 6](#)
- save\_pdf, [5, 6](#)
- scale\_color\_ipea, [7, 9, 11](#)
- scale\_fill\_ipea, [8, 8, 11](#)
- theme\_ipea, [8, 9, 10](#)