

Package ‘mvgb’

October 4, 2024

Title Multivariate Probabilities of Scale Mixtures of Multivariate Normal Distributions via the Genz and Bretz (2002) QRSVN Method

Version 0.0.6

Description Generates multivariate subgaussian stable probabilities using the QRSVN algorithm as detailed in Genz and Bretz (2002) <[DOI:10.1198/106186002394](https://doi.org/10.1198/106186002394)> but by sampling positive stable variates not χ/\sqrt{n} .

Depends R (>= 3.4.0)

License LGPL (>= 2.1)

Encoding UTF-8

RoxygenNote 7.2.1

URL <https://github.com/swihart/mvgb>

BugReports <https://github.com/swihart/mvgb/issues>

NeedsCompilation yes

Author Alan Genz [aut] (wrote mvtdstpack.f),
Bruce Swihart [aut, cre] (<<https://orcid.org/0000-0002-4216-9942>>)

Maintainer Bruce Swihart <bruce.swihart@gmail.com>

Repository CRAN

Date/Publication 2024-10-03 23:10:10 UTC

Contents

mvgb	2
pmvss	2

Index

6

mvgb*Multivariate Probabilities of Scale Mixtures of Multivariate Normal Distributions*

Description

The QRVSN algorithm is used in a broader context: using the Genz and Bretz (2002) algorithm to calculate multivariate distribution probabilities.

Multivariate Subgaussian Stable Distribution

pmvss – multivariate subgaussian stable distribution probabilities

Author(s)

Maintainer: Bruce Swihart <bruce.swihart@gmail.com> ([ORCID](#))

Authors:

- Alan Genz (wrote mvtdstpack.f)

See Also

Useful links:

- <https://github.com/swihart/mvgb>
- Report bugs at <https://github.com/swihart/mvgb/issues>

pmvss*Multivariate Subgaussian Stable Distribution Probabilities (via positive stable variates)*

Description

Computes the the distribution function of the multivariate subgaussian stable distribution for arbitrary limits, alpha, shape matrices, and location vectors. This function is unlike `mvtnorm::pmvt` in two ways:

1. The QRVSN method is used for every dimension n (including bivariate and trivariate),
2. The QRVSN method on positive stable variates, not chi/sqrt(nu).

Usage

```
pmvss(
  lower,
  upper,
  alpha,
  Q,
  delta = rep(0, NROW(Q)),
  maxpts = 25000,
  abseps = 0.001,
  releps = 0
)
```

Arguments

lower	lower bounds of integration must be length n, finite
upper	upper bounds of integration must be length n, finite
alpha	real number between 0 and 2 that cannot have more than 6 digits precision. 0.123456 is okay; 0.1234567 is not. Thus alpha in [0.000001, 1.999999].
Q	shape matrix
delta	location vector must have length equal to the number of rows of Q. Defaults to the 0 vector.
maxpts	(description from FORTRAN code) INTEGER, maximum number of function values allowed. This parameter can be used to limit the time. A sensible strategy is to start with MAXPTS = 1000*N, and then increase MAXPTS if ERROR is too large. (description from mvtnorm::GenzBretz) maximum number of function values as integer. The internal FORTRAN code always uses a minimum number depending on the dimension. (for example 752 for three-dimensional problems).
abseps	absolute error tolerance
releps	relative error tolerance as double.

Value

Returns the variables from the MVTDST function (QRVSN algorithm):

N	INTEGER, the number of variables.
NU	INTEGER, the number of degrees of freedom. If NU < 1, then an MVN probability is computed.
LOWER	DOUBLE PRECISION, array of lower integration limits.
UPPER	DOUBLE PRECISION, array of upper integration limits.
INFIN	INTEGER, array of integration limits flags: if INFIN(I) < 0, Ith limits are (-infinity, infinity);

```

if INFIN(I) = 0, Ith limits are (-infinity, UPPER(I)];
if INFIN(I) = 1, Ith limits are [LOWER(I), infinity);
if INFIN(I) = 2, Ith limits are [LOWER(I), UPPER(I)].

CORREL DOUBLE PRECISION, array of correlation coefficients;
the correlation coefficient in row I column J of the
correlation matrix should be stored in
    CORREL( J + ((I-2)*(I-1))/2 ), for J < I.
The correlation matrix must be positive semi-definite.

DELTA DOUBLE PRECISION, array of non-centrality parameters.

MAXPTS INTEGER, maximum number of function values allowed. This
parameter can be used to limit the time. A sensible
strategy is to start with MAXPTS = 1000*N, and then
increase MAXPTS if ERROR is too large.

ABSEPS DOUBLE PRECISION absolute error tolerance.

RELEPS DOUBLE PRECISION relative error tolerance.

error DOUBLE PRECISION estimated absolute error,
with 99% confidence level.

value DOUBLE PRECISION estimated value for the integral

inform INTEGER, termination status parameter:
    if INFORM = 0, normal completion with ERROR < EPS;
    if INFORM = 1, completion with ERROR > EPS and MAXPTS
        function values used; increase MAXPTS to
        decrease ERROR;
    if INFORM = 2, N > 1000 or N < 1.
    if INFORM = 3, correlation matrix not positive semi-definite.

RND ignore; this initializes RNG

```

References

- Genz, A. and Bretz, F. (2002), Methods for the computation of multivariate t-probabilities. *Journal of Computational and Graphical Statistics*, **11**, 950–971.
<http://www.math.wsu.edu/faculty/genz/homepage>
<http://www.math.wsu.edu/faculty/genz/software/fort77/mvtdstpack.f>

Examples

```

Q = structure(c(1, 0.85, 0.85, 0.85, 0.85,
               0.85, 1    , 0.85, 0.85, 0.85,
               0.85, 0.85  , 1    , 0.85, 0.85,
               0.85, 0.85  , 0.85  , 1    , 0.85,
               0.85, 0.85  , 0.85  , 0.85, 1    ),

```

```
    0.85, 0.85 , 0.85 , 0.85 , 1 ),
.Dim = c(5L,5L))

## default maxpts=25000 doesn't finish with error < abseps
mvgb::pmvss(lower=rep(-1,5),
             upper=rep(1,5),
             alpha=1,
             Q=Q,
             maxpts=25000)[c("value","inform","error")]

## increase maxpts to get inform value 0 (that is, error < abseps)
mvgb::pmvss(lower=rep(-1,5),
             upper=rep(1,5),
             alpha=1,
             Q=Q,
             maxpts=25000*350)[c("value","inform","error")]

set.seed(10)
shape_matrix <- structure(c(1, 0.9, 0.9, 0.9, 0.9, 0.9, 1, 0.9, 0.9, 0.9, 0.9,
                            0.9, 1, 0.9, 0.9, 0.9, 0.9, 0.9, 1, 0.9, 0.9, 0.9, 0.9, 0.9, 0.9,
                            1), .Dim = c(5L, 5L))

mvgb::pmvss(lower=rep(-2,5),
             upper=rep(2,5),
             alpha=1.7,
             Q=shape_matrix,
             delta=rep(0,5),
             maxpts=25000*30)[c("value","inform","error")]
```

Index

* **distribution**

`pmvss`, [2](#)

`mvgb`, [2](#)

`mvgb`-package (`mvgb`), [2](#)

`pmvss`, [2](#), [2](#)