

Package ‘noah’

October 13, 2022

Title Create Unique Pseudonymous Animal Names

Version 0.1.0

Description Generate pseudonymous animal names that are delightful and easy to remember like the Likable Leech and the Proud Chickadee. A unique pseudonym can be created for every unique element in a vector or row in a data frame. Pseudonyms can be customized and tracked over time, so that the same input is always assigned the same pseudonym.

License MIT + file LICENSE

Suggests testthat, covr

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

URL <https://github.com/Teebusch/noah>

BugReports <https://github.com/Teebusch/noah/issues>

Imports R6, hash, digest, assertthat, purrr, dplyr, magrittr, crayon, rlang, stringr

Depends R (>= 3.1.0)

NeedsCompilation no

Author Tobias Busch [aut, cre] (<<https://orcid.org/0000-0002-8390-7892>>)

Maintainer Tobias Busch <teebusch@gmail.com>

Repository CRAN

Date/Publication 2021-01-18 09:10:06 UTC

R topics documented:

add_pseudonyms	2
Ark	3
pseudonymize	4

Index

6

`add_pseudonyms` *Add column with pseudonyms to a data frame*

Description

Add column with pseudonyms to a data frame

Usage

```
add_pseudonyms(
  .data,
  ...,
  .name = "pseudonym",
  .before = NULL,
  .after = NULL,
  .ark = NULL
)
```

Arguments

<code>.data</code>	A data frame to add pseudonyms to.
<code>...</code>	Columns to use as keys on which pseudonyms should be based. Supports tidy select. If empty, all columns will be used.
<code>.name</code>	Name of the new column as string.
<code>.before</code>	< tidy-select > Destination of columns selected by Supplying neither will move columns to the left-hand side; specifying both is an error.
<code>.after</code>	< tidy-select > Destination of columns selected by Supplying neither will move columns to the left-hand side; specifying both is an error.
<code>.ark</code>	An Ark object. If NULL (default) a new Ark is created. Using an existing Ark makes sure that the same input returns the same pseudonym.

Value

A data frame with an additional column containing the pseudonyms.

Examples

```
add_pseudonyms(mtcars)
```

Description

An Ark object can create and remember pseudonyms. Given the same input, it will always return the same pseudonym. No pseudonym will repeat.

Public fields

`log` Hashtable for all used pseudonyms. Inputs (keys) are stored as hashes.

Methods

Public methods:

- [Ark\\$new\(\)](#)
- [Ark\\$pseudonymize\(\)](#)
- [Ark\\$print\(\)](#)
- [Ark\\$length\(\)](#)
- [Ark\\$length_allit\(\)](#)
- [Ark\\$clone\(\)](#)

Method `new()`: Create new ark object.

Usage:

`Ark$new(alliterate = FALSE, parts = NULL, seed = NULL)`

Arguments:

`alliterate` Logical. Should the Ark return alliterations by default?

`parts` List of character vectors with name parts to be used for the pseudonyms. Defaults to adjectives and animals.

`seed` Random seed for permutation of name parts. Use this to make Ark reproducible (to the extent that the random number generation is reproducible). If `NULL` (default), the random number generator is left alone. This is a convenience argument and equivalent to calling `set.seed()` before creating the Ark.

Returns: A new Ark object.

Method `pseudonymize()`: Create Pseudonyms for input.

Usage:

`Ark$pseudonymize(..., .alliterate = NULL)`

Arguments:

`...` One or more R objects.

`.alliterate` Logical. Return only pseudonyms that are alliterations. Defaults to `TRUE` if the Ark was created with `Ark$new(alliterate = TRUE)`, `FALSE` otherwise. If `FALSE`, pseudonyms may still be alliterations by coincidence.

Returns: Character vector of pseudonyms with same length as input.

Method `print()`: Pretty-print an Ark object.

Usage:

```
Ark$print(n = NULL)
```

Arguments:

`n` A positive integer. The number of example pseudonyms to print.

Method `length()`: Number of used pseudonyms in an Ark.

Usage:

```
Ark$length()
```

Method `length_allit()`: Number of used alliterations in an Ark.

Usage:

```
Ark$length_allit()
```

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
Ark$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

pseudonymize

Create unique pseudonyms

Description

Pseudonymize returns unique pseudonyms for R objects. It accepts any number of vectors and data frame as arguments and will use them as keys for the pseudonym creation. Vectors and data frames must have identical length. Elements in the same position or row are treated as part of the same key. The same key is always assigned the same pseudonym. Different keys are always assigned different pseudonyms.

Usage

```
pseudonymize(..., .alliterate = NULL, .ark = NULL)
```

Arguments

<code>...</code>	One or multiple objects to use as keys for which pseudonyms should be created, usually one or more columns of a data frame. All objects must be of the same length.
<code>.alliterate</code>	Logical. Should only pseudonyms that are alliterations be returned? Defaults to FALSE, or TRUE if set as TRUE for the Ark provided to <code>.ark</code> . If set, takes precedence over the Ark's default setting.
<code>.ark</code>	An Ark object. If NULL (default) a new Ark is created. Using an existing Ark makes sure that the same input returns the same pseudonym.

Value

A character vector of pseudonyms.

Examples

```
pseudonymize("Mata Hari")
```

Index

add_pseudonyms, 2

Ark, 3

pseudonymize, 4