

# Package ‘odbr’

February 14, 2025

**Title** Download Data from Brazil's Origin Destination Surveys

**Version** 0.1.1

**Description** Download data from Brazil's Origin Destination Surveys. The package covers both data from household travel surveys, dictionaries of variables, and the spatial geometries of surveys conducted in different years and across various urban areas in Brazil. For some cities, the package will include enhanced versions of the data sets with variables ``harmonized'' across different years.

**License** GPL (>= 3)

**Depends** R (>= 2.10)

**Imports** cli, data.table, fs, haven, piggyback, R.utils, sf

**Suggests** knitr, rmarkdown, spelling, testthat (>= 3.2.0)

**VignetteBuilder** knitr

**Config/testthat/edition** 3

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.3.2

**URL** <https://hsvab.github.io/odbr/>, <https://github.com/hsvab/odbr>

**BugReports** <https://github.com/hsvab/odbr/issues>

**Language** en-US

**NeedsCompilation** no

**Author** Haydee Svab [aut, cre],  
Beatriz Milz [aut] (<<https://orcid.org/0000-0002-3064-4486>>),  
Diego Rabatone Oliveira [aut],  
Rafael H. M. Pereira [aut] (<<https://orcid.org/0000-0003-2125-7465>>)

**Maintainer** Haydee Svab <hsvab@hsvab.eng.br>

**Repository** CRAN

**Date/Publication** 2025-02-14 14:50:07 UTC

## Contents

dictSP . . . . .	2
metadata . . . . .	3
read_dictionary . . . . .	4
read_map . . . . .	5
read_od . . . . .	6

Index

dictSP *Sao Paulo OD Survey Dictionary*

## Description

These datasets contain the dictionary for the OD surveys in São Paulo. Each row describes one column of the survey data frame.

## Usage

od\_sao\_paulo\_1977\_not\_harmonized\_dictionary\_en  
od\_sao\_paulo\_1977\_not\_harmonized\_dictionary\_es  
od\_sao\_paulo\_1977\_not\_harmonized\_dictionary\_pt  
od\_sao\_paulo\_1987\_not\_harmonized\_dictionary\_en  
od\_sao\_paulo\_1987\_not\_harmonized\_dictionary\_es  
od\_sao\_paulo\_1987\_not\_harmonized\_dictionary\_pt  
od\_sao\_paulo\_1997\_not\_harmonized\_dictionary\_en  
od\_sao\_paulo\_1997\_not\_harmonized\_dictionary\_es  
od\_sao\_paulo\_1997\_not\_harmonized\_dictionary\_pt  
od\_sao\_paulo\_2007\_not\_harmonized\_dictionary\_en  
od\_sao\_paulo\_2007\_not\_harmonized\_dictionary\_es  
od\_sao\_paulo\_2007\_not\_harmonized\_dictionary\_pt  
od\_sao\_paulo\_2017\_not\_harmonized\_dictionary\_en  
od\_sao\_paulo\_2017\_not\_harmonized\_dictionary\_es  
od\_sao\_paulo\_2017\_not\_harmonized\_dictionary\_pt

## Format

A data frame with 4 columns:

**variable\_name** Name of the variable

**description** Description of the variable

**categories** Examples of the categories in the variable

**class** Class of the variable

An object of class `data.table` (inherits from `data.frame`) with 76 rows and 4 columns.

An object of class `data.table` (inherits from `data.frame`) with 76 rows and 4 columns.

An object of class `data.table` (inherits from `data.frame`) with 93 rows and 4 columns.

An object of class `data.table` (inherits from `data.frame`) with 93 rows and 4 columns.

An object of class `data.table` (inherits from `data.frame`) with 93 rows and 4 columns.

An object of class `data.table` (inherits from `data.frame`) with 110 rows and 4 columns.

An object of class `data.table` (inherits from `data.frame`) with 76 rows and 4 columns.

An object of class `data.table` (inherits from `data.frame`) with 110 rows and 4 columns.

An object of class `data.table` (inherits from `data.frame`) with 124 rows and 4 columns.

An object of class `data.table` (inherits from `data.frame`) with 76 rows and 4 columns.

An object of class `data.table` (inherits from `data.frame`) with 124 rows and 4 columns.

An object of class `data.table` (inherits from `data.frame`) with 128 rows and 4 columns.

An object of class `data.table` (inherits from `data.frame`) with 76 rows and 4 columns.

An object of class `data.table` (inherits from `data.frame`) with 128 rows and 4 columns.

## Source

<https://transparencia.metrosp.com.br/dataset/pesquisa-origem-e-destino>

---

## Description

This dataset has the list of OD surveys available in the package.

## Usage

metadata

## Format

**metadata:**

A data frame with 4 columns:

**city** City name

**year** Year of the survey

**harmonized** A logical value showing whether the dataset was harmonized

**language** Language of the dictionary

**read\_dictionary**

*Download data dictionary from OD surveys databases*

## Description

Return the data dictionary of a specific Origin Destination Survey, if available. This dictionary is intended to be used to understand the data downloaded using the `odbr::read_od` function. It will contain the list of variables and, for each variable, a simple description, the available categories and its class (factor, numeric, etc).

## Usage

```
read_dictionary(
  city = "São Paulo",
  year = 2017,
  harmonize = FALSE,
  language = "pt"
)
```

## Arguments

<b>city</b>	Character. City of reference. Defaults to "São Paulo".
<b>year</b>	Numeric. Year of reference in the format yyyy. Defaults to 1977.
<b>harmonize</b>	Logical. When FALSE (Default), the function returns the raw data. If TRUE, the function returns harmonized data to the same city, across all the years.
<b>language</b>	Character. The language of data dictionary to be opened. Options include <code>c("pt", "en", "es")</code> .

## Value

A "data.frame" object.

## Examples

```
library(odbr)

# return data dictionary from OD Surveys, as data.frame, at a given city and year
df <- read_dictionary(
  city = "Sao Paulo",
  year = 2017,
  harmonize = FALSE,
  language = "pt"
)
```

---

read\_map

*Download spatial data from OD Surveys databases*

---

## Description

read\_map() download the geodetic data for a specific Origin Destination survey and return it as an sf dataframe. It uses the cached data file if it was previously downloaded to avoid extra networking consumption. To understand the returned dataframe format, please refer to the read\_dictionary() function for the same survey cohort. It is also necessary to specify the geometry granularity wanted, be it "municipality", "district" or "zone" level of details. Of course, not all geometries are available for all surveys.

## Usage

```
read_map(city = "São Paulo", year = 2017, harmonize = FALSE, geometry = "zone")
```

## Arguments

city	Character. City of reference. Defaults to "São Paulo".
year	Numeric. Year of reference in the format yyyy. Defaults to 1977.
harmonize	Logical. When FALSE (Default), the function returns the raw data. If TRUE, the function returns harmonized data to the same city, across all the years.
geometry	Character. The type of spatial data to be opened. Options include c("zone", "district", "municipality").

## Value

An "sf" "data.frame" object

## Examples

```
library(odbr)

# return zone data from OD Surveys database as sf object at a given city and year
df <- read_map(
  city = "Sao Paulo",
  year = 2017,
  harmonize = FALSE,
  geometry = "zone"
)

#' # return district data from OD Surveys database as sf object at a given city and year
df <- read_map(
  city = "Sao Paulo",
  year = 2017,
  harmonize = FALSE,
  geometry = "district"
)

# return municipality data from OD Surveys database as sf object at a given city and year
df <- read_map(
  city = "Sao Paulo",
  year = 2017,
  harmonize = FALSE,
  geometry = "municipality"
)
```

**read\_od**

*Download microdata from OD Surveys databases*

## Description

`read_od()` download the data for a specific Origin Destination survey and return it as a dataframe. It uses the cached data file if it was previously downloaded to avoid extra networking consumption. To understand the returned dataframe format, please refer to the `read_dictionary()` function for the same survey cohort.

## Usage

```
read_od(city = "São Paulo", year = 2017, harmonize = FALSE)
```

## Arguments

<code>city</code>	Character. City of reference. Defaults to "São Paulo".
<code>year</code>	Numeric. Year of reference in the format yyyy. Defaults to 1977.
<code>harmonize</code>	Logical. When FALSE (Default), the function returns the raw data. If TRUE, the function returns harmonized data to the same city, across all the years.

*read\_od*

7

**Value**

A "data.frame" object.

**Examples**

```
library(odbr)

# return data from OD Surveys database as data.frame
df <- read_od(
  city = "Sao Paulo",
  year = 2017,
  harmonize = FALSE
)
```

# Index

- \* **Dictionary**
  - dictSP, [2](#)
- \* **Documentation**
  - read\_dictionary, [4](#)
- \* **Geometry**
  - read\_map, [5](#)
- \* **Microdata**
  - read\_od, [6](#)
- \* **datasets**
  - dictSP, [2](#)
  - metadata, [3](#)

dictSP, [2](#)

metadata, [3](#)

od\_sao\_paulo\_1977\_not\_harmonized\_dictionary\_en  
(dictSP), [2](#)

od\_sao\_paulo\_1977\_not\_harmonized\_dictionary\_es  
(dictSP), [2](#)

od\_sao\_paulo\_1977\_not\_harmonized\_dictionary\_pt  
(dictSP), [2](#)

od\_sao\_paulo\_1987\_not\_harmonized\_dictionary\_en  
(dictSP), [2](#)

od\_sao\_paulo\_1987\_not\_harmonized\_dictionary\_es  
(dictSP), [2](#)

od\_sao\_paulo\_1987\_not\_harmonized\_dictionary\_pt  
(dictSP), [2](#)

od\_sao\_paulo\_1997\_not\_harmonized\_dictionary\_en  
(dictSP), [2](#)

od\_sao\_paulo\_1997\_not\_harmonized\_dictionary\_es  
(dictSP), [2](#)

od\_sao\_paulo\_1997\_not\_harmonized\_dictionary\_pt  
(dictSP), [2](#)

od\_sao\_paulo\_2007\_not\_harmonized\_dictionary\_en  
(dictSP), [2](#)

od\_sao\_paulo\_2007\_not\_harmonized\_dictionary\_es  
(dictSP), [2](#)

od\_sao\_paulo\_2007\_not\_harmonized\_dictionary\_pt  
(dictSP), [2](#)

od\_sao\_paulo\_2017\_not\_harmonized\_dictionary\_en  
(dictSP), [2](#)

od\_sao\_paulo\_2017\_not\_harmonized\_dictionary\_es  
(dictSP), [2](#)

od\_sao\_paulo\_2017\_not\_harmonized\_dictionary\_pt  
(dictSP), [2](#)