Package 'oottest'

October 14, 2022

Title Out-of-Treatment Testing
Version 0.9.1
Maintainer Philipp Külpmann <philipp@kuelpmann.org>
Description Implements the out-of-treatment testing from Kuelpmann and Kuzmics (2020) <doi:10.2139/ssrn.3441675> based on the Vuong Test introduced in Vuong (1989) <doi:10.2307/1912557>.

Out-of treatment testing allows for a direct, pairwise likelihood comparison of theories, calibrated with pre-existing data.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Type Package

RoxygenNote 7.1.2

Suggests knitr, rmarkdown, xtable, testthat (>= 3.0.0), covr

Config/testthat/edition 3

Depends R (>= 3.5.0)

URL https://github.com/PhilippKuelpmann/oottest

BugReports https://github.com/PhilippKuelpmann/oottest/issues

VignetteBuilder knitr

NeedsCompilation no

Author Philipp Külpmann [aut, cre] (<https://orcid.org/0000-0003-3757-7172>), Panagiota Charalampidou [aut], University of Vienna [cph]

Repository CRAN

Date/Publication 2022-04-27 08:40:02 UTC

R topics documented:

| data_three_action_games | 2 |
|--------------------------------|----|
| data_two_action_games | 3 |
| predictions_three_action_games | 3 |
| predictions_two_action_games | 4 |
| simple_test_data | 4 |
| vuong_matrix | 5 |
| vuong_statistic | 5 |
| | |
| | -7 |

Index

data_three_action_games

Data from the three-action games

Description

This is the choice data from Kuelpmann and Kuzmics (2022) for the three-action games, i.e., Hawk-Middle-Dove and Rock-Paper-Scissor. For an explanation of the different treatments and the games, please refer to the paper.

Usage

data_three_action_games

Format

Need to reformat anyway ...

rows actions

columns treatments

cells number of subjects who chose each action on each treatment ...

Source

https://homepage.univie.ac.at/philipp.kuelpmann/hdg.html

data_two_action_games Data from the two-action games

Description

This is the choice data from Kuelpmann and Kuzmics (2022) for the two-action games, i.e., Hawk-Dove and Matching Pennies. For an explanation of the different treatments and the games, please refer to the paper.

Usage

data_two_action_games

Format

rows actionscolumns treatmentscells number of subjects who chose each action on each treatment ...

Source

https://homepage.univie.ac.at/philipp.kuelpmann/hdg.html

```
predictions_three_action_games
```

Predictions for the three-action games

Description

These are the prediction of every theory considered in Kuelpmann and Kuzmics (2022) for the three-action games. For a explanation of the different theories, treatments and the games, please refer to the paper.

Usage

predictions_three_action_games

Format

rows predicted probabilities of actionscolumns treatmentstables different theoriescells probability of choosing an action on each treatment depending on the theory ...

Source

https://homepage.univie.ac.at/philipp.kuelpmann/hdg.html

predictions_two_action_games

Predictions for the two-action games

Description

These are the prediction of every theory considered in Kuelpmann and Kuzmics (2022) for the twoaction games. For a explanation of the different theories, treatments and the games, please refer to the paper.

Usage

predictions_two_action_games

Format

rows predicted probabilities of actions

columns treatments

tables different theories

cells probability of choosing an action on each treatment depending on the theory ...

Source

https://homepage.univie.ac.at/philipp.kuelpmann/hdg.html

simple_test_data Simple Test Data

Description

This is just very simple test data, mostly used for testing and demonstration purposes.

Usage

simple_test_data

Format

A matrix with 3 rows and 2 columns

rows actions

columns treatments

cells number of subjects who chose each action on each treatment ...

vuong_matrix Getting a vuong matrix

Description

Getting a vuong matrix

Usage

vuong_matrix(data, theories)

Arguments

| data | matrix rows: choices, columns: treatments |
|----------|---|
| theories | list of matrices each in the same format as above |

Value

Table of z-scores for all comparisons

Examples

vuong_matrix(data_two_action_games, predictions_two_action_games)

vuong_statistic Implementation of the Vuong test for our setting

Description

Implementation of the Vuong test for our setting

Usage

```
vuong_statistic(data, pred_i, pred_j)
```

Arguments

| data | Data of the experiment (matrix of ints/data.frame): columns are treatments, rows are actions, values are number of subjects who chose each action on each treatment |
|--------|---|
| pred_i | Model prediction for a theory (matrix of doubles/data.frame): rows are predic- tion of playing action 1,2,3, columns are treatments |
| pred_j | Model prediction for a theory (matrix of doubles/data.frame): rows are predic- tion of playing action 1,2,3, columns are treatments |

Value

The z score of testing theory I against theory J, given the data

Examples

```
vuong_statistic(
   data_two_action_games,
   predictions_two_action_games[, , 1],
   predictions_two_action_games[, , 2]
)
```

Index

* datasets data_three_action_games, 2 data_two_action_games, 3 predictions_three_action_games, 3 predictions_two_action_games, 4 simple_test_data, 4 data_three_action_games, 2

data_two_action_games, 3

predictions_three_action_games, 3
predictions_two_action_games, 4

 $\texttt{simple_test_data, 4}$

vuong_matrix, 5
vuong_statistic, 5