## Package 'presens'

October 14, 2022

Type Package Title Interface for PreSens Fiber Optic Data Version 2.1.0 Date 2016-07-29 Author Matthew A. Birk Maintainer Matthew A. Birk <matthewabirk@gmail.com> Description Makes output files from select PreSens Fiber Optic Oxygen Transmitters easier to work with in R. See <http://www.presens.de> for more information about PreSens (Precision Sensing GmbH). Note: this package is neither created nor maintained by PreSens. **Imports** marelac (>= 2.1.4), measurements, stats, utils License GPL-3 **Encoding** UTF-8 RoxygenNote 5.0.1 NeedsCompilation no **Repository** CRAN

Date/Publication 2016-07-29 18:27:12

Index

### **R** topics documented:

import_o2	
o2_unit_conv	5
presens	6
	7

1

import\_o2

#### Description

Imports the standard txt file output from most PreSens fiber optic O2 transmitters and converts the data into a data frame.

#### Usage

```
import_o2(file, o2_unit = "percent_a.s.", date = "%d/%m/%y",
    salinity = 35)
```

#### Arguments

file	a character string. The filepath for the file to be read.
o2_unit	a character string. The unit of O2 measurement to be output in the data.frame. Options are:
	percent_a.s. (percent air saturation)
	percent_02
	hPa
	kPa
	torr
	mmHg
	inHg
	mg_per_l
	umol_per_l
	ml_per_l
date	a character string. The date format to be passed to strptime.
salinity	salinity of water sample (psu). Default is 35 psu.

#### Details

The following PreSens fiber optic O2 transmitters are supported:

Fibox 3 Fibox 3 trace Fibox 3 LCD trace Microx TX3 Microx TX3 trace OXY-4 mini OXY-4 micro OXY-4 trace

#### import\_o2

#### OXY-10 mini OXY-10 micro OXY-10 trace

It is very important to note that the PreSens fiber optics O2 transmitters that are supported with this function DO NOT account for salinity (i.e. they assume salinity = 0 ppt). If the water sample measured was not fresh water, the oxygen concentrations (e.g. mg per liter or umol per liter) are incorrect in the PreSens txt file. This function corrects these O2 concentrations based on the salinity value defined by the salinity argument. Absolute partial pressures (i.e. hPa and torr) will also be slightly different due to the slight influence of salinity on water's vapor pressure. This difference is typically ~0.05% of the recorded value.

#### Value

A data frame with seven columns is returned.

TIME Date and time, POSIXct format.

DURATION Duration of measurement trial (minutes).

oxygen Oxygen measurement in desired unit. Column name changes based on o2\_unit argument.

PHASE Phase recorded. Phase is inversely related to O2.

**AMPLITUDE** Amplitude recorded. Amplitude is an indicator of the quality of the signal. A low amplitude warning is produced by the transmitter below 2500.

TEMPERATURE Temperature recorded or defined at beginning of measurement trial.

**ERROR\_CODE** Error code from transmitter. See PreSens user manual for translation of error code.

#### Note

Conversions are estimates based on the marelac package and therefore differ slightly from the conversions provided by PreSens.

#### Author(s)

Matthew A. Birk, <matthewabirk@gmail.com>

#### See Also

last\_o2

#### Examples

```
## Not run:
file <- system.file('extdata', 'all_o2_units.txt', package = 'presens')
import_o2(file, o2_unit = 'umol_per_l', salinity = 25)
```

## End(Not run)

last\_o2

#### Description

Extracts the last O2 values from a PreSens text file.

#### Usage

last\_o2(file, n\_last = 10)

#### Arguments

file	a character string. The filepath for the file to be read.
n_last	integer. The number of O2 values to extract and return. Default is 10.

#### Value

A vector of numeric O2 values with a length of n\_last.

#### Author(s)

Matthew A. Birk, <matthewabirk@gmail.com>

#### See Also

import\_o2

#### Examples

```
## Not run:
file <- system.file('extdata', 'all_o2_units.txt', package = 'presens')
last_o2(file)
last_o2(file, n_last = 5)
```

## End(Not run)

o2\_unit\_conv

#### Description

Given a measurement of dissolved O2, a list of commonly used units of oxygen partial pressures and concentrations are returned.

#### Usage

```
o2_unit_conv(o2 = 100, from = "percent_a.s.", to = "all", salinity = 35,
temp = 25, air_pres = 1.013253)
```

#### Arguments

froma string describing the unit used to measure o2. Default is "percent_a.s." Options are:percent_a.s. (percent air saturation) percent_o2 hPa kPa torrmmHg inHg mg_per_l umol_per_l m_per_ltoa single string either describing the unit to which the conversion should be conducted (options are the same as in from), or the string "all" to return all units.salinitysalinity of water sample (°C). Default is 25 °C.air_prespressure of air overlying water sample (bar). Default is 1.013253 bar.	o2	a numeric vector of the O2 value(s). Default is 100.
percent_o2hPakPakPatorrmmHginHgmg_per_lumol_per_lml_per_luted (options are the same as in from), or the string "all" to return all units.salinitytemptemp	from	
hPa kPa kPa torr mmHg inHg mg_per_l umol_per_l umol_per_l ml_per_l to a single string either describing the unit to which the conversion should be con- ducted (options are the same as in from), or the string "all" to return all units. salinity salinity of water sample (psu). Default is 35 psu. temp temperature of water sample (°C). Default is 25 °C.		percent_a.s. (percent air saturation)
kPatorrmmHginHgmg_per_lumol_per_lm_per_lumol_per_lint_per_ltoa single string either describing the unit to which the conversion should be conducted (options are the same as in from), or the string "all" to return all units.salinitysalinity of water sample (psu). Default is 35 psu.temp		percent_02
torrmmHginHgmg_per_lumol_per_lm_per_lumol_per_lm_per_ltoa single string either describing the unit to which the conversion should be conducted (options are the same as in from), or the string "all" to return all units.salinitysalinity of water sample (psu). Default is 35 psu.temptemp		hPa
mmHg inHg mg_per_l umol_per_l ml_per_ltoa single string either describing the unit to which the conversion should be conducted (options are the same as in from), or the string "all" to return all units.salinitysalinity of water sample (psu). Default is 35 psu.temptemperature of water sample (°C). Default is 25 °C.		kPa
inHg mg_per_l umol_per_l m_per_ltoa single string either describing the unit to which the conversion should be conducted (options are the same as in from), or the string "all" to return all units.salinitysalinity of water sample (psu). Default is 35 psu.temptemperature of water sample (°C). Default is 25 °C.		torr
mg_per_l umol_per_l ml_per_ltoa single string either describing the unit to which the conversion should be conducted (options are the same as in from), or the string "all" to return all units.salinitysalinity of water sample (psu). Default is 35 psu.temptemperature of water sample (°C). Default is 25 °C.		mmHg
umol_per_lml_per_ltoa single string either describing the unit to which the conversion should be conducted (options are the same as in from), or the string "all" to return all units.salinitysalinity of water sample (psu). Default is 35 psu.temptemperature of water sample (°C). Default is 25 °C.		inHg
ml_per_ltoa single string either describing the unit to which the conversion should be conducted (options are the same as in from), or the string "all" to return all units.salinitysalinity of water sample (psu). Default is 35 psu.temptemperature of water sample (°C). Default is 25 °C.		mg_per_l
toa single string either describing the unit to which the conversion should be con- ducted (options are the same as in from), or the string "all" to return all units.salinitysalinity of water sample (psu). Default is 35 psu.temptemperature of water sample (°C). Default is 25 °C.		umol_per_l
ducted (options are the same as in from), or the string "all" to return all units.salinitysalinity of water sample (psu). Default is 35 psu.temptemperature of water sample (°C). Default is 25 °C.		ml_per_l
temp temperature of water sample (°C). Default is 25 °C.	to	6 6 6
	salinity	salinity of water sample (psu). Default is 35 psu.
air_pres pressure of air overlying water sample (bar). Default is 1.013253 bar.	temp	temperature of water sample (°C). Default is 25 °C.
	air_pres	pressure of air overlying water sample (bar). Default is 1.013253 bar.
	ari_pres	pressure of an overrying water sample (bar). Default is 1.015255 bar.

#### Details

Conversions are based on relationships and values from the package marelac.

#### Author(s)

Matthew A. Birk, <matthewabirk@gmail.com>

#### Examples

```
o2_unit_conv(o2 = 50)
o2_unit_conv(o2 = 1:50, from = "umol_per_l", to = "ml_per_l", salinity = 0, temp = 10,
air_pres = 1.2)
o2_unit_conv()[c('mmHg','kPa')]
```

presens

Interface for PreSens Fiber Optic Data

#### Description

Makes output files from select PreSens Fiber Optic Oxygen Transmitters easier to work with in R. See www.presens.de for more information about PreSens (Precision Sensing GmbH). Note: this package is neither created nor maintained by PreSens.

#### Author(s)

Matthew A. Birk, <matthewabirk@gmail.com>

6

# Index

import\_02, 2, 4
last\_02, 3, 4
marelac, 3, 5
o2\_unit\_conv, 5
presens, 6
presens-package (presens), 6
strptime, 2