

Package ‘svSweave’

October 14, 2022

Type Package

Version 1.0.0

Date 2022-05-10

Title 'SciViews' - 'Sweave', 'Knitr' and R Markdown Companion Functions

Description Functions to enumerate and reference figures, tables and equations in R Markdown documents that do not support these features (thus not 'bookdown' or 'quarto'. Supporting functions for using 'Sweave' and 'Knitr' with 'LyX'.

Maintainer Philippe Grosjean <phgrosjean@sciviews.org>

Depends R (>= 2.6.0)

Imports utils, knitr, rmarkdown

Suggests covr, testthat, spelling

License GPL-2

URL <https://github.com/SciViews/svSweave>,
<https://www.sciviews.org/svSweave/>

BugReports <https://github.com/SciViews/svSweave/issues>

RoxygenNote 7.1.1

VignetteBuilder knitr

Encoding UTF-8

Language en-US

NeedsCompilation no

Author Philippe Grosjean [aut, cre] (<<https://orcid.org/0000-0002-2694-9471>>)

Repository CRAN

Date/Publication 2022-05-10 09:30:02 UTC

R topics documented:

<code>clean_lyx</code>	2
<code>fig_id</code>	5
<code>new_labelling</code>	5
<code>subsettable</code>	7

Index

9

<code>clean_lyx</code>	<i>Clean up, weave or tangle Sweave files produced by LyX with the SciViews Sweave module</i>
------------------------	---

Description

These functions process .Rnw`` files produced by LyX and the SciViews Sweave module (not the standard Sweave commands to contain R chunks (embedded R code processed by Sweave). Unfortunately, LyX use to write two lines feeds for each line of code, introducing extra lines in the R chunks. Moreover, tabulations are interpreted as 8 spaces, while R code use to consider a tabulation as equivalent to 4 spaces. `clean_lyx()` corrects these little problems, and it should not affect R noweb files produced by a different software.

Usage

```
clean_lyx(RnwCon, RnwCon2 = RnwCon, encoding = "UTF-8")

cleanLyxRnw(RnwCon, RnwCon2 = RnwCon, encoding = "UTF-8")

tangle_lyx(
  file,
  driver = Rtangle(),
  syntax = getOption("SweaveSyntax"),
  encoding = "UTF-8",
  width = 80,
  useFancyQuotes = TRUE,
  annotate = TRUE,
  logFile = file.path(tempdir(), ".lyxSweave.log"),
  ...
)

tangleLyxRnw(
  file,
  driver = Rtangle(),
  syntax = getOption("SweaveSyntax"),
  encoding = "UTF-8",
  width = 80,
  useFancyQuotes = TRUE,
  annotate = TRUE,
```

```
logFile = file.path(tempdir(), ".lyxSweave.log"),
...
)

purl_lyx(
  file,
  encoding = "UTF-8",
  width = 80,
  useFancyQuotes = TRUE,
  logFile = file.path(tempdir(), ".lyxSweave.log"),
  ...
)

purlLyxRnw(
  file,
  encoding = "UTF-8",
  width = 80,
  useFancyQuotes = TRUE,
  logFile = file.path(tempdir(), ".lyxSweave.log"),
  ...
)

weave_lyx(
  file,
  driver = RweaveLatex(),
  syntax = getOption("SweaveSyntax"),
  encoding = "UTF-8",
  width = 80,
  useFancyQuotes = TRUE,
  logFile = file.path(tempdir(), ".lyxSweave.log"),
  ...
)

weaveLyxRnw(
  file,
  driver = RweaveLatex(),
  syntax = getOption("SweaveSyntax"),
  encoding = "UTF-8",
  width = 80,
  useFancyQuotes = TRUE,
  logFile = file.path(tempdir(), ".lyxSweave.log"),
  ...
)

knit_lyx(
  file,
  encoding = "UTF-8",
  width = 80,
```

```

useFancyQuotes = TRUE,
logFile = file.path(tempdir(), ".lyxSweave.log"),
...
)

knitLyxRnw(
  file,
  encoding = "UTF-8",
  width = 80,
  useFancyQuotes = TRUE,
  logFile = file.path(tempdir(), ".lyxSweave.log"),
  ...
)

```

Arguments

RnwCon	A connection object or a character string corresponding to the path to a R noweb file to be read.
RnwCon2	Idem, but where the cleaned up R noweb file should be written (by default, on the same file or connection).
encoding	The encoding of the .Rnw file. It is UTF-8 by default, but you can change it here.
file	The Sweave source file.
driver	The actual function to do the process, see Sweave() .
syntax	NULL or an object of class 'SweaveSyntax' or a character string with its name, see Sweave() .
width	The width used for outputs, 80 characters by default.
useFancyQuotes	Do we use fancy quotes in R outputs?
annotate	Is the R code extracted from the .Rnw file annotated?
logFile	The file to use to log results of weaving/tangling the document.
...	Further arguments passed to the driver's setup function of Sweave() or Stangle() .

Value

For [clean_lyx\(\)](#), a list for Sweave options found in the document; NULL for the other functions: these functions are invoked for their side effects. The function [weave_lyx\(\)](#) uses the standard Sweave driver (but it uses knitr for LyX documents that use the SciViews Knitr module), while [knit_lyx\(\)](#) does the same, but using the knitr driver. Similarly, [purl_lyx\(\)](#) is the knitr counterpart of [tangle_lyx\(\)](#) standard tangling function.

Author(s)

Philippe Grosjean

See Also

[knitr:::knit\(\)](#), [utils:::Sweave\(\)](#)

fig_id	<i>Create a figure id from a chunk label</i>
--------	--

Description

This function looks at the current chunk label and returns id="fig:label" that is usable in the out.extra= field of the R chunk. It allows to refer to a figure generated from a chunk with this label. Use out.extra=chunk_id() to set the id, or use fig_id_auto().

Usage

```
fig_id(label)
fig_id_auto()
```

Arguments

label	The label to use. If provided, it supersedes the chunk label.
-------	---

Value

A string to set the id like id="fig:label". For fig_id_auto(), the function installs a hook in 'knitr' to add an id automatically for each plot make by changing out.extra=.

Examples

```
fig_id("my_label")
```

new_labelling	<i>Reference figures, tables and equations in R Markdown documents</i>
---------------	--

Description

These functions return closures that allow for constructing a series of numbered items and to reference them. The number is created the first time a label is encountered, and provided again for further use of the same label.

Usage

```
new_labelling(
  type = c("arabic", "roman"),
  string_html = paste0("<style>.++++-%%%::after{content:\\"####\\>}</style>",
    "<span class=\"figheader\">Figure\\ ####: </span>@@@"),
  string_latex = "@@@",
  string_word = "[Figure\\ ####:]#{++++:%%%} @@@",
  string_ref_html = "<a class=\"++++-%%%\\\" href=\"#++++:%%%\\></a>",


```

```

string_ref_latex = "\\ref{++++:%%%}",
string_ref_word = "[####](#++++:%%%)",
name = "fig"
)

newLabelling(
  type = c("arabic", "roman"),
  string_html = paste0("<style>.++++-%%%::after{content:\\"####\\>/style>",
    "<span class=\"figheader\">Figure\\ \\ ####: </span>@@@",
  string_latex = "@@@@",
  string_word = "[Figure\\ \\ ####]{#++++:%%%} @@@",
  string_ref_html = "<a class=\"++++-%%%\" href=\"#++++:%%%\"></a>",
  string_ref_latex = "\\ref{++++:%%%}",
  string_ref_word = "[####](#++++:%%%)",
  name = "fig"
)
)

fig(
  caption = "",
  label = knitr::opts_current$get("label"),
  ref = NULL,
  reset = FALSE
)

tab(
  caption = "",
  label = knitr::opts_current$get("label"),
  ref = NULL,
  reset = FALSE
)

eq(label, ref, reset = FALSE)

```

Arguments

<code>type</code>	The type of numbering (arabic or roman).
<code>string_html</code>	The string prototyping the legend, with <code>++++</code> being the name (<code>fig</code> by default) <code>@@</code> being a placeholder for the text, <code>####</code> as a placeholder for the number, or <code>%%%</code> as a placeholder for the label.
<code>string_latex</code>	Idem for LaTeX.
<code>string_word</code>	Idem for Word.
<code>string_ref_html</code>	Idem for reference in HTML format.
<code>string_ref_latex</code>	Idem for reference in LaTeX format.
<code>string_ref_word</code>	Idem for reference in Word format.

<code>name</code>	The name to use before the number, e.g., "Fig." to get "Fig. 1" as cross-reference text for the first figure. If you provide <code>name = NULL</code> , only the number is produced.
<code>caption</code>	The text of the caption.
<code>label</code>	A short string uniquely identifying the item within the collection. To set a label in an equation, give a name instead of a string.
<code>ref</code>	The reference to the label.
<code>reset</code>	If <code>TRUE</code> , the collection is reset. Useful if you want to restart numbering at the beginning of each chapter.

Details

A new labelling type is created using `new_labelling()` which is a function factory (a function that creates functions).

Value

The function returns a caption if `text` = is provided, or an anchor if it is missing. If `text`= contains a name, it returns a link. Same for the `label`= for `eq()`: if it is a text, a couple label + tag to place inside display equations is produced, and if it is a name, a link is provided. `new_labelling()` creates a new labelling function, which has the same arguments as `fig()`.

Author(s)

Philippe Grosjean

Examples

```
# These function are supposed to be used in an R Markdown document
# see the svSweave vignette
# Produce a caption that contains the required code to number and reference
# a figure in HTML documents
fig("A caption", label = "a_label")
# Produce a reference to that figure
fig$a_label
```

`subsettable`

Define a function as being 'subsettable' using \$ operator

Description

For labelling items like `fig()`, `tab()` or `eq()`, implements the `$` method to retrieve a reference and build a link to the element.

Usage

```
## S3 method for class 'subsettable_labelling_ref'
x$name
```

Arguments

- | | |
|------|--|
| x | A <code>subsettable_labelling_ref</code> function. |
| name | The value to use for the <code>ref=</code> argument. |

Examples

```
eq(pythagoras) # Create a label / tag pair for R Markdown display equations
eq$pythagoras # Create a link to the equation somewhere else in the document
```

Index

- * **Literate programming**
 - clean_lyx, 2
- * **automatic numbering of items in documents**
 - new_labelling, 5
- * **create 'subsettable' functions**
 - subsettable, 7
- * **utilities**
 - clean_lyx, 2
 - new_labelling, 5
 - subsettable, 7
- \$.subsettable_labelling_ref
 - (subsettable), 7
- clean_lyx, 2
- clean_lyx(), 2, 4
- cleanLyxRnw(clean_lyx), 2
- eq(new_labelling), 5
- eq(), 7
- fig(new_labelling), 5
- fig(), 7
- fig_id, 5
- fig_id_auto(fig_id), 5
- fig_id_auto(), 5
- knit_lyx(clean_lyx), 2
- knit_lyx(), 4
- knitLyxRnw(clean_lyx), 2
- knitr::knit(), 4
- new_labelling, 5
- new_labelling(), 7
- newLabelling(new_labelling), 5
- purl_lyx(clean_lyx), 2
- purl_lyx(), 4
- purlLyxRnw(clean_lyx), 2
- Stangle(), 4
- subsettable, 7
- Sweave(), 4
- tab(new_labelling), 5
- tab(), 7
- tangle_lyx(clean_lyx), 2
- tangle_lyx(), 4
- tangleLyxRnw(clean_lyx), 2
- utils::Sweave(), 4
- weave_lyx(clean_lyx), 2
- weave_lyx(), 4
- weaveLyxRnw(clean_lyx), 2