

Package ‘trimcluster’

July 17, 2025

Title Cluster Analysis with Trimming

Version 0.2-0

VersionNote Released 0.1-6 on 2025-06-28 on CRAN

Depends R (>= 1.9.0)

Imports tclust

Suggests fpc

Description Trimmed k-means clustering. The method is described in Cuesta-Albertos et al. (1997) <[doi:10.1214/aos/1031833664](https://doi.org/10.1214/aos/1031833664)>.

Maintainer Valentin Todorov <valentin@todorov.at>

License GPL (>= 3)

URL <https://github.com/valentint/trimcluster>

BugReports <https://github.com/valentint/trimcluster/issues>

Repository CRAN

Date/Publication 2025-07-17 08:40:01 UTC

NeedsCompilation no

Author Christian Hennig [aut],
Valentin Todorov [cre] (ORCID: <<https://orcid.org/0000-0003-4215-0245>>)

Contents

trimkmeans	2
Index	5

trimkmeans	<i>Trimmed k-means clustering</i>
------------	-----------------------------------

Description

The trimmed k-means clustering method by Cuesta-Albertos, Gordaliza and Matran (1997). This optimizes the k-means criterion under trimming a portion of the points.

Usage

```
trimkmeans(data,k,trim=0.1, scaling=FALSE,
            runs=500, niter1=3, niter2=20, nkeep=5, points=NULL,
            countmode, printcrit, maxit,
            parallel=FALSE, n.cores=-1, trace=0, ...)

## S3 method for class 'tkm'
print(x, ...)
## S3 method for class 'tkm'
plot(x, data, ...)
```

Arguments

data	matrix or data.frame with raw data
k	integer. Number of clusters.
trim	numeric between 0 and 1. Proportion of points to be trimmed.
scaling	logical. If TRUE, the variables are centered at their means and scaled to unit variance before execution.
runs	The number of random initializations to be performed.
niter1	The number of concentration steps to be performed for the nstart initializations.
niter2	The maximum number of concentration steps to be performed for the nkeep solutions kept for further iteration. The concentration steps are stopped, whenever two consecutive steps lead to the same data partition.
nkeep	The number of iterated initializations (after niter1 concentration steps) with the best values in the target function that are kept for further iterations
points	NULL or a matrix with k vectors used as means to initialize the algorithm. If initial mean vectors are specified, runs should be 1 (otherwise the same initial means are used for all runs).
countmode	(deprecated) optional positive integer. Every countmode algorithm runs trimkmeans shows a message.
printcrit	(deprecated) logical. If TRUE, all criterion values (mean squares) of the algorithm runs are printed.
maxit	(deprecated, use the combination nkeep, niter1 and niter2) The maximum number of concentration steps to be performed. The concentration steps are stopped, whenever two consecutive steps lead to the same data partition.

<code>parallel</code>	A logical value, specifying whether the <code>nstart</code> initializations should be done in parallel.
<code>n.cores</code>	The number of cores to use when parallellizing, only taken into account if <code>parallel=TRUE</code> .
<code>trace</code>	Defines the tracing level, which is set to 0 by default. Tracing level 1 gives additional information on the stage of the iterative process.
<code>x</code>	object of class <code>tkm</code> .
<code>...</code>	further arguments to be transferred to <code>plot</code> or <code>plotcluster</code> .

Details

The function `trimkmeans()` now calls the function `tkmeans()` from the package `tclust`. This makes the procedure much faster since (a) `tkmeans()` is implemented in C++, (b) a new random initialization is introduced (see the parameters `niter1`, `niter2` and `nkeep` which replace the previous `maxit` and (c) it is possible to run the initialization in parallel (see the argument `parallel` and `ncores`).

`plot.tkm` calls `plotcluster` if the dimensionality of the data `p` is 1, shows a scatterplot with non-trimmed regions if `p=2` and discriminant coordinates computed from the clusters (ignoring the trimmed points) if `p>2`.

Value

An object of class `'tkm'` which is a LIST with components

<code>classification</code>	integer vector coding cluster membership with trimmed observations coded as <code>k+1</code> .
<code>means</code>	numerical matrix giving the mean vectors of the <code>k</code> classes.
<code>disttom</code>	vector of squared Euclidean distances of all points to the closest mean.
<code>ropt</code>	maximum value of <code>disttom</code> so that the corresponding point is not trimmed.
<code>k</code>	see above.
<code>trim</code>	see above.
<code>runs</code>	see above.
<code>scaling</code>	see above.

Author(s)

Christian Hennig <chrish@stats.ucl.ac.uk> <http://www.homepages.ucl.ac.uk/~ucakche/>

References

Cuesta-Albertos, J. A., Gordaliza, A., and Matran, C. (1997) Trimmed k-Means: An Attempt to Robustify Quantizers, *Annals of Statistics*, 25, 553-576.

See Also

[plotcluster](#)

Examples

```
set.seed(10001)
n1 <-60
n2 <-60
n3 <-70
n0 <-10
nn <- n1+n2+n3+n0
pp <- 2
X <- matrix(rep(0,nn*pp),nrow=nn)
ii <-0
for (i in 1:n1){
  ii <-ii+1
  X[ii,] <- c(5,-5)+rnorm(2)
}
for (i in 1:n2){
  ii <- ii+1
  X[ii,] <- c(5,5)+rnorm(2)*0.75
}
for (i in 1:n3){
  ii <- ii+1
  X[ii,] <- c(-5,-5)+rnorm(2)*0.75
}
for (i in 1:n0){
  ii <- ii+1
  X[ii,] <- rnorm(2)*8
}
tkm1 <- trimkmeans(X, k=3, trim=0.1, runs=5)
## runs=5 is used to save computing time; runs must be >= nkeep

print(tkm1)
plot(tkm1,X)
```

Index

- * **cluster**

- trimkmeans, [2](#)

- * **multivariate**

- trimkmeans, [2](#)

plot.tkm(trimkmeans), [2](#)

plotcluster, [3](#)

print.tkm(trimkmeans), [2](#)

trimkmeans, [2](#)